

GEBERIT sanitarinių sistemų kainynas nuo 2021.06.01

| Kodas | Pavadinimas | Serija | Nebegaminamas nuo: | Nebeparduodamas nuo: | Mažmeninė kaina Eur. su PVM (nuo 2021.06.01) |
|--------------|---|--------|--------------------|----------------------|--|
| 109.100.00.1 | Geberit Delta concealed cistern 12 cm, 6 / 3 litres, with front actuation | | | | 184,00 |
| 109.300.00.5 | Geberit Sigma concealed cistern 12 cm, 6 / 3 litres | | | | 239,00 |
| 109.302.00.5 | Geberit Sigma concealed cistern 12 cm, 6 / 3 litres, flush bend, plug-in, with front actuation | | | | 248,00 |
| 109.392.00.5 | Geberit Sigma concealed cistern 12 cm, 6 / 3 litres, ship model, with front actuation | | | | 256,00 |
| 109.050.00.1 | Geberit Omega concealed cistern 12 cm, 6 / 3 litres, installation height 98 cm | | | | 302,00 |
| 109.060.00.1 | Geberit Omega concealed cistern 12 cm, 6 / 3 litres, installation height 106 cm | | | | 302,00 |
| 109.791.00.1 | Geberit Sigma concealed cistern 8 cm, 6 / 3 litres | | | | 222,00 |
| 242.413.00.1 | Geberit reinforced braided hose for Sigma concealed cistern 8 cm | | | | 47,00 |
| 240.839.00.1 | Geberit reinforced braided hose for concealed cisterns 12 / 15 cm | | | | 63,00 |
| 115.050.B2.1 | Geberit DuoFresh module with automatic flush actuation and insert for Geberit DuoFresh stick, for Sigma concealed cistern 12 cm: anthracite grey RAL 7016 | | | | 431,00 |
| 115.050.21.1 | Geberit DuoFresh module with automatic flush actuation and insert for Geberit DuoFresh stick, for Sigma concealed cistern 12 cm: bright chrome-plated | | | | 441,00 |
| 115.051.B2.1 | Geberit DuoFresh module with manual flush actuation and insert for Geberit DuoFresh stick, for Sigma concealed cistern 12 cm: anthracite grey RAL 7016 | | | | 350,00 |
| 115.051.21.1 | Geberit DuoFresh module with manual flush actuation and insert for Geberit DuoFresh stick, for Sigma concealed cistern 12 cm: bright chrome-plated | | | | 359,00 |
| 115.052.B2.1 | Geberit DuoFresh module with automatic flush actuation and insert for Geberit DuoFresh stick, for Sigma concealed cistern 8 cm: anthracite grey RAL 7016 | | | | 431,00 |
| 115.052.21.1 | Geberit DuoFresh module with automatic flush actuation and insert for Geberit DuoFresh stick, for Sigma concealed cistern 8 cm: bright chrome-plated | | | | 441,00 |
| 115.053.B2.1 | Geberit DuoFresh module with manual flush actuation and insert for Geberit DuoFresh stick, for Sigma concealed cistern 8 cm: anthracite grey RAL 7016 | | | | 350,00 |
| 115.053.21.1 | Geberit DuoFresh module with manual flush actuation and insert for Geberit DuoFresh stick, for Sigma concealed cistern 8 cm: bright chrome-plated | | | | 359,00 |
| 115.610.00.1 | Geberit DuoFresh insert for stick, for Sigma concealed cistern 12 cm | | | | 48,00 |
| 115.062.B2.1 | Insert for Geberit DuoFresh stick, for Sigma concealed cistern 12 cm: anthracite grey RAL 7016 | | | | 82,00 |
| 115.062.21.1 | Insert for Geberit DuoFresh stick, for Sigma concealed cistern 12 cm: bright chrome-plated | | | | 92,00 |
| 115.063.B2.1 | Insert for Geberit DuoFresh stick, for Sigma concealed cistern 8 cm: anthracite grey RAL 7016 | | | | 82,00 |
| 115.063.21.1 | Insert for Geberit DuoFresh stick, for Sigma concealed cistern 8 cm: bright chrome-plated | | | | 92,00 |
| 240.938.00.1 | Geberit extension set for Sigma, Omega and Kappa concealed cisterns | | | | 24,00 |
| 240.058.00.1 | Geberit extension set for Delta and Twinline concealed cisterns | | | | 20,00 |
| 244.999.00.1 | Installation set with flush-mounting box, for Geberit DuoFresh module | | | | 38,00 |
| 244.120.00.1 | Geberit combination outlet mounting box | | | | 56,00 |
| 244.800.00.1 | Geberit DuoFresh stick | | | | 7,00 |
| 243.970.00.1 | Insert with ceramic honeycomb filter, for Geberit DuoFresh module | | | | 59,00 |
| 243.272.00.1 | Geberit mounting set for drywall constructions, for Sigma concealed cistern 8 cm | | | | 57,00 |
| 242.310.00.1 | Geberit cup for flush volume reduction, for concealed cistern | | | | 26,00 |
| 240.476.00.1 | Geberit damming device for concealed cisterns (from year of manufacture 1999) | | | | 12,00 |
| 243.905.00.1 | Geberit throttle for flush bend | | | | 5,00 |
| 110.100.00.1 | Geberit KombifixBasic element for wall-hung WC, 108 cm, with Delta concealed cistern 12 cm | | | | 226,00 |
| 110.300.00.5 | Geberit Kombifix element for wall-hung WC, 108 cm, with Sigma concealed cistern 12 cm | | | | 294,00 |
| 457.611.00.1 | Geberit Kombifix element for urinal, 109–127 cm, universal | | | | 323,00 |
| 457.612.00.1 | Geberit Kombifix element for urinal, 98 cm, universal, for top actuation | | | | 430,00 |
| 457.689.00.1 | Geberit Kombifix element for urinal, 109–127 cm, universal, for hidden urinal flush control | | | | 385,00 |
| 457.686.00.1 | Geberit Kombifix element for urinal, 109–127 cm, universal, for exposed flushing valve | | | | 274,00 |
| 457.430.00.1 | Geberit Kombifix element for washbasin, deck-mounted tap | | | | 190,00 |
| 457.530.00.1 | Geberit Kombifix element for bidet, universal | | | | 190,00 |
| 110.000.00.1 | Geberit Kombifix element for wall-hung WC, 82 cm, with Omega concealed cistern 12 cm | | | | 367,00 |
| 110.010.00.1 | Geberit Kombifix element for wall-hung WC, 98 cm, with Omega concealed cistern 12 cm | | | | 367,00 |
| 110.792.00.1 | Geberit Kombifix element for wall-hung WC, 109 cm, with Sigma concealed cistern 8 cm | | | | 345,00 |
| 240.284.00.1 | Geberit set of threaded rods M12, offset (2 pc.) | | | | 29,00 |
| 457.888.26.1 | Geberit Kombifix set of leg supports (2 pc.) | | | | 27,00 |
| 111.153.00.1 | Geberit DuoFixBasic element for wall-hung WC, 112 cm, with Delta concealed cistern 12 cm | | | | 279,00 |
| 458.103.00.1 | Geberit DuoFixBasic element for wall-hung WC, 112 cm, with Delta concealed cistern 12 cm | | | | 289,00 |
| 458.133.11.1 | Geberit DuoFix element for wall-hung WC, 112 cm, with Delta concealed cistern 12 cm, actuator plate Delta20 | | | | 354,00 |
| 458.133.21.1 | Geberit DuoFix element for wall-hung WC, 112 cm, with Delta concealed cistern 12 cm, actuator plate Delta20 | | | | 372,00 |
| 458.134.11.1 | Geberit DuoFix element for wall-hung WC, 112 cm, with Delta concealed cistern 12 cm, actuator plate Delta21 | | | | 369,00 |
| 458.134.21.1 | Geberit DuoFix element for wall-hung WC, 112 cm, with Delta concealed cistern 12 cm, actuator plate Delta21 | | | | 392,00 |
| 111.203.00.1 | Geberit DuoFix element for wall-hung WC with exposed cistern, close-coupled, 112 cm | | | | 300,00 |
| 111.321.00.1 | Geberit DuoFix element for wall-hung WC, 112 cm, without cistern | | | | 264,00 |
| 111.616.00.1 | Geberit DuoFix element for urinal, 112–130 cm, universal | | | | 390,00 |
| 111.676.00.1 | Geberit DuoFix element for urinal, 112–130 cm, universal, for spray head | | | | 443,00 |
| 111.686.00.1 | Geberit DuoFix element for urinal, 112–130 cm, universal, for exposed flushing valve | | | | 284,00 |
| 111.689.00.1 | Geberit DuoFix element for urinal, 112–130 cm, universal, for hidden urinal flush control | | | | 428,00 |
| 111.617.00.1 | Geberit DuoFix element for urinal, 98 cm, universal, top actuation | | | | 448,00 |
| 111.665.00.5 | Geberit DuoFix element for urinal, 130 cm, universal, for urinal flush control Basic | | | | 323,00 |
| 458.603.00.5 | Geberit DuoFixBasic element for urinal, 130 cm, universal, for urinal flush control Basic | | | | 339,00 |
| 111.430.00.1 | Geberit DuoFix element for washbasin, 112 cm, deck-mounted tap | | | | 187,00 |
| 111.551.00.1 | Geberit DuoFix element for washbasin, 112 cm, electronic deck-mounted tap with concealed function box | | | | 381,00 |
| 111.480.00.1 | Geberit DuoFix element for washbasin, 112 cm, deck-mounted tap, with concealed trap | | | | 312,00 |
| 111.471.00.1 | Geberit DuoFix element for washbasin, 112 cm, deck-mounted tap | | | | 147,00 |
| 111.485.00.1 | Geberit DuoFix element for washbasin, 82–98 cm, deck-mounted tap | | | | 187,00 |
| 111.437.00.1 | Geberit DuoFix element for washbasin, 130 cm, wall-mounted tap, surface-mounted | | | | 182,00 |
| 111.477.00.1 | Geberit DuoFix element for washbasin, 130 cm, wall-mounted tap, surface-mounted, with concealed trap | | | | 313,00 |
| 111.493.00.1 | Geberit DuoFix element for washbasin, 112–130 cm, wall-mounted tap, concealed: B=50cm, H=112–130cm, T=11cm | | | | 255,00 |
| 111.558.00.1 | Geberit DuoFix element for washbasin, 130 cm, electronic wall-mounted tap with concealed function box: B=50cm, H=130cm, T=7.5cm | | | | 467,00 |
| 111.450.00.1 | Geberit DuoFix element for sink, 130 cm, wall-mounted tap, surface-mounted | | | | 288,00 |
| 111.510.00.1 | Geberit DuoFix element for bidet, 112 cm, universal: B=50cm, T=10cm | | | | 364,00 |
| 111.520.00.1 | Geberit DuoFix element for bidet, 112 cm, universal: B=50cm, T=10cm | | | | 364,00 |
| 111.535.00.1 | Geberit DuoFix element for bidet, 98 cm, universal: B=50cm, T=10cm | | | | 343,00 |
| 111.515.00.1 | Geberit DuoFix element for bidet, 82 cm, universal: B=50cm, T=10cm | | | | 345,00 |
| 111.534.00.1 | Geberit DuoFix element for bidet, 112 cm, universal: B=50cm, T=7.5cm | | | | 265,00 |
| 111.740.00.1 | Geberit DuoFix element for shower and bathtub, 98–112 cm, wall-mounted tap, surface-mounted | | | | 177,00 |
| 111.780.00.1 | Geberit DuoFix element for shower and bathtub, 98–112 cm, wall-mounted tap, concealed | | | | 238,00 |
| 111.790.00.1 | Geberit DuoFix element for support handles, 112 cm, barrier-free: B=36.5cm, H=112cm, T=4cm | | | | 232,00 |
| 111.871.00.1 | Geberit DuoFix stud, room-height: H=220-280cm | | | | 84,00 |
| 111.872.00.1 | Geberit DuoFix stud, room-height: H=260-320cm | | | | 85,00 |
| 111.873.00.1 | Geberit DuoFix stud, room-height: H=300-360cm | | | | 92,00 |
| 111.874.00.1 | Geberit DuoFix stud, room-height: H=340-400cm | | | | 95,00 |
| 111.830.00.1 | Geberit DuoFix stud, part-height, 82–112 cm | | | | 85,00 |
| 111.834.00.1 | Geberit DuoFix stud, part-height, 112–144 cm | | | | 91,00 |
| 111.300.00.5 | Geberit DuoFix element for wall-hung WC, 112 cm, with Sigma concealed cistern 12 cm | | | | 378,00 |
| 111.320.00.5 | Geberit DuoFix element for wall-hung WC, 112 cm, with Sigma concealed cistern 12 cm | | | | 389,00 |
| 111.383.00.5 | Geberit DuoFix element for wall-hung WC, 112 cm, with Sigma concealed cistern 12 cm, wall anchoring and connection bend | | | | 448,00 |
| 111.306.00.5 | Geberit DuoFix element for wall-hung WC, 112 cm, with Sigma concealed cistern 12 cm, PEX connector | | | | 466,00 |
| 111.347.00.5 | Geberit DuoFix element for wall-hung WC, 112 cm, with Sigma concealed cistern 12 cm, PEX connector, type object | | | | 437,00 |
| 111.349.00.5 | Geberit DuoFix element for wall-hung WC, 112 cm, with Sigma concealed cistern 12 cm, PEX connector | | | | 510,00 |
| 111.910.00.5 | Geberit DuoFix element for wall-hung WC, 120 cm, with Sigma concealed cistern 12 cm, PEX connector, TEK | | | | 824,00 |
| 111.350.00.5 | Geberit DuoFix element for wall-hung WC, 112 cm, with Sigma concealed cistern 12 cm, barrier-free | | | | 532,00 |
| 111.312.00.5 | Geberit DuoFix element for wall-hung WC, 112 cm, with Sigma concealed cistern 12 cm, barrier-free, PEX connector | | | | 462,00 |
| 111.396.00.5 | Geberit DuoFix element for wall-hung WC, 112 cm, with Sigma concealed cistern 12 cm, barrier-free, WC height adjustable | | | | 670,00 |
| 111.364.00.5 | Geberit DuoFix element for wall-hung WC, 112 cm, with Sigma concealed cistern 12 cm, for odour extraction with exhaust air | | | | 491,00 |
| 111.380.00.5 | Geberit DuoFix element for wall-hung WC, 112 cm, with Sigma concealed cistern 12 cm, freestanding, reinforced | | | | 565,00 |
| 111.375.00.5 | Geberit DuoFix element for wall-hung WC, 112 cm, with Sigma concealed cistern 12 cm, barrier-free, for pull-down rails | | | | 823,00 |
| 111.003.00.1 | Geberit DuoFix element for wall-hung WC, 82 cm, with Omega concealed cistern 12 cm | | | | 476,00 |
| 111.006.00.1 | Geberit DuoFix element for wall-hung WC, 82 cm, with Omega concealed cistern 12 cm, PEX connector | | | | 524,00 |
| 111.030.00.1 | Geberit DuoFix element for wall-hung WC, 98 cm, with Omega concealed cistern 12 cm | | | | 476,00 |
| 111.033.00.1 | Geberit DuoFix element for wall-hung WC, 98 cm, with Omega concealed cistern 12 cm, PEX connector | | | | 524,00 |

| | | | | |
|--------------|---|--|--|--------|
| 111.060.00.1 | Geberit Duofix element for wall-hung WC, 112 cm, with Omega concealed cistern 12 cm | | | 476,00 |
| 111.063.00.1 | Geberit Duofix element for wall-hung WC, 112 cm, with Omega concealed cistern 12 cm, PEX connector | | | 524,00 |
| 111.796.00.1 | Geberit Duofix element for wall-hung WC, 114 cm, with Sigma concealed cistern 8 cm | | | 552,00 |
| 111.815.00.1 | Geberit Duofix set of wall anchors for single installation (2 pc.) | | | 29,00 |
| 111.013.00.1 | Set of wall anchors for single installation, for Geberit Duofix element for wall-hung WC, with Sigma concealed cistern 8 cm (2 pc.) | | | 29,00 |
| 111.844.00.1 | Geberit Duofix set of wall anchors for single and system installation (2 pc.) | | | 45,00 |
| 111.835.00.1 | Geberit Duofix set of wall anchors for single installation, corner construction (2 pc.) | | | 34,00 |
| 111.839.00.1 | Geberit DuofixBasic set of wall anchors for single installation (2 pc.) | | | 27,00 |
| 111.813.00.1 | Geberit Duofix set of wall anchors for single installation, with crossbar, clip-on | | | 38,00 |
| 111.887.00.1 | Geberit Duofix set of wall anchor extensions (2 pc.) | | | 17,00 |
| 111.878.00.1 | Geberit Duofix set of system rails (2 pc.) | | | 50,00 |
| 111.889.00.1 | Geberit Duofix sound insulation tape | | | 89,00 |
| 111.822.00.1 | Geberit Duofix crossbar, clip-on, for side-wall fastening | | | 62,00 |
| 111.064.00.1 | Geberit Duofix set of foot fastener on rear wall (2 pc.) | | | 72,00 |
| 111.869.00.1 | Geberit Duofix fastening material for stud clearance 50–57.5 cm | | | 34,00 |
| 111.848.00.1 | Geberit Duofix set of foot extensions for floor construction 20–40 cm | | | 87,00 |
| 111.847.00.1 | Geberit set of support brackets for WC ceramic appliances with small contact surfaces (2 pc.) | | | 61,00 |
| 349.352.00.1 | Geberit odour extraction set for Sigma concealed cistern, with connection pipe for odour extraction with exhaust air | | | 205,00 |
| 115.396.00.1 | Cover plate with sound insulation set, for Geberit Duofix element for wall-hung WC, WC height-adjustable | | | 149,00 |
| 111.863.00.1 | Fire protection set for Geberit Duofix element for wall-hung WC | | | 418,00 |
| 111.868.00.1 | Geberit Duofix fastening for washbasins with fastening distance 38–58 cm | | | 95,00 |
| 242.309.00.1 | Geberit retrofit adapter for inlet Rp 1/2", urinal | | | 153,00 |
| 118.400.11.1 | DF-B WC Del12 Selnova Delta20 white Set | | | 433,00 |
| 118.401.11.1 | DF-B WC Del12 Selnova Delta21 white Set | | | 470,00 |
| 118.402.21.1 | DF-B WC Del12 SelnovaRF SQ Delta21 Set | | | 595,00 |
| 118.403.21.1 | DF-B WC Del12 SelnovaRF Delta21 Set | | | 589,00 |
| 461.311.00.5 | Geberit GIS element for wall-hung WC, 114 cm, with Sigma concealed cistern 12 cm | | | 271,00 |
| 461.307.00.5 | Geberit GIS element for wall-hung WC, 114 cm, with Sigma concealed cistern 12 cm, PEX connector | | | 360,00 |
| 461.315.00.5 | Geberit GIS element for wall-hung WC, 114 cm, with Sigma concealed cistern 12 cm, for odour extraction with exhaust air | | | 341,00 |
| 461.303.00.5 | Geberit GIS element for wall-hung WC, 114 cm, with Sigma concealed cistern 12 cm, corner construction | | | 485,00 |
| 461.141.00.1 | Geberit GIS element for wall-hung WC, 87 cm, with Omega concealed cistern 12 cm | | | 380,00 |
| 461.151.00.1 | Geberit GIS element for wall-hung WC, 100 cm, with Omega concealed cistern 12 cm | | | 360,00 |
| 461.621.00.1 | Geberit GIS element for urinal, 114 cm, universal | | | 323,00 |
| 461.689.00.1 | Geberit GIS element for urinal, 114–132 cm, universal, for hidden urinal flush control | | | 372,00 |
| 461.686.00.1 | Geberit GIS element for urinal, 114 cm, universal, for exposed flushing valve | | | 271,00 |
| 461.622.00.1 | Geberit GIS element for urinal, 100 cm, universal, top actuation | | | 409,00 |
| 461.430.00.1 | Geberit GIS washbasin set for deck-mounted tap | | | 74,00 |
| 461.435.00.1 | Geberit GIS washbasin set for deck-mounted tap, with concealed trap | | | 126,00 |
| 461.530.00.1 | Geberit GIS element for bidet, universal | | | 240,00 |
| 461.200.00.1 | Geberit GIS profile connector | | | 3,00 |
| 461.002.00.1 | Geberit GIS mounting bracket 7.5 x 5.5 cm | | | 6,00 |
| 461.003.00.1 | Geberit GIS connecting piece | | | 10,00 |
| 461.022.00.1 | Geberit GIS connecting strap | | | 6,00 |
| 461.805.00.1 | Geberit GIS leg support for bathtub panel | | | 19,00 |
| 461.015.00.1 | Geberit GIS wall fixation | | | 16,00 |
| 461.804.00.1 | Geberit GIS corner profile | | | 19,00 |
| 461.140.00.1 | Geberit GIS mounting bracket 12 cm x 5.5 cm | | | 11,00 |
| 461.000.25.1 | Geberit GIS profile | | | 10,00 |
| 461.038.00.1 | Geberit GIS crossbar for wall-mounted tap, surface-mounted, 153 mm, for two water supply connections | | | 34,00 |
| 461.740.00.1 | Geberit GIS crossbar for wall-mounted tap, surface-mounted, 153 mm, with two water supply connections | | | 46,00 |
| 461.741.00.1 | Geberit GIS crossbar for wall-mounted tap, surface-mounted, 100 mm, with two water supply connections | | | 41,00 |
| 461.742.00.1 | Geberit GIS crossbar for wall-mounted tap, surface-mounted, with one water supply connection | | | 31,00 |
| 461.746.00.1 | Geberit GIS crossbar for vertically wall-mounted tap, surface-mounted, with two water supply connections | | | 61,00 |
| 461.054.00.1 | Geberit GIS mounting plate for concealed stop valves, 248 mm | | | 27,00 |
| 461.445.00.1 | Geberit GIS crossbar for washing machine and dishwasher | | | 84,00 |
| 461.173.00.1 | Geberit GIS mounting plate, universal, 24 x 42 cm, concealed installation | | | 56,00 |
| 461.180.00.1 | Geberit GIS pipe bracket | | | 11,00 |
| 461.025.00.1 | Geberit GIS panel | | | 18,00 |
| 461.163.00.5 | Geberit GIS aqua panel Pro | | | 99,00 |
| 461.058.00.1 | Geberit GIS panel for wall-hung WC, for Sigma concealed cisterns | | | 37,00 |
| 461.189.00.1 | Geberit GIS panel for wall-hung WC, for Omega concealed cisterns 12 cm | | | 43,00 |
| 461.074.00.1 | Geberit GIS panel for washbasin | | | 56,00 |
| 461.030.00.1 | Geberit panel screw | | | 1,00 |
| 461.031.00.1 | Geberit panel screw, in magazine | | | 1,00 |
| 464.015.00.1 | Geberit filler | | | 7,00 |
| 464.044.00.1 | Geberit filler for aqua panel Pro | | | 9,00 |
| 461.036.00.1 | Geberit GIS sound insulation tape | | | 3,00 |
| 461.070.00.1 | Geberit GIS pipe clip for supply pipes | | | 3,00 |
| 363.050.00.1 | Geberit GIS pipe bracket for discharge pipe | | | 7,00 |
| 364.052.00.1 | Geberit GIS pipe bracket for discharge pipe | | | 7,00 |
| 365.050.00.1 | Geberit GIS pipe bracket for discharge pipe | | | 7,00 |
| 366.050.00.1 | Geberit GIS pipe bracket for discharge pipe | | | 8,00 |
| 367.050.00.1 | Geberit GIS pipe bracket for discharge pipe | | | 8,00 |
| 461.035.00.1 | Geberit GIS mounting plate, universal, 31 x 58 cm | | | 75,00 |
| 461.014.00.1 | Sound insulating panel for Geberit GIS mounting bracket | | | 2,00 |
| 461.006.00.1 | Geberit GIS ratchet pin | | | 2,00 |
| 461.004.00.1 | Geberit GIS mounting clip | | | 4,00 |
| 465.029.00.1 | Geberit void dowel made of metal | | | 2,00 |
| 461.037.26.1 | Geberit heavy-duty dowel | | | 3,00 |
| 461.660.00.1 | Geberit GIS installation kit for freestanding system wall | | | 47,00 |
| 461.191.00.1 | Geberit GIS fixing bracket, adjustable, for roof pitch | | | 29,00 |
| 461.098.00.1 | Geberit GIS pipe support | | | 7,00 |
| 461.099.00.1 | Geberit GIS pipe support for anchor point | | | 18,00 |
| 461.064.00.1 | Geberit GIS profile guide | | | 8,00 |
| 461.089.00.1 | Geberit GIS corner stiffener for transport | | | 6,00 |
| 461.075.00.1 | Geberit GIS concealed mounting cabinet for continuous flow heater | | | 269,00 |
| 461.043.00.1 | Geberit GIS installation kit for service flap | | | 72,00 |
| 461.044.00.1 | Geberit GIS installation kit for service door | | | 137,00 |
| 115.416.11.1 | Geberit ready-to-fit set for washbasin with concealed trap: white alpine | | | 30,00 |
| 115.416.21.1 | Geberit ready-to-fit set for washbasin with concealed trap: bright chrome-plated | | | 72,00 |
| 115.415.00.1 | Geberit ready-to-fit set for washbasin with concealed trap: stainless steel, brushed | | | 100,00 |
| 461.145.00.1 | Geberit GIS crossbar for electronic deck-mounted tap with concealed function box | | | 227,00 |
| 461.146.00.1 | Geberit GIS crossbar for electronic wall-mounted tap with concealed function box | | | 314,00 |
| 156.050.00.1 | Geberit sound insulation set for wall-hung WC | | | 13,00 |
| 156.054.00.1 | Geberit sound insulation set for washbasin, large | | | 53,00 |
| 115.222.11.1 | Geberit actuator plate 200F for stop-and-go flush: white alpine | | | 45,00 |
| 115.222.21.1 | Geberit actuator plate 200F for stop-and-go flush: bright chrome-plated | | | 131,00 |
| 115.751.00.1 | Geberit actuator plate Mambo for stop-and-go flush, screwable: brushed | | | 148,00 |
| 115.333.11.1 | Geberit actuator plate 300T for stop-and-go flush: white alpine | | | 54,00 |
| 115.100.11.1 | Geberit actuator plate Delta20 for dual flush: white alpine | | | 68,00 |
| 115.100.21.1 | Geberit actuator plate Delta20 for dual flush: bright chrome-plated | | | 90,00 |
| 115.100.46.1 | Geberit actuator plate Delta20 for dual flush: matt chrome-plated | | | 90,00 |
| 115.768.11.1 | Geberit cover plate Sigma: white alpine | | | 67,00 |
| 115.768.21.1 | Geberit cover plate Sigma: bright chrome-plated | | | 92,00 |
| 115.768.46.1 | Geberit cover plate Sigma: matt chrome-plated | | | 92,00 |
| 115.696.00.1 | Geberit cover plate Sigma, surface-even: customised | | | 211,00 |
| 115.082.51.1 | Geberit cover plate Omega: white | | | 234,00 |
| 115.082.00.1 | Geberit cover plate Omega: customised | | | 172,00 |
| 115.087.00.1 | Geberit cover plate Omega, surface-even: customised | | | 203,00 |
| 115.088.00.1 | Geberit cover plate Omega, surface-even, with sight frame: customised | | | 256,00 |
| 115.680.11.1 | Geberit cover plate Kappa: white alpine | | | 77,00 |
| 115.680.21.1 | Geberit cover plate Kappa: bright chrome-plated | | | 105,00 |
| 115.103.00.1 | Geberit cover plate Delta, screwable: brushed | | | 101,00 |

| | | | | | |
|--------------|--|------------|--|------------|---------|
| 115.228.11.1 | Geberit actuator plate Kappa20 for dual flush: white alpine | | | | 76,00 |
| 115.228.21.1 | Geberit actuator plate Kappa20 for dual flush: bright chrome-plated | | | | 103,00 |
| 115.228.46.1 | Geberit actuator plate Kappa20 for dual flush: matt chrome-plated | | | | 103,00 |
| 115.258.00.1 | Geberit actuator plate Kappa50 for dual flush: brushed | | | | 203,00 |
| 115.260.11.1 | Geberit actuator plate Kappa50 for dual flush: white alpine | | | | 211,00 |
| 115.260.21.1 | Geberit actuator plate Kappa50 for dual flush: bright chrome-plated | | | | 211,00 |
| 115.260.46.1 | Geberit actuator plate Kappa50 for dual flush: matt chrome-plated | | | | 211,00 |
| 115.101.00.1 | Geberit actuator plate Delta15 for stop-and-go flush, screwable: brushed | | | | 143,00 |
| 115.758.KH.5 | Geberit actuator plate Sigma10 for stop-and-go flush: bright chrome-plated, matt chrome-plated | | | | 152,00 |
| 115.758.KJ.5 | Geberit actuator plate Sigma10 for stop-and-go flush: white, bright chrome-plated | | | | 131,00 |
| 115.758.KK.5 | Geberit actuator plate Sigma10 for stop-and-go flush: white, gold-plated | | | | 131,00 |
| 115.758.KL.5 | Geberit actuator plate Sigma10 for stop-and-go flush: white, matt chrome-plated | | | | 131,00 |
| 115.758.KM.5 | Geberit actuator plate Sigma10 for stop-and-go flush: black, bright chrome-plated | | | | 131,00 |
| 115.758.KN.5 | Geberit actuator plate Sigma10 for stop-and-go flush: matt chrome-plated, bright chrome-plated | | | | 152,00 |
| 115.758.JQ.5 | Geberit actuator plate Sigma10 for stop-and-go flush: matt chrome-coated, easy-to-clean coated, bright chrome-plated | | | | 183,00 |
| 115.758.JT.5 | Geberit actuator plate Sigma10 for stop-and-go flush: white matt coated, easy-to-clean coated, polished | | | | 281,00 |
| 115.758.14.5 | Geberit actuator plate Sigma10 for stop-and-go flush: black matt coated, easy-to-clean coated, polished | | | | 281,00 |
| 115.758.SN.5 | Geberit actuator plate Sigma10 for stop-and-go flush: brushed, easy-to-clean coated, polished | | | | 229,00 |
| 115.787.SN.5 | Geberit actuator plate Sigma10 for stop-and-go flush, screwable: brushed, easy-to-clean coated, polished | | | | 245,00 |
| 115.882.KH.1 | Geberit actuator plate Sigma20 for dual flush: bright chrome-plated, matt chrome-plated | | | | 152,00 |
| 115.882.KJ.1 | Geberit actuator plate Sigma20 for dual flush: white, bright chrome-plated | | | | 131,00 |
| 115.882.KK.1 | Geberit actuator plate Sigma20 for dual flush: white, gold-plated | | | | 131,00 |
| 115.882.KL.1 | Geberit actuator plate Sigma20 for dual flush: white, matt chrome-plated | | | | 131,00 |
| 115.882.KM.1 | Geberit actuator plate Sigma20 for dual flush: black, bright chrome-plated | | | | 131,00 |
| 115.882.KN.1 | Geberit actuator plate Sigma20 for dual flush: matt chrome-plated, bright chrome-plated | | | | 152,00 |
| 115.882.JQ.1 | Geberit actuator plate Sigma20 for dual flush: matt chrome-coated, easy-to-clean coated, bright chrome-plated | | | | 205,00 |
| 115.882.JT.1 | Geberit actuator plate Sigma20 for dual flush: white matt coated, easy-to-clean coated, bright chrome-plated | | | | 184,00 |
| 115.882.14.1 | Geberit actuator plate Sigma20 for dual flush: black matt coated, easy-to-clean coated, bright chrome-plated | | | | 184,00 |
| 115.882.SN.1 | Geberit actuator plate Sigma20 for dual flush: brushed, easy-to-clean coated, polished | | | | 215,00 |
| 115.882.11.1 | Geberit actuator plate Sigma20 for dual flush: white, matt white | | | | 129,00 |
| 115.882.01.1 | Geberit actuator plate Sigma20 for dual flush: white matt coated, easy-to-clean coated, white | | | | 210,00 |
| 115.882.DW.1 | Geberit actuator plate Sigma20 for dual flush: black, matt black | | | | 153,00 |
| 115.882.16.1 | Geberit actuator plate Sigma20 for dual flush: black matt coated, easy-to-clean coated, black | | | | 210,00 |
| 115.889.SN.1 | Geberit actuator plate Sigma20 for dual flush, screwable: brushed, easy-to-clean coated, polished | | | | 248,00 |
| 115.788.11.2 | Geberit actuator plate Sigma50 for dual flush, metal colour chrome-plated: chrome-plated, white | | | | 292,00 |
| 115.788.21.2 | Geberit actuator plate Sigma50 for dual flush, metal colour chrome-plated: chrome-plated, bright chrome-plated | | | | 443,00 |
| 115.788.DW.2 | Geberit actuator plate Sigma50 for dual flush, metal colour chrome-plated: chrome-plated, black | | | | 292,00 |
| 115.788.GH.2 | Geberit actuator plate Sigma50 for dual flush, metal colour chrome-plated: chrome-plated, chrome-plated, brushed, easy-to-clean coated | | | | 443,00 |
| 115.788.SD.2 | Geberit actuator plate Sigma50 for dual flush, metal colour chrome-plated: chrome-plated, smoked glass reflective | | | | 380,00 |
| 115.788.SQ.2 | Geberit actuator plate Sigma50 for dual flush, metal colour chrome-plated: chrome-plated, umber | 2021-06-01 | | 2021-12-31 | 380,00 |
| 115.788.TG.2 | Geberit actuator plate Sigma50 for dual flush, metal colour chrome-plated: chrome-plated, sand grey | 2021-06-01 | | 2021-12-31 | 380,00 |
| 115.788.JK.2 | Geberit actuator plate Sigma50 for dual flush, metal colour chrome-plated: chrome-plated, lava | | | | 380,00 |
| 115.788.JL.2 | Geberit actuator plate Sigma50 for dual flush, metal colour chrome-plated: chrome-plated, sand grey | | | | 380,00 |
| 115.788.JM.2 | Geberit actuator plate Sigma50 for dual flush, metal colour chrome-plated: chrome-plated, Mustang slate | | | | 443,00 |
| 115.788.JV.2 | Geberit actuator plate Sigma50 for dual flush, metal colour chrome-plated: chrome-plated, concrete look | | | | 445,00 |
| 115.788.JX.2 | Geberit actuator plate Sigma50 for dual flush, metal colour chrome-plated: chrome-plated, black walnut | | | | 734,00 |
| 115.788.00.2 | Geberit actuator plate Sigma50 for dual flush, metal colour chrome-plated: chrome-plated, customised | | | | 292,00 |
| 115.670.11.2 | Geberit actuator plate Sigma50 for dual flush, metal colour red gold: red gold, white | | | | 624,00 |
| 115.670.DW.2 | Geberit actuator plate Sigma50 for dual flush, metal colour red gold: red gold, black | | | | 624,00 |
| 115.670.JM.2 | Geberit actuator plate Sigma50 for dual flush, metal colour red gold: red gold, Mustang slate | | | | 785,00 |
| 115.670.JV.2 | Geberit actuator plate Sigma50 for dual flush, metal colour red gold: red gold, concrete look | | | | 785,00 |
| 115.670.JX.2 | Geberit actuator plate Sigma50 for dual flush, metal colour red gold: red gold, black walnut | | | | 1083,00 |
| 115.670.00.2 | Geberit actuator plate Sigma50 for dual flush, metal colour red gold: red gold, customised | | | | 624,00 |
| 115.671.11.2 | Geberit actuator plate Sigma50 for dual flush, metal colour black chrome: black chrome, white | | | | 624,00 |
| 115.671.DW.2 | Geberit actuator plate Sigma50 for dual flush, metal colour black chrome: black chrome, black | | | | 624,00 |
| 115.671.JM.2 | Geberit actuator plate Sigma50 for dual flush, metal colour black chrome: black chrome, Mustang slate | | | | 785,00 |
| 115.671.JV.2 | Geberit actuator plate Sigma50 for dual flush, metal colour black chrome: black chrome, concrete look | | | | 785,00 |
| 115.671.JX.2 | Geberit actuator plate Sigma50 for dual flush, metal colour black chrome: black chrome, black walnut | | | | 1083,00 |
| 115.671.00.2 | Geberit actuator plate Sigma50 for dual flush, metal colour black chrome: black chrome, customised | | | | 624,00 |
| 115.672.11.2 | Geberit actuator plate Sigma50 for dual flush, metal colour brass: brass, white | | | | 624,00 |
| 115.672.DW.2 | Geberit actuator plate Sigma50 for dual flush, metal colour brass: brass, black | | | | 624,00 |
| 115.672.JM.2 | Geberit actuator plate Sigma50 for dual flush, metal colour brass: brass, Mustang slate | | | | 785,00 |
| 115.672.JV.2 | Geberit actuator plate Sigma50 for dual flush, metal colour brass: brass, concrete look | | | | 785,00 |
| 115.672.JX.2 | Geberit actuator plate Sigma50 for dual flush, metal colour brass: brass, black walnut | | | | 1083,00 |
| 115.672.00.2 | Geberit actuator plate Sigma50 for dual flush, metal colour brass: brass, customised | | | | 624,00 |
| 115.788.00.1 | Geberit actuator plate Sigma50 for dual flush, customer specific: customised | | | | 292,00 |
| 115.120.11.1 | Geberit actuator plate Delta11 for stop-and-go flush: white alpine | | | | 69,00 |
| 115.120.21.1 | Geberit actuator plate Delta11 for stop-and-go flush: bright chrome-plated | | | | 100,00 |
| 115.120.46.1 | Geberit actuator plate Delta11 for stop-and-go flush: matt chrome-plated | | | | 100,00 |
| 115.125.11.1 | Geberit actuator plate Delta21 for dual flush: white alpine | | | | 69,00 |
| 115.125.21.1 | Geberit actuator plate Delta21 for dual flush: bright chrome-plated | | | | 96,00 |
| 115.125.46.1 | Geberit actuator plate Delta21 for dual flush: matt chrome-plated | | | | 100,00 |
| 115.135.11.1 | Geberit actuator plate Delta50 for dual flush: white alpine | | | | 69,00 |
| 115.135.21.1 | Geberit actuator plate Delta50 for dual flush: bright chrome-plated | | | | 100,00 |
| 115.135.46.1 | Geberit actuator plate Delta50 for dual flush: matt chrome-plated | | | | 100,00 |
| 115.240.KH.1 | Geberit actuator plate Kappa21 for dual flush: bright chrome-plated, matt chrome-plated | | | | 142,00 |
| 115.240.KJ.1 | Geberit actuator plate Kappa21 for dual flush: white, bright chrome-plated | | | | 99,00 |
| 115.240.KK.1 | Geberit actuator plate Kappa21 for dual flush: white, gold-plated | | | | 122,00 |
| 115.240.KM.1 | Geberit actuator plate Kappa21 for dual flush: black, bright chrome-plated | | | | 122,00 |
| 115.240.KN.1 | Geberit actuator plate Kappa21 for dual flush: matt chrome-plated, bright chrome-plated | | | | 142,00 |
| 115.770.11.5 | Geberit actuator plate Sigma01 for dual flush: white alpine | | | | 69,00 |
| 115.770.21.5 | Geberit actuator plate Sigma01 for dual flush: bright chrome-plated | | | | 99,00 |
| 115.770.46.5 | Geberit actuator plate Sigma01 for dual flush: matt chrome-plated | | | | 103,00 |
| 115.770.JQ.5 | Geberit actuator plate Sigma01 for dual flush: matt chrome-coated, easy-to-clean coated | | | | 139,00 |
| 115.770.DT.5 | Geberit actuator plate Sigma01 for dual flush: special brass galvanized | | | | 467,00 |
| 115.770.DW.5 | Geberit actuator plate Sigma01 for dual flush: jet black RAL 9005 | | | | 85,00 |
| 115.770.KA.5 | Geberit actuator plate Sigma01 for dual flush: bright chrome-plated, matt chrome-plated | | | | 103,00 |
| 115.770.LA.5 | Geberit actuator plate Sigma01 for dual flush: white, yellow, green | | | | 137,00 |
| 115.770.LB.5 | Geberit actuator plate Sigma01 for dual flush: white, blue, red | | | | 137,00 |
| 115.620.SI.1 | Geberit actuator plate Sigma70, for dual flush, for Sigma concealed cistern 12 cm: white | | | | 480,00 |
| 115.620.SI.1 | Geberit actuator plate Sigma70, for dual flush, for Sigma concealed cistern 12 cm: black | | | | 480,00 |
| 115.620.SQ.1 | Geberit actuator plate Sigma70, for dual flush, for Sigma concealed cistern 12 cm: umber | 2021-06-01 | | 2021-12-31 | 480,00 |
| 115.620.00.1 | Geberit actuator plate Sigma70, for dual flush, for Sigma concealed cistern 12 cm: customised | | | | 426,00 |
| 115.620.FW.1 | Geberit actuator plate Sigma70, for dual flush, for Sigma concealed cistern 12 cm: brushed, easy-to-clean coated | | | | 557,00 |
| 115.620.JK.1 | Geberit actuator plate Sigma70, for dual flush, for Sigma concealed cistern 12 cm: lava | | | | 480,00 |
| 115.620.JL.1 | Geberit actuator plate Sigma70, for dual flush, for Sigma concealed cistern 12 cm: sand grey | | | | 480,00 |
| 115.625.SI.1 | Geberit actuator plate Sigma70, for dual flush, for Sigma concealed cistern 8 cm: white | | | | 480,00 |
| 115.625.SI.1 | Geberit actuator plate Sigma70, for dual flush, for Sigma concealed cistern 8 cm: black | | | | 480,00 |
| 115.625.SQ.1 | Geberit actuator plate Sigma70, for dual flush, for Sigma concealed cistern 8 cm: umber | 2021-06-01 | | 2021-12-31 | 480,00 |
| 115.625.FW.1 | Geberit actuator plate Sigma70, for dual flush, for Sigma concealed cistern 8 cm: brushed, easy-to-clean coated | | | | 557,00 |
| 115.625.00.1 | Geberit actuator plate Sigma70, for dual flush, for Sigma concealed cistern 8 cm: customised | | | | 426,00 |
| 115.080.KH.1 | Geberit actuator plate Omega30 for dual flush: bright chrome-plated, matt chrome-plated | | | | 213,00 |
| 115.080.KJ.1 | Geberit actuator plate Omega30 for dual flush: white, bright chrome-plated | | | | 157,00 |
| 115.080.KK.1 | Geberit actuator plate Omega30 for dual flush: white, gold-plated | | | | 174,00 |
| 115.080.KL.1 | Geberit actuator plate Omega30 for dual flush: white, matt chrome-plated | | | | 174,00 |
| 115.080.KM.1 | Geberit actuator plate Omega30 for dual flush: black, bright chrome-plated | | | | 174,00 |
| 115.080.KN.1 | Geberit actuator plate Omega30 for dual flush: matt chrome-plated, bright chrome-plated | | | | 213,00 |
| 115.080.JQ.1 | Geberit actuator plate Omega30 for dual flush: matt chrome-coated, easy-to-clean coated, bright chrome-plated | | | | 249,00 |
| 115.081.SI.1 | Geberit actuator plate Omega60, for dual flush, surface-even: white, mirrored, bright chrome-plated | | | | 623,00 |
| 115.081.SI.1 | Geberit actuator plate Omega60, for dual flush, surface-even: black, mirrored, bright chrome-plated | | | | 623,00 |
| 115.081.KJ.1 | Geberit actuator plate Omega60, for dual flush, surface-even: lava, mirrored, bright chrome-plated | | | | 623,00 |
| 115.081.JL.1 | Geberit actuator plate Omega60, for dual flush, surface-even: sand grey, mirrored, bright chrome-plated | | | | 623,00 |
| 115.081.SQ.1 | Geberit actuator plate Omega60, for dual flush, surface-even: umber, mirrored, bright chrome-plated | 2021-06-01 | | 2021-12-31 | 623,00 |

| | | | | |
|--------------|---|------------|------------|---------|
| 115.081.GH.1 | Geberit actuator plate Omega60, for dual flush, surface-even: chrome-plated, brushed, easy-to-clean coated, bright chrome-plated | | | 623,00 |
| 115.085.KH.1 | Geberit actuator plate Omega20, for dual flush: bright chrome-plated, matt chrome-plated | | | 213,00 |
| 115.085.KJ.1 | Geberit actuator plate Omega20, for dual flush: white, bright chrome-plated | | | 157,00 |
| 115.085.KK.1 | Geberit actuator plate Omega20, for dual flush: white, gold-plated | | | 174,00 |
| 115.085.KL.1 | Geberit actuator plate Omega20, for dual flush: white, matt chrome-plated | | | 174,00 |
| 115.085.KM.1 | Geberit actuator plate Omega20, for dual flush: black, bright chrome-plated | | | 174,00 |
| 115.085.KN.1 | Geberit actuator plate Omega20, for dual flush: matt chrome-plated, bright chrome-plated | | | 213,00 |
| 115.085.QJ.1 | Geberit actuator plate Omega20, for dual flush: matt chrome-coated, easy-to-clean coated, bright chrome-plated | | | 249,00 |
| 115.883.KH.1 | Geberit actuator plate Sigma30 for dual flush: bright chrome-plated, matt chrome-plated | | | 164,00 |
| 115.883.KJ.1 | Geberit actuator plate Sigma30 for dual flush: white, bright chrome-plated | | | 121,00 |
| 115.883.KK.1 | Geberit actuator plate Sigma30 for dual flush: white, gold-plated | | | 146,00 |
| 115.883.KL.1 | Geberit actuator plate Sigma30 for dual flush: white, matt chrome-plated | | | 146,00 |
| 115.883.KM.1 | Geberit actuator plate Sigma30 for dual flush: black, bright chrome-plated | | | 146,00 |
| 115.883.KN.1 | Geberit actuator plate Sigma30 for dual flush: matt chrome-plated, bright chrome-plated | | | 164,00 |
| 115.883.QJ.1 | Geberit actuator plate Sigma30 for dual flush: matt chrome-coated, easy-to-clean coated, bright chrome-plated | | | 230,00 |
| 115.883.JT.1 | Geberit actuator plate Sigma30 for dual flush: white matt coated, easy-to-clean coated, bright chrome-plated | | | 211,00 |
| 115.883.14.1 | Geberit actuator plate Sigma30 for dual flush: black matt coated, easy-to-clean coated, bright chrome-plated | | | 211,00 |
| 115.883.11.1 | Geberit actuator plate Sigma30 for dual flush: white, matt white | | | 154,00 |
| 115.883.01.1 | Geberit actuator plate Sigma30 for dual flush: white matt coated, easy-to-clean coated, white | | | 237,00 |
| 115.883.DW.1 | Geberit actuator plate Sigma30 for dual flush: black, matt black | | | 180,00 |
| 115.883.16.1 | Geberit actuator plate Sigma30 for dual flush: black matt coated, easy-to-clean coated, black | | | 237,00 |
| 115.105.11.1 | Geberit actuator plate Delta51 for dual flush: white alpine | | | 82,00 |
| 115.105.21.1 | Geberit actuator plate Delta51 for dual flush: bright chrome-plated | | | 120,00 |
| 115.105.46.1 | Geberit actuator plate Delta51 for dual flush: matt chrome-plated | | | 120,00 |
| 115.105.DW.1 | Geberit actuator plate Delta51 for dual flush: jet black RAL 9005 | | | 120,00 |
| 115.640.S1.1 | Geberit actuator plate Sigma60 for dual flush, surface-even: white, mirrored, bright chrome-plated | | | 531,00 |
| 115.640.S1.1 | Geberit actuator plate Sigma60 for dual flush, surface-even: black, mirrored, bright chrome-plated | | | 531,00 |
| 115.640.SQ.1 | Geberit actuator plate Sigma60 for dual flush, surface-even: umber, mirrored, bright chrome-plated | 2021-06-01 | 2021-12-31 | 531,00 |
| 115.640.GH.1 | Geberit actuator plate Sigma60 for dual flush, surface-even: chrome-plated, brushed, easy-to-clean coated, bright chrome-plated | | | 531,00 |
| 115.640.JK.1 | Geberit actuator plate Sigma60 for dual flush, surface-even: lava, mirrored, bright chrome-plated | | | 531,00 |
| 115.640.JL.1 | Geberit actuator plate Sigma60 for dual flush, surface-even: sand grey, mirrored, bright chrome-plated | | | 531,00 |
| 115.893.K1.1 | Geberit actuator plate Sigma30 for stop-and-go flush, screwable: white, bright chrome-plated | | | 206,00 |
| 115.893.KK.1 | Geberit actuator plate Sigma30 for stop-and-go flush, screwable: chrome-plated, brushed, easy-to-clean coated, bright chrome-plated | | | 274,00 |
| 115.893.KX.1 | Geberit actuator plate Sigma30 for stop-and-go flush, screwable: bright chrome-plated, chrome-plated, brushed | | | 274,00 |
| 115.893.JT.1 | Geberit actuator plate Sigma30 for stop-and-go flush, screwable: white matt coated, easy-to-clean coated, bright chrome-plated | | | 275,00 |
| 115.893.14.1 | Geberit actuator plate Sigma30 for stop-and-go flush, screwable: black matt coated, easy-to-clean coated, bright chrome-plated | | | 275,00 |
| 115.893.45.1 | Geberit actuator plate Sigma30 for stop-and-go flush, screwable: gold-plated | | | 3206,00 |
| 115.884.S1.1 | Geberit actuator plate Sigma21 for dual flush, metal colour chrome-plated: chrome-plated, white | | | 370,00 |
| 115.884.S1.1 | Geberit actuator plate Sigma21 for dual flush, metal colour chrome-plated: chrome-plated, black | | | 370,00 |
| 115.884.TG.1 | Geberit actuator plate Sigma21 for dual flush, metal colour chrome-plated: chrome-plated, sand grey | 2021-06-01 | 2021-12-31 | 370,00 |
| 115.884.JK.1 | Geberit actuator plate Sigma21 for dual flush, metal colour chrome-plated: chrome-plated, lava | | | 370,00 |
| 115.884.JL.1 | Geberit actuator plate Sigma21 for dual flush, metal colour chrome-plated: chrome-plated, sand grey | | | 370,00 |
| 115.884.JM.1 | Geberit actuator plate Sigma21 for dual flush, metal colour chrome-plated: chrome-plated, Mustang slate | | | 457,00 |
| 115.884.JV.1 | Geberit actuator plate Sigma21 for dual flush, metal colour chrome-plated: chrome-plated, concrete look | | | 445,00 |
| 115.884.JX.1 | Geberit actuator plate Sigma21 for dual flush, metal colour chrome-plated: chrome-plated, black walnut | | | 734,00 |
| 115.884.00.1 | Geberit actuator plate Sigma21 for dual flush, metal colour chrome-plated: chrome-plated, customised | | | 296,00 |
| 115.650.S1.1 | Geberit actuator plate Sigma21 for dual flush, metal colour red gold: red gold, white | | | 698,00 |
| 115.650.S1.1 | Geberit actuator plate Sigma21 for dual flush, metal colour red gold: red gold, black | | | 698,00 |
| 115.650.JM.1 | Geberit actuator plate Sigma21 for dual flush, metal colour red gold: red gold, Mustang slate | | | 785,00 |
| 115.650.JV.1 | Geberit actuator plate Sigma21 for dual flush, metal colour red gold: red gold, concrete look | | | 785,00 |
| 115.650.JX.1 | Geberit actuator plate Sigma21 for dual flush, metal colour red gold: red gold, black walnut | | | 1083,00 |
| 115.650.00.1 | Geberit actuator plate Sigma21 for dual flush, metal colour red gold: red gold, customised | | | 624,00 |
| 115.651.S1.1 | Geberit actuator plate Sigma21 for dual flush, metal colour black chrome: black chrome, white | | | 698,00 |
| 115.651.S1.1 | Geberit actuator plate Sigma21 for dual flush, metal colour black chrome: black chrome, black | | | 698,00 |
| 115.651.JM.1 | Geberit actuator plate Sigma21 for dual flush, metal colour black chrome: black chrome, Mustang slate | | | 785,00 |
| 115.651.JV.1 | Geberit actuator plate Sigma21 for dual flush, metal colour black chrome: black chrome, concrete look | | | 785,00 |
| 115.651.JX.1 | Geberit actuator plate Sigma21 for dual flush, metal colour black chrome: black chrome, black walnut | | | 1083,00 |
| 115.651.00.1 | Geberit actuator plate Sigma21 for dual flush, metal colour black chrome: black chrome, customised | | | 624,00 |
| 115.652.S1.1 | Geberit actuator plate Sigma21, for dual flush, metal colour brass: brass, white | | | 698,00 |
| 115.652.S1.1 | Geberit actuator plate Sigma21, for dual flush, metal colour brass: brass, black | | | 698,00 |
| 115.652.JM.1 | Geberit actuator plate Sigma21, for dual flush, metal colour brass: brass, Mustang slate | | | 785,00 |
| 115.652.JV.1 | Geberit actuator plate Sigma21, for dual flush, metal colour brass: brass, concrete look | | | 785,00 |
| 115.652.JX.1 | Geberit actuator plate Sigma21, for dual flush, metal colour brass: brass, black walnut | | | 1083,00 |
| 115.652.00.1 | Geberit actuator plate Sigma21, for dual flush, metal colour brass: brass, customised | | | 624,00 |
| 115.899.K1.1 | Geberit actuator plate Twinline30, for dual flush: white, bright chrome-plated | | | 72,00 |
| 115.899.KH.1 | Geberit actuator plate Twinline30, for dual flush: bright chrome-plated, matt chrome-plated | | | 103,00 |
| 115.899.KN.1 | Geberit actuator plate Twinline30, for dual flush: matt chrome-plated, bright chrome-plated | | | 103,00 |
| 115.899.QJ.1 | Geberit actuator plate Twinline30, for dual flush: matt chrome-coated, easy-to-clean coated | | | 120,00 |
| 115.641.GH.1 | Geberit cover frame for actuator plate Sigma60: chrome-plated, brushed, easy-to-clean coated | | | 162,00 |
| 115.641.21.1 | Geberit cover frame for actuator plate Sigma60: bright chrome-plated | | | 162,00 |
| 115.086.GH.1 | Geberit cover frame for actuator plate Omega60: chrome-plated, brushed, easy-to-clean coated | | | 177,00 |
| 115.086.21.1 | Geberit cover frame for actuator plate Omega60: bright chrome-plated | | | 177,00 |
| 243.971.00.1 | Power supply unit 230 V / 12 V / 50 Hz, for Geberit DuoFresh module, for outlet mounting box | | | 99,00 |
| 243.261.00.1 | Service pac 2015 Sigma70 c/c Sigma-12 cm | | | 188,00 |
| 242.943.S1.1 | Geberit showroom actuator plate Sigma70, dual flush: white | | | 447,00 |
| 242.943.S1.1 | Geberit showroom actuator plate Sigma70, dual flush: black | | | 138,00 |
| 242.943.SQ.1 | Geberit showroom actuator plate Sigma70, dual flush: umber | 2021-06-01 | 2021-12-31 | 138,00 |
| 980.016.S1.1 | Geberit showroom actuator plate Sigma60, dual flush: white, mirrored, bright chrome-plated | | | 14,00 |
| 980.016.GH.1 | Geberit showroom actuator plate Sigma60, dual flush: chrome-plated, brushed, easy-to-clean coated, bright chrome-plated | | | 494,00 |
| 241.788.11.2 | Geberit showroom actuator plate Sigma50, dual flush, metal colour chrome-plated: chrome-plated, white | | | 14,00 |
| 241.788.21.2 | Geberit showroom actuator plate Sigma50, dual flush, metal colour chrome-plated: chrome-plated, black | | | 14,00 |
| 241.788.DW.2 | Geberit showroom actuator plate Sigma50, dual flush, metal colour chrome-plated: jet black RAL 9005 | | | 14,00 |
| 241.788.GH.2 | Geberit showroom actuator plate Sigma50, dual flush, metal colour chrome-plated: chrome-plated, chrome-plated, brushed | | | 14,00 |
| 241.788.SD.2 | Geberit showroom actuator plate Sigma50, dual flush, metal colour chrome-plated: chrome-plated, smoked glass reflective | | | 14,00 |
| 241.788.SQ.2 | Geberit showroom actuator plate Sigma50, dual flush, metal colour chrome-plated: chrome-plated, umber | 2021-06-01 | 2021-12-31 | 14,00 |
| 241.788.JM.2 | Geberit showroom actuator plate Sigma50, dual flush, metal colour chrome-plated: chrome-plated, Mustang slate | | | 14,00 |
| 241.788.00.2 | Geberit showroom actuator plate Sigma50, dual flush, metal colour chrome-plated: chrome-plated, customised | | | 14,00 |
| 241.788.JX.2 | Geberit showroom actuator plate Sigma50, dual flush, metal colour chrome-plated: chrome-plated, black walnut | | | 1219,00 |
| 980.071.11.1 | Geberit showroom actuator plate Sigma50, dual flush, metal colour red gold: red gold, white | | | 703,00 |
| 980.071.JM.1 | Geberit showroom actuator plate Sigma50, dual flush, metal colour red gold: red gold, Mustang slate | | | 884,00 |
| 980.071.JV.1 | Geberit showroom actuator plate Sigma50, dual flush, metal colour red gold: red gold, concrete look | | | 884,00 |
| 980.072.DW.1 | Geberit showroom actuator plate Sigma50, dual flush, metal colour black chrome: black chrome, black | | | 703,00 |
| 980.072.JM.1 | Geberit showroom actuator plate Sigma50, dual flush, metal colour black chrome: black chrome, Mustang slate | | | 884,00 |
| 980.073.DW.1 | Geberit showroom actuator plate Sigma50, dual flush, metal colour brass: brass, black | | | 703,00 |
| 980.073.JX.1 | Geberit showroom actuator plate Sigma50, dual flush, metal colour brass: brass, black walnut | | | 1219,00 |
| 980.012.KM.1 | Geberit showroom actuator plate Sigma30, dual flush: black, bright chrome-plated | | | 138,00 |
| 980.012.QJ.1 | Geberit showroom actuator plate Sigma30, dual flush: matt chrome-coated, easy-to-clean coated, bright chrome-plated | | | 14,00 |
| 980.012.JT.1 | Geberit showroom actuator plate Sigma30, dual flush: white matt coated, easy-to-clean coated, bright chrome-plated | | | 14,00 |
| 980.012.14.1 | Geberit showroom actuator plate Sigma30, dual flush: black matt coated, easy-to-clean coated, bright chrome-plated | | | 14,00 |
| 980.012.01.1 | Geberit showroom actuator plate Sigma30, dual flush: white matt coated, easy-to-clean coated, white | | | 267,00 |
| 980.012.16.1 | Geberit showroom actuator plate Sigma30, dual flush: black matt coated, easy-to-clean coated, black | | | 267,00 |
| 980.013.14.1 | Geberit showroom actuator plate Sigma30, stop-and-go flush: black matt coated, easy-to-clean coated, bright chrome-plated | | | 14,00 |
| 980.027.S1.1 | Geberit showroom actuator plate Sigma21, dual flush, metal colour chrome-plated: chrome-plated, white | | | 138,00 |
| 980.027.S1.1 | Geberit showroom actuator plate Sigma21, dual flush, metal colour chrome-plated: chrome-plated, black | | | 138,00 |
| 980.027.JM.1 | Geberit showroom actuator plate Sigma21, dual flush, metal colour chrome-plated: chrome-plated, Mustang slate | | | 138,00 |
| 980.027.JV.1 | Geberit showroom actuator plate Sigma21, dual flush, metal colour chrome-plated: chrome-plated, concrete look | | | 884,00 |
| 980.068.JV.1 | Geberit showroom actuator plate Sigma21, dual flush, metal colour red gold: red gold, concrete look | | | 884,00 |
| 980.068.S1.1 | Geberit showroom actuator plate Sigma21, dual flush, metal colour red gold: red gold, white | | | 786,00 |
| 980.068.S1.1 | Geberit showroom actuator plate Sigma21, dual flush, metal colour red gold: red gold, black | | | 786,00 |
| 980.069.S1.1 | Geberit showroom actuator plate Sigma21, dual flush, metal colour black chrome: black chrome, white | | | 786,00 |
| 980.070.JM.1 | Geberit showroom actuator plate Sigma21, dual flush, metal colour brass: brass, Mustang slate | | | 884,00 |
| 980.070.JV.1 | Geberit showroom actuator plate Sigma21, dual flush, metal colour brass: brass, concrete look | | | 884,00 |
| 980.070.S1.1 | Geberit showroom actuator plate Sigma21, dual flush, metal colour brass: brass, black | | | 786,00 |

| | | | | | |
|--------------|---|------------|------------|--|---------|
| 980.015.SN.1 | Geberit showroom actuator plate Sigma20, dual flush: brushed, easy-to-clean coated, polished | | | | 200,00 |
| 980.015.JQ.1 | Geberit showroom actuator plate Sigma20, dual flush: matt chrome-coated, easy-to-clean coated, bright chrome-plated | | | | 14,00 |
| 980.015.JT.1 | Geberit showroom actuator plate Sigma20, dual flush: white matt coated, easy-to-clean coated, bright chrome-plated | | | | 14,00 |
| 980.015.14.1 | Geberit showroom actuator plate Sigma20, dual flush: black matt coated, easy-to-clean coated, bright chrome-plated | | | | 14,00 |
| 980.015.01.1 | Geberit showroom actuator plate Sigma20, dual flush: white matt coated, easy-to-clean coated, white | | | | 237,00 |
| 980.015.16.1 | Geberit showroom actuator plate Sigma20, dual flush: black matt coated, easy-to-clean coated, black | | | | 237,00 |
| 980.034.21.1 | Showroom actuator plate for Geberit DuoFresh module 8 and 12 cm, with light: bright chrome-plated | | | | 57,00 |
| 242.235.46.1 | Geberit showroom actuator plate Delta50, dual flush: matt chrome-plated | | | | 32,00 |
| 242.225.11.1 | Geberit showroom actuator plate Delta21, dual flush: white alpine | | | | 14,00 |
| 242.225.21.1 | Geberit showroom actuator plate Delta21, dual flush: bright chrome-plated | | | | 32,00 |
| 242.220.46.1 | Geberit showroom actuator plate Delta11, stop-and-go flush: matt chrome-plated | | | | 32,00 |
| 980.011.21.1 | Geberit showroom actuator plate Delta51, dual flush: bright chrome-plated | | | | 38,00 |
| 980.004.S1.1 | Showroom actuator plate Geberit remote flush actuation type 70, dual flush: black | | | | 138,00 |
| 980.004.FW.1 | Showroom actuator plate Geberit remote flush actuation type 70, dual flush: brushed, easy-to-clean coated | | | | 138,00 |
| 115.890.SN.5 | Geberit WC flush control with electronic flush actuation, mains operation, dual flush, actuator plate Sigma10, automatic/touchless/manual: brushed, polished, B=24.6cm, H=16.4cm, T=1.5cm, Material designation=Glass | | | | 848,00 |
| 115.906.SN.1 | Geberit WC flush control with electronic flush actuation, mains operation, dual flush, actuator plate Sigma10, automatic/touchless, screwable: brushed, polished | | | | 787,00 |
| 115.907.KH.1 | Geberit WC flush control with electronic flush actuation, mains operation, dual flush, actuator plate Sigma10, automatic/touchless: bright chrome-plated, matt chrome-plated | | | | 716,00 |
| 115.907.KI.1 | Geberit WC flush control with electronic flush actuation, mains operation, dual flush, actuator plate Sigma10, automatic/touchless: white, bright chrome-plated | | | | 716,00 |
| 115.907.KK.1 | Geberit WC flush control with electronic flush actuation, mains operation, dual flush, actuator plate Sigma10, automatic/touchless: white, gold-plated | | | | 716,00 |
| 115.907.KL.1 | Geberit WC flush control with electronic flush actuation, mains operation, dual flush, actuator plate Sigma10, automatic/touchless: white, matt chrome-plated | | | | 716,00 |
| 115.907.KJ.1 | Geberit WC flush control with electronic flush actuation, mains operation, dual flush, actuator plate Sigma10, automatic/touchless: black, bright chrome-plated | | | | 716,00 |
| 115.907.KN.1 | Geberit WC flush control with electronic flush actuation, mains operation, dual flush, actuator plate Sigma10, automatic/touchless: matt chrome-plated, bright chrome-plated | | | | 716,00 |
| 115.907.SN.1 | Geberit WC flush control with electronic flush actuation, mains operation, dual flush, actuator plate Sigma10, automatic/touchless: brushed, polished | | | | 788,00 |
| 115.891.SN.5 | Geberit WC flush control with electronic flush actuation, battery operation, dual flush, actuator plate Sigma10, automatic/touchless/manual: brushed, polished | | | | 917,00 |
| 115.909.SN.1 | Geberit WC flush control with electronic flush actuation, battery operation, dual flush, actuator plate Sigma10, automatic/touchless, screwable: brushed, polished | | | | 860,00 |
| 115.908.KH.1 | Geberit WC flush control with electronic flush actuation, battery operation, dual flush, actuator plate Sigma10, automatic/touchless: bright chrome-plated, matt chrome-plated | | | | 788,00 |
| 115.908.KI.1 | Geberit WC flush control with electronic flush actuation, battery operation, dual flush, actuator plate Sigma10, automatic/touchless: white, bright chrome-plated | | | | 788,00 |
| 115.908.KK.1 | Geberit WC flush control with electronic flush actuation, battery operation, dual flush, actuator plate Sigma10, automatic/touchless: white, gold-plated | | | | 788,00 |
| 115.908.KL.1 | Geberit WC flush control with electronic flush actuation, battery operation, dual flush, actuator plate Sigma10, automatic/touchless: white, matt chrome-plated | | | | 788,00 |
| 115.908.KM.1 | Geberit WC flush control with electronic flush actuation, battery operation, dual flush, actuator plate Sigma10, automatic/touchless: black, bright chrome-plated | | | | 788,00 |
| 115.908.KN.1 | Geberit WC flush control with electronic flush actuation, battery operation, dual flush, actuator plate Sigma10, automatic/touchless: matt chrome-plated, bright chrome-plated | | | | 788,00 |
| 115.908.SN.1 | Geberit WC flush control with electronic flush actuation, battery operation, dual flush, actuator plate Sigma10, automatic/touchless: brushed, polished | | | | 860,00 |
| 116.090.SG.1 | Geberit WC flush control with electronic flush actuation, mains operation, dual flush, actuator plate Sigma80, touchless: black, B=24.7cm, H=16.4cm, T=1cm, Material designation=Glass | | | | 1305,00 |
| 116.090.SM.1 | Geberit WC flush control with electronic flush actuation, mains operation, dual flush, actuator plate Sigma80, touchless: mirrored, B=24.7cm, H=16.4cm, T=1cm, Material designation=Glass | | | | 1305,00 |
| 116.092.SG.1 | Geberit WC flush control with electronic flush actuation, mains operation, dual flush, actuator plate Sigma80, touchless: black, B=24.7cm, H=16.4cm, T=1cm, Material designation=Glass | | | | 1305,00 |
| 116.092.SM.1 | Geberit WC flush control with electronic flush actuation, mains operation, dual flush, actuator plate Sigma80, touchless: mirrored, B=24.7cm, H=16.4cm, T=1cm, Material designation=Glass | | | | 1305,00 |
| 115.630.S1.1 | Geberit remote flush actuation type 70, for dual flush, for Sigma concealed cistern 12 cm: white | | | | 537,00 |
| 115.630.S1.1 | Geberit remote flush actuation type 70, for dual flush, for Sigma concealed cistern 12 cm: black | | | | 537,00 |
| 115.630.SQ.1 | Geberit remote flush actuation type 70, for dual flush, for Sigma concealed cistern 12 cm: umber | 2021-06-01 | 2021-12-31 | | 537,00 |
| 115.630.FW.1 | Geberit remote flush actuation type 70, for dual flush, for Sigma concealed cistern 12 cm: brushed, easy-to-clean coated | | | | 633,00 |
| 115.630.JK.1 | Geberit remote flush actuation type 70, for dual flush, for Sigma concealed cistern 12 cm: lava | | | | 537,00 |
| 115.630.JL.1 | Geberit remote flush actuation type 70, for dual flush, for Sigma concealed cistern 12 cm: sand grey | | | | 537,00 |
| 115.635.S1.1 | Geberit remote flush actuation type 70 for dual flush, for Sigma concealed cistern 8 cm: white | | | | 537,00 |
| 115.635.S1.1 | Geberit remote flush actuation type 70 for dual flush, for Sigma concealed cistern 8 cm: black | | | | 537,00 |
| 115.635.SQ.1 | Geberit remote flush actuation type 70 for dual flush, for Sigma concealed cistern 8 cm: umber | 2021-06-01 | 2021-12-31 | | 537,00 |
| 115.635.FW.1 | Geberit remote flush actuation type 70 for dual flush, for Sigma concealed cistern 8 cm: brushed, easy-to-clean coated | | | | 633,00 |
| 115.083.S1.1 | Geberit remote flush actuation type 70 for dual flush, for Omega concealed cistern, furniture actuator: white | | | | 546,00 |
| 115.083.S1.1 | Geberit remote flush actuation type 70 for dual flush, for Omega concealed cistern, furniture actuator: black | | | | 546,00 |
| 115.083.SQ.1 | Geberit remote flush actuation type 70 for dual flush, for Omega concealed cistern, furniture actuator: umber | 2021-06-01 | 2021-12-31 | | 546,00 |
| 115.083.FW.1 | Geberit remote flush actuation type 70 for dual flush, for Omega concealed cistern, furniture actuator: brushed, easy-to-clean coated | | | | 643,00 |
| 115.083.JK.1 | Geberit remote flush actuation type 70 for dual flush, for Omega concealed cistern, furniture actuator: lava | | | | 546,00 |
| 115.083.JL.1 | Geberit remote flush actuation type 70 for dual flush, for Omega concealed cistern, furniture actuator: sand grey | | | | 546,00 |
| 115.084.S1.1 | Geberit remote flush actuation type 70 for dual flush, for Omega concealed cistern: white | | | | 546,00 |
| 115.084.S1.1 | Geberit remote flush actuation type 70 for dual flush, for Omega concealed cistern: black | | | | 546,00 |
| 115.084.SQ.1 | Geberit remote flush actuation type 70 for dual flush, for Omega concealed cistern: umber | 2021-06-01 | 2021-12-31 | | 546,00 |
| 115.084.FW.1 | Geberit remote flush actuation type 70 for dual flush, for Omega concealed cistern: brushed, easy-to-clean coated | | | | 643,00 |
| 115.084.JK.1 | Geberit remote flush actuation type 70 for dual flush, for Omega concealed cistern: lava | | | | 546,00 |
| 115.084.JL.1 | Geberit remote flush actuation type 70 for dual flush, for Omega concealed cistern: sand grey | | | | 546,00 |
| 242.525.00.1 | Geberit extension for air guide | | | | 78,00 |
| 240.180.00.1 | Geberit extension set for 300T concealed cistern 15 cm | | | | 22,00 |
| 242.555.00.1 | Geberit active carbon filter type 1 | | | | 46,00 |
| 242.920.00.1 | Geberit set of stopper pins for actuator plate Sigma60 (2 pc.) | | | | 34,00 |
| 242.602.00.1 | Geberit receptacle with insertion slide, for actuator plate Sigma40 | | | | 49,00 |
| 243.413.00.1 | Geberit compensation frame for actuator plate Sigma60: Material designation=Die-cast zinc | | | | 111,00 |
| 243.109.00.1 | Geberit compensation frame for actuator plate Omega60 | | | | 89,00 |
| 242.274.00.1 | Geberit mounting frame for actuator plate Delta | | | | 29,00 |
| 241.876.00.1 | Geberit mounting frame for actuator plates Sigma | | | | 16,00 |
| 241.093.00.1 | Geberit fastening material for cover plate Danceline (2 pc.) | | | | 21,00 |
| 241.877.00.1 | Geberit fastening material for actuator plates Sigma and Delta (2 pc.) | | | | 52,00 |
| 242.601.KQ.1 | Geberit actuator plate Sigma40 for dual flush: white alpine, aluminium brushed | | | | 166,00 |
| 242.601.KR.1 | Geberit actuator plate Sigma40 for dual flush: jet black RAL 9005, aluminium brushed | | | | 166,00 |
| 242.601.S1.1 | Geberit actuator plate Sigma40 for dual flush: white, aluminium brushed | | | | 325,00 |
| 242.601.S1.1 | Geberit actuator plate Sigma40 for dual flush: black, aluminium brushed | | | | 325,00 |
| 242.601.SQ.1 | Geberit actuator plate Sigma40 for dual flush: umber, aluminium brushed | | | | 325,00 |
| 242.813.00.1 | Geberit actuator plate Sigma70 for dual flush: customised | | | | 161,00 |
| 242.813.S1.1 | Geberit actuator plate Sigma70 for dual flush: white | | | | 236,00 |
| 242.813.S1.1 | Geberit actuator plate Sigma70 for dual flush: black | | | | 173,00 |
| 242.813.FW.1 | Geberit actuator plate Sigma70 for dual flush: brushed, easy-to-clean coated | | | | 242,00 |
| 243.118.S1.1 | Geberit actuator plate Omega60 for dual flush: white, mirrored, bright chrome-plated | | | | 404,00 |
| 242.588.00.1 | Geberit set of actuator rods for Omega cistern and actuator plate Sigma60 | | | | 34,00 |
| 242.523.00.1 | Geberit extraction unit for active carbon filter | | | | 193,00 |
| 243.179.00.1 | Geberit power supply unit for extraction unit with active carbon filter | | | | 170,00 |
| 240.067.00.1 | Geberit set of distance bolts (2 pc.) | | | | 5,00 |
| 240.323.00.1 | Geberit set of actuator rods for actuator plate 300T | | | | 15,00 |
| 243.414.00.1 | Geberit set of distance elements for Sigma60 (2 pc.) | | | | 25,00 |
| 241.873.00.1 | Geberit conversion set for actuator plates Danceline | | | | 42,00 |
| 241.874.00.1 | Geberit set of actuator rods for actuator plate | | | | 17,00 |
| 241.295.00.1 | Geberit set of springs for actuator plate (10 pc.) | | | | 11,00 |
| 243.422.00.1 | Geberit set of rockers for actuator plate Sigma60 (2 pc.) | | | | 20,00 |
| 242.956.00.1 | Geberit ready-to-fit set for remote flush actuation type 70 | | | | 155,00 |
| 242.957.S1.1 | Geberit actuator plate for remote flush actuation type 70: white | | | | 221,00 |
| 243.297.00.1 | Geberit double pneumatic hose, green | | | | 10,00 |
| 243.084.00.1 | Geberit protection plate for hydraulic servo lifter, for Sigma concealed cistern 8 cm | | | | 66,00 |
| 242.820.00.1 | Geberit hydraulic servo lifter | | | | 289,00 |
| 241.465.00.1 | Geberit set of actuator rods for actuator plate | | | | 26,00 |
| 241.348.00.1 | Geberit protection box for service opening, for Delta concealed cistern | | | | 11,00 |
| 241.475.00.1 | Geberit angle stop valve | | | | 21,00 |
| 241.349.00.1 | Geberit support block | | | | 18,00 |
| 240.510.00.1 | Geberit support block | | | | 20,00 |
| 241.982.00.1 | Geberit reinforced braided hose | | | | 19,00 |
| 241.343.00.1 | Geberit protection plate for Delta concealed cistern | | | | 11,00 |
| 242.044.00.1 | Geberit crossbar to fasten urinals | | | | 27,00 |
| 242.197.00.1 | Geberit elbow tap connector 1" for urinal Tamaro | | | | 38,00 |
| 241.009.00.1 | Geberit set of flange nuts (2 pc.) | | | | 12,00 |
| 240.401.00.1 | Geberit pipe bracket for WC outlet bend | | | | 9,00 |
| 242.012.00.1 | Geberit pipe bracket for WC outlet bend | | | | 12,00 |
| 240.027.46.1 | Geberit set of cover caps for threaded rod M8 (2 pc.) | | | | 8,00 |
| 244.125.00.1 | Geberit DuoFix set of foot plates (2 pc.) | | | | 27,00 |
| 243.872.00.1 | Set of flush bends for Geberit DuoFix up to width 42.5 cm | | | | 38,00 |
| 242.042.00.1 | Geberit inlet crossbar for urinal, with spray head | | | | 144,00 |
| 241.067.16.1 | Geberit connection bend for bidet | | | | 18,00 |
| 242.039.00.1 | Geberit Inlet crossbar d132, for element for urinal | | | | 27,00 |
| 240.189.00.1 | Geberit set of threaded rods M12 (2 pc.) | | | | 6,00 |

| | | | | | |
|--------------|--|------------|------------|--|--------|
| 240.306.00.1 | Geberit protective plug with punching tip d40 | | | | 3,00 |
| 240.646.00.1 | Geberit mounting frame for actuator plate Kappa and Artline | | | | 17,00 |
| 240.639.00.1 | Geberit set of actuator rods for actuator plate | | | | 12,00 |
| 240.533.00.1 | Geberit support block for Kappa concealed cistern 15 cm | | | | 20,00 |
| 240.637.00.1 | Geberit flush valve with basket | | | | 39,00 |
| 240.638.00.1 | Geberit flush valve for concealed cistern Kappa | | | | 32,00 |
| 241.526.00.1 | Geberit angle stop valve | | | | 23,00 |
| 243.091.00.1 | Geberit support block for Omega concealed cistern | | | | 18,00 |
| 243.169.00.1 | Geberit support block for hydraulic servo lifter, for Omega concealed cistern | | | | 14,00 |
| 240.629.00.1 | Geberit reinforced braided hose for Kappa concealed cistern 15 cm | | | | 26,00 |
| 243.089.00.1 | Geberit protection plate for Omega concealed cistern | | | | 17,00 |
| 243.094.00.1 | Geberit flush valve and basket, for Omega concealed cistern | 2021-07-01 | 2021-10-01 | | 37,00 |
| 243.095.00.1 | Geberit flush valve for Omega concealed cistern | 2021-07-01 | 2021-10-01 | | 25,00 |
| 243.168.00.1 | Geberit installation set, surface-even, for Sigma concealed cistern 12 cm | | | | 17,00 |
| 241.869.00.1 | Installation accessories for Geberit Duofix element for wall-hung WC, with Sigma concealed cistern 12 cm | | | | 59,00 |
| 241.879.00.1 | Geberit water supply connection for PEX pipes, with integrated angle stop valve | | | | 59,00 |
| 241.859.00.1 | Geberit basket for concealed cistern | | | | 11,00 |
| 240.931.00.1 | Geberit protection box for service opening | | | | 14,00 |
| 241.826.00.1 | Geberit protection box for service opening for Sigma concealed cistern, length 9 cm | | | | 17,00 |
| 240.923.00.1 | Geberit mounting clip for fill valve type 380 and Sigma concealed cistern 12 cm (UP300) | | | | 7,00 |
| 240.922.00.1 | Geberit set of seals for reinforced braided hose | | | | 10,00 |
| 240.269.00.1 | Geberit water supply connection with integrated angle stop valve | | | | 29,00 |
| 240.847.00.1 | Geberit water supply connection with integrated angle stop valve, resistant to seawater | | | | 132,00 |
| 241.882.00.1 | Geberit water supply connection set for PEX pipes: d=15mm, s=2.5mm | | | | 29,00 |
| 241.883.00.1 | Geberit water supply connection set for PEX pipes: d=16mm, s=2.2mm | | | | 28,00 |
| 241.857.00.1 | Geberit counter nut | | | | 7,00 |
| 241.829.00.1 | Geberit support block for Sigma concealed cistern 12 cm | | | | 12,00 |
| 241.858.00.1 | Geberit flush valve with basket | 2021-07-01 | 2021-10-01 | | 27,00 |
| 892.975.00.1 | Geberit O-ring for outlet connection piece | | | | 4,00 |
| 240.069.00.1 | Geberit reinforced braided hose | | | | 25,00 |
| 242.824.00.1 | Geberit reinforced braided hose for hydraulic servo lifter, for Sigma concealed cistern 12 cm | | | | 60,00 |
| 241.868.00.1 | Geberit section seal for basket | | | | 3,00 |
| 242.819.00.1 | Geberit protection plate for hydraulic servo lifter, for Sigma concealed cistern 12 cm | | | | 50,00 |
| 240.930.00.1 | Geberit protection plate for concealed cistern | | | | 18,00 |
| 241.824.00.1 | Geberit protection plate for Sigma concealed cistern 12 cm | | | | 11,00 |
| 241.696.00.1 | Geberit protective tube adapter | | | | 7,00 |
| 242.825.00.1 | Geberit conversion set for hydraulic servo lifter, for Sigma concealed cistern 12 cm | | | | 29,00 |
| 241.854.00.1 | Geberit reinforced braided hose, dezincification-resistant, for concealed cistern | | | | 30,00 |
| 240.921.00.1 | Geberit reinforced braided hose for concealed cistern: DN=8, L=33.3cm, G=3/8" | | | | 20,00 |
| 362.771.00.1 | Geberit lip seal for flush pipe: d=45mm | | | | 3,00 |
| 243.346.00.1 | Geberit set of fixing brackets 8 / 12 cm (2 pc.) | | | | 15,00 |
| 242.269.00.1 | Geberit basket for concealed cistern | | | | 12,00 |
| 242.414.00.1 | Geberit angle stop valve for Sigma concealed cistern 8 cm | | | | 15,00 |
| 242.416.00.1 | Geberit flush valve for Sigma concealed cistern 8 cm and UP700 | | | | 21,00 |
| 242.417.00.1 | Geberit support block for Sigma concealed cistern 8 cm | | | | 17,00 |
| 243.344.00.1 | Geberit support block for Sigma concealed cistern 8 cm | | | | 12,00 |
| 243.171.00.1 | Geberit support block for hydraulic servo lifter, for Sigma concealed cistern 8 cm | | | | 17,00 |
| 242.823.00.1 | Geberit reinforced braided hose for hydraulic servo lifter, for Sigma concealed cistern 8 cm | | | | 99,00 |
| 242.418.00.1 | Geberit protection plate for Sigma concealed cistern | | | | 11,00 |
| 241.294.00.1 | Geberit flush bend with flush bend guide: d=56mm, L=5.2cm | | | | 24,00 |
| 242.826.00.1 | Geberit conversion set for hydraulic servo lifter, for Sigma concealed cistern 8 cm | | | | 30,00 |
| 240.178.00.1 | Geberit conversion set, extended, for 300T concealed cistern 15 cm | | | | 45,00 |
| 240.321.00.1 | Geberit reinforced braided hose for concealed cistern | | | | 33,00 |
| 244.094.00.1 | Voltage supply cable 12 V for Geberit DuoFresh module | | | | 29,00 |
| 244.090.00.1 | Protection plug for media conduit pipe, for Geberit DuoFresh module | | | | 15,00 |
| 817.759.11.1 | Geberit basket for concealed cistern: white alpine | | | | 8,00 |
| 216.599.00.1 | Geberit angle stop valve | | | | 16,00 |
| 241.471.00.1 | Geberit reinforced braided hose, dezincification-resistant, for Twinline concealed cistern | | | | 21,00 |
| 240.512.00.1 | Geberit protection plate for Twinline concealed cistern | | | | 12,00 |
| 240.074.00.1 | Geberit actuator rod for Twinline concealed cistern | | | | 4,00 |
| 241.286.00.1 | Geberit mounting clip for fill valve type 380 and Unica concealed cistern | | | | 7,00 |
| 980.037.00.1 | Power supply unit for showroom actuator plate Geberit DuoFresh module | | | | 49,00 |
| 691600001 | Geberit actuator plate Prado, for dual flush, for Technic GT concealed cistern: matt chrome-plated | | | | 71,00 |
| 691600101 | Geberit actuator plate Prado, for dual flush, for Technic GT concealed cistern: white | | | | 53,00 |
| 690880201 | Geberit actuator plate Prado, for dual flush, for Technic GT concealed cistern: bright chrome-plated | | | | 62,00 |
| 690920101 | Geberit actuator plate Festivo, for dual flush, for Technic GT concealed cistern: white | | | | 53,00 |
| 690920201 | Geberit actuator plate Festivo, for dual flush, for Technic GT concealed cistern: bright chrome-plated | | | | 62,00 |
| 690920001 | Geberit actuator plate Festivo, for dual flush, for Technic GT concealed cistern: matt chrome-plated | | | | 71,00 |
| 594733000 | Geberit lever mechanism for sanitary module Universal | | | | 22,00 |
| 594734000 | Geberit set actuator lever | | | | 5,00 |
| 594735000 | Geberit flush valve with seal | | | | 25,00 |
| 594733000 | Geberit throttle | | | | 8,00 |
| 99169002000 | Geberit Technic GT fill valve with reinforced braided hose | | | | 32,00 |
| 99169003000 | TECHNIC Flushing valve with Smart Fresh | | | | 19,00 |
| 99235008000 | Geberit sleeve for flush bend | | | | 6,00 |
| 99235009000 | Geberit straight connector for WC | | | | 11,00 |
| 99235010000 | Geberit wall cabinet for furniture for WC | | | | 5,00 |
| 99235011000 | Geberit flush bend extension | | | | 9,00 |
| 99235012000 | Geberit sleeve for flush pipe connection | | | | 3,00 |
| 99235013000 | Geberit connection bend 90° for wall-hung WC | | | | 20,00 |
| 99235027000 | Geberit pipe bracket, connection bend | | | | 53,00 |
| 99235007000 | Geberit flush bend | | | | 7,00 |
| 594745000 | Geberit Technic GT set of actuator rods (2 pc.) | | | | 11,00 |
| 99400121000 | Geberit Technic GT set of actuator rods (2 pc.) | | | | 15,00 |
| 99400100000 | Geberit fill valve | | | | 30,00 |
| 99400106000 | Geberit flush valve | | | | 35,00 |
| 99235019000 | Geberit protection box for service opening | | | | 9,00 |
| 94132000 | Geberit fill valve | | | | 30,00 |
| 99235018000 | Geberit set of mounting clips for concealed cistern | | | | 17,00 |
| 99386007000 | Geberit flush valve | | | | 21,00 |
| 99400101000 | Geberit support for fill valve | | | | 5,00 |
| 99400105000 | Geberit support block | | | | 20,00 |
| 99400112000 | Geberit support block | | | | 21,00 |
| 99400115000 | Geberit angle stop valve holder | | | | 9,00 |
| 99640005000 | Slim Basic, Control plate actuate and fi | | | | 19,00 |
| 94166000 | SMART FRESH upgrade kit for Technic GT | | | | 46,00 |
| 123.105.11.1 | Geberit exposed cistern AP123, stop-and-go flush: white alpine | | | | 115,00 |
| 123.135.11.1 | Geberit exposed cistern AP123, stop-and-go flush, for remote flush actuation: white alpine | | | | 115,00 |
| 123.136.11.1 | Geberit exposed cistern AP123, stop-and-go flush, for remote flush actuation: white alpine | | | | 115,00 |
| 123.700.11.1 | Geberit exposed cistern AP123, single flush, with pull chain: white alpine | | | | 152,00 |
| 123.701.11.1 | Geberit exposed cistern AP123, single flush, for remote flush actuation: white alpine | | | | 152,00 |
| 140.305.10.1 | Geberit exposed cistern AP140, dual flush: bahama beige | | | | 188,00 |
| 140.305.11.1 | Geberit exposed cistern AP140, dual flush: white alpine | | | | 172,00 |
| 140.300.04.1 | Geberit exposed cistern AP140, dual flush: mossgreen | | | | 194,00 |
| 140.300.10.1 | Geberit exposed cistern AP140, dual flush: bahama beige | | | | 186,00 |
| 140.300.11.1 | Geberit exposed cistern AP140, dual flush: white alpine | | | | 162,00 |
| 140.300.CG.1 | Geberit exposed cistern AP140, dual flush: manhattan | | | | 194,00 |
| 140.300.EP.1 | Geberit exposed cistern AP140, dual flush: pergamon | | | | 189,00 |
| 140.314.11.1 | Geberit exposed cistern AP140, dual flush, with screw-locked cistern lid: white alpine | | | | 176,00 |
| 261.200.00.1 | Actuator dual f Typ 250 | | | | 16,00 |
| 274.409.00.1 | Fixing material 10mm compl f Typ 720 | | | | 12,00 |
| 274.410.00.1 | Fixing material 15mm compl f Typ 720 | | | | 12,00 |
| 274.620.11.1 | Flushbend set 50x44 white | | | | 13,00 |

| | | | | | |
|--------------|--|--|--|--|---------|
| 240.983.11.1 | Geberit counternut with round thread: white alpine | | | | 4,00 |
| 238.540.21.1 | Geberit actuator for flush valve type 240, dual flush: bright chrome-plated | | | | 20,00 |
| 240.166.00.1 | Geberit connection hose with union nut, for fill valve type 380 | | | | 30,00 |
| 281.008.00.1 | FV Typ 380 bc 3/8" br OEM | | | | 57,00 |
| 240.276.00.1 | Lid attachment f Typ 250 | | | | 5,00 |
| 240.280.00.1 | Flush valve dual f Typ 250 | | | | 14,00 |
| 240.700.00.1 | Geberit fill valve type 380, lateral water supply connection, 3/8", nipple made of brass | | | | 43,00 |
| 240.784.00.1 | Geberit fill valve type 380, lateral water supply connection, 3/8", nipple made of brass | | | | 50,00 |
| 240.705.00.1 | Geberit fill valve type 380, lateral water supply connection, 3/8", nipple made of brass | | | | 50,00 |
| 240.785.00.1 | Geberit fill valve type 380, lateral water supply connection, 3/8", nipple made of brass | | | | 61,00 |
| 281.004.00.1 | Geberit fill valve type 380, lateral water supply connection, 3/8" and 1/2", nipple made of brass | | | | 50,00 |
| 240.718.00.1 | Geberit fill valve type 380, bottom water supply connection, 3/8", nipple made of brass | | | | 56,00 |
| 243.408.00.1 | Geberit fill valve type 380, lateral water supply connection, 3/8" | | | | 57,00 |
| 281.207.00.1 | Geberit fill valve type 360, bottom water supply connection, 3/8", nipple made of plastic | | | | 37,00 |
| 281.208.00.1 | Geberit fill valve type 360, bottom water supply connection, 1/2", nipple made of plastic | | | | 37,00 |
| 283.311.21.2 | Geberit mechanism type 290-360, dual flush, bottom water supply connection, 3/8", nipple made of brass: bright chrome-plated | | | | 110,00 |
| 273.645.21.2 | Geberit mechanism type 290-360, dual flush, bottom water supply connection, 3/8", nipple made of plastic: bright chrome-plated | | | | 104,00 |
| 273.395.21.2 | Geberit mechanism type 290-380, dual flush, lateral water supply connection, 3/8", nipple made of brass: bright chrome-plated | | | | 110,00 |
| 283.313.21.2 | Geberit mechanism type 290-380, dual flush, universal water supply connection, 3/8" and 1/2", nipple made of brass: bright chrome-plated | | | | 110,00 |
| 282.350.21.2 | Geberit flush valve type 290, d40, dual flush: bright chrome-plated | | | | 77,00 |
| 282.303.21.2 | Geberit flush valve type 290, d40, dual flush: bright chrome-plated | | | | 77,00 |
| 241.800.KD.1 | Geberit actuator for flush valve type 280, dual flush: blue, bright chrome-plated | | | | 21,00 |
| 243.318.21.1 | Geberit actuator for flush valve type 290: Model=dual flush, bright chrome-plated | | | | 17,00 |
| 243.319.21.1 | Geberit actuator for flush valve type 290: Model=single flush, bright chrome-plated | | | | 11,00 |
| 240.853.00.1 | Geberit angle stop valve | | | | 28,00 |
| 243.322.00.1 | Geberit basket for flush valve type 290 | | | | 11,00 |
| 240.047.00.1 | Geberit connection pipe for fill valve type 380 | | | | 33,00 |
| 136.708.00.1 | Geberit fill valve type 340, bottom water supply connection, 3/8", nipple made of brass | | | | 25,00 |
| 136.739.00.3 | Geberit fill valve type 333, lateral water supply connection, 3/8", nipple made of brass | | | | 19,00 |
| 136.740.00.3 | Geberit fill valve type 333, lateral water supply connection, 3/8" and 1/2", nipple made of brass | | | | 35,00 |
| 136.726.00.1 | Geberit fill valve type 340, bottom water supply connection, 1/2", nipple made of plastic | | | | 23,00 |
| 136.725.00.1 | Geberit fill valve type 340, bottom water supply connection, 3/8", nipple made of plastic | | | | 23,00 |
| 136.729.00.1 | Geberit fill valve type 340, bottom water supply connection, 3/8", nipple made of plastic | | | | 23,00 |
| 136.919.21.2 | Geberit flush valve type 240, dual flush: bright chrome-plated | | | | 48,00 |
| 131.002.JV.5 | Geberit Monolith sanitary module for floor-standing WC, 101 cm, front panel made of stoneware: Stoneware concrete look, aluminium | | | | 1403,00 |
| 131.002.00.5 | Geberit Monolith sanitary module for floor-standing WC, 101 cm, front panel made of stoneware: Stoneware slate look, black chrome aluminium | | | | 1403,00 |
| 131.002.JK.5 | Geberit Monolith sanitary module for floor-standing WC, 101 cm, front cladding made of glass: lava glass, black chrome aluminium | | | | 1248,00 |
| 131.002.JL.5 | Geberit Monolith sanitary module for floor-standing WC, 101 cm, front cladding made of glass: sand grey glass, aluminium | | | | 1248,00 |
| 131.002.SI.6 | Geberit Monolith sanitary module for floor-standing WC, 101 cm, front cladding made of glass: black glass, black chrome aluminium | | | | 1248,00 |
| 131.002.SI.5 | Geberit Monolith sanitary module for floor-standing WC, 101 cm, front cladding made of glass: white glass, aluminium | | | | 1248,00 |
| 131.001.JV.5 | Geberit Monolith sanitary module for floor-standing WC, 101 cm, front panel made of stoneware: Stoneware concrete look, aluminium | | | | 1403,00 |
| 131.001.00.5 | Geberit Monolith sanitary module for floor-standing WC, 101 cm, front panel made of stoneware: Stoneware slate look, black chrome aluminium | | | | 1403,00 |
| 131.001.JK.5 | Geberit Monolith sanitary module for floor-standing WC, 101 cm, front cladding made of glass: lava glass, black chrome aluminium | | | | 1248,00 |
| 131.001.JL.5 | Geberit Monolith sanitary module for floor-standing WC, 101 cm, front cladding made of glass: sand grey glass, aluminium | | | | 1248,00 |
| 131.001.SI.5 | Geberit Monolith sanitary module for floor-standing WC, 101 cm, front cladding made of glass: white glass, aluminium | | | | 1248,00 |
| 131.001.SI.6 | Geberit Monolith sanitary module for floor-standing WC, 101 cm, front cladding made of glass: black glass, black chrome aluminium | | | | 1248,00 |
| 131.001.SI.5 | Geberit Monolith sanitary module for floor-standing WC, 101 cm, front cladding made of glass: mint glass, aluminium | | | | 952,00 |
| 131.033.JV.5 | Geberit Monolith sanitary module for floor-standing WC, 114 cm, front panel made of stoneware: Stoneware concrete look, aluminium | | | | 1719,00 |
| 131.033.00.5 | Geberit Monolith sanitary module for floor-standing WC, 114 cm, front panel made of stoneware: Stoneware slate look, black chrome aluminium | | | | 1719,00 |
| 131.033.JK.5 | Geberit Monolith sanitary module for floor-standing WC, 114 cm, front cladding made of glass: lava glass, black chrome aluminium | | | | 1535,00 |
| 131.033.JL.5 | Geberit Monolith sanitary module for floor-standing WC, 114 cm, front cladding made of glass: sand grey glass, aluminium | | | | 1535,00 |
| 131.033.SI.6 | Geberit Monolith sanitary module for floor-standing WC, 114 cm, front cladding made of glass: white glass, aluminium | | | | 1535,00 |
| 131.033.SI.6 | Geberit Monolith sanitary module for floor-standing WC, 114 cm, front cladding made of glass: black glass, black chrome aluminium | | | | 1535,00 |
| 131.021.JV.5 | Geberit Monolith sanitary module for wall-hung WC, 101 cm, front panel made of stoneware: Stoneware concrete look, aluminium | | | | 1403,00 |
| 131.021.00.5 | Geberit Monolith sanitary module for wall-hung WC, 101 cm, front panel made of stoneware: Stoneware slate look, black chrome aluminium | | | | 1403,00 |
| 131.021.SI.6 | Geberit Monolith sanitary module for wall-hung WC, 101 cm, front cladding made of glass: black glass, black chrome aluminium | | | | 1248,00 |
| 131.021.JK.5 | Geberit Monolith sanitary module for wall-hung WC, 101 cm, front cladding made of glass: lava glass, black chrome aluminium | | | | 1248,00 |
| 131.021.JL.5 | Geberit Monolith sanitary module for wall-hung WC, 101 cm, front cladding made of glass: sand grey glass, aluminium | | | | 1248,00 |
| 131.021.SI.5 | Geberit Monolith sanitary module for wall-hung WC, 101 cm, front cladding made of glass: white glass, aluminium | | | | 1248,00 |
| 131.031.JV.5 | Geberit Monolith sanitary module for wall-hung WC, 114 cm, front panel made of stoneware: Stoneware concrete look, aluminium | | | | 1719,00 |
| 131.031.00.5 | Geberit Monolith sanitary module for wall-hung WC, 114 cm, front panel made of stoneware: Stoneware slate look, black chrome aluminium | | | | 1719,00 |
| 131.031.JK.5 | Geberit Monolith sanitary module for wall-hung WC, 114 cm, front cladding made of glass: lava glass, black chrome aluminium | | | | 1535,00 |
| 131.031.JL.5 | Geberit Monolith sanitary module for wall-hung WC, 114 cm, front cladding made of glass: sand grey glass, aluminium | | | | 1535,00 |
| 131.031.SI.5 | Geberit Monolith sanitary module for wall-hung WC, 114 cm, front cladding made of glass: white glass, aluminium | | | | 1535,00 |
| 131.031.SI.6 | Geberit Monolith sanitary module for wall-hung WC, 114 cm, front cladding made of glass: black glass, black chrome aluminium | | | | 1535,00 |
| 131.030.JL.5 | Geberit Monolith sanitary module for bidet, 101 cm, with towel rail: sand grey glass, aluminium | | | | 1092,00 |
| 131.030.JK.5 | Geberit Monolith sanitary module for bidet, 101 cm, with towel rail: lava glass, black chrome aluminium | | | | 1092,00 |
| 131.030.SI.5 | Geberit Monolith sanitary module for bidet, 101 cm, with towel rail: white glass, aluminium | | | | 1092,00 |
| 131.030.SI.6 | Geberit Monolith sanitary module for bidet, 101 cm, with towel rail: black glass, black chrome aluminium | | | | 1092,00 |
| 131.203.JV.5 | Geberit Monolith Plus sanitary module for floor-standing WC, 101 cm, front panel made of stoneware: Stoneware concrete look, aluminium | | | | 2477,00 |
| 131.203.JK.5 | Geberit Monolith Plus sanitary module for floor-standing WC, 101 cm, front cladding made of glass: lava glass, black chrome aluminium | | | | 2315,00 |
| 131.203.JL.5 | Geberit Monolith Plus sanitary module for floor-standing WC, 101 cm, front cladding made of glass: sand grey glass, aluminium | | | | 2315,00 |
| 131.203.SI.6 | Geberit Monolith Plus sanitary module for floor-standing WC, 101 cm, front cladding made of glass: black glass, black chrome aluminium | | | | 2315,00 |
| 131.202.JV.5 | Geberit Monolith Plus sanitary module for floor-standing WC, 101 cm, front panel made of stoneware: Stoneware concrete look, aluminium | | | | 2477,00 |
| 131.202.00.5 | Geberit Monolith Plus sanitary module for floor-standing WC, 101 cm, front panel made of stoneware: Stoneware slate look, black chrome aluminium | | | | 2477,00 |
| 131.202.JK.5 | Geberit Monolith Plus sanitary module for floor-standing WC, 101 cm, front cladding made of glass: lava glass, black chrome aluminium | | | | 2315,00 |
| 131.202.JL.5 | Geberit Monolith Plus sanitary module for floor-standing WC, 101 cm, front cladding made of glass: sand grey glass, aluminium | | | | 2315,00 |
| 131.202.SI.5 | Geberit Monolith Plus sanitary module for floor-standing WC, 101 cm, front cladding made of glass: white glass, aluminium | | | | 2315,00 |
| 131.202.SI.6 | Geberit Monolith Plus sanitary module for floor-standing WC, 101 cm, front cladding made of glass: black glass, black chrome aluminium | | | | 2315,00 |
| 131.201.SI.5 | Geberit Monolith Plus sanitary module for floor-standing WC, 101 cm, front cladding made of glass: white glass, aluminium | | | | 2315,00 |
| 131.233.JV.5 | Geberit Monolith Plus sanitary module for floor-standing WC, 114 cm, front panel made of stoneware: Stoneware concrete look, aluminium | | | | 2625,00 |
| 131.233.00.5 | Geberit Monolith Plus sanitary module for floor-standing WC, 114 cm, front panel made of stoneware: Stoneware slate look, black chrome aluminium | | | | 2625,00 |
| 131.233.JL.5 | Geberit Monolith Plus sanitary module for floor-standing WC, 114 cm, front cladding made of glass: sand grey glass, aluminium | | | | 2454,00 |
| 131.233.JK.5 | Geberit Monolith Plus sanitary module for floor-standing WC, 114 cm, front cladding made of glass: lava glass, black chrome aluminium | | | | 2454,00 |
| 131.233.SI.5 | Geberit Monolith Plus sanitary module for floor-standing WC, 114 cm, front cladding made of glass: white glass, aluminium | | | | 2454,00 |
| 131.233.SI.6 | Geberit Monolith Plus sanitary module for floor-standing WC, 114 cm, front cladding made of glass: black glass, black chrome aluminium | | | | 2454,00 |
| 131.221.JV.5 | Geberit Monolith Plus sanitary module for wall-hung WC, 101 cm, front panel made of stoneware: Stoneware concrete look, aluminium | | | | 2477,00 |
| 131.221.00.5 | Geberit Monolith Plus sanitary module for wall-hung WC, 101 cm, front panel made of stoneware: Stoneware slate look, black chrome aluminium | | | | 2477,00 |
| 131.221.JK.5 | Geberit Monolith Plus sanitary module for wall-hung WC, 101 cm, front cladding made of glass: lava glass, black chrome aluminium | | | | 2315,00 |
| 131.221.JL.5 | Geberit Monolith Plus sanitary module for wall-hung WC, 101 cm, front cladding made of glass: sand grey glass, aluminium | | | | 2315,00 |
| 131.221.SI.5 | Geberit Monolith Plus sanitary module for wall-hung WC, 101 cm, front cladding made of glass: white glass, aluminium | | | | 2315,00 |
| 131.221.SI.6 | Geberit Monolith Plus sanitary module for wall-hung WC, 101 cm, front cladding made of glass: black glass, black chrome aluminium | | | | 2315,00 |
| 131.231.JV.5 | Geberit Monolith Plus sanitary module for wall-hung WC, 114 cm, front panel made of stoneware: Stoneware concrete look, aluminium | | | | 2625,00 |
| 131.231.00.5 | Geberit Monolith Plus sanitary module for wall-hung WC, 114 cm, front panel made of stoneware: Stoneware slate look, black chrome aluminium | | | | 2625,00 |
| 131.231.JK.5 | Geberit Monolith Plus sanitary module for wall-hung WC, 114 cm, front cladding made of glass: lava glass, black chrome aluminium | | | | 2454,00 |
| 131.231.JL.5 | Geberit Monolith Plus sanitary module for wall-hung WC, 114 cm, front cladding made of glass: sand grey glass, aluminium | | | | 2454,00 |
| 131.231.SI.5 | Geberit Monolith Plus sanitary module for wall-hung WC, 114 cm, front cladding made of glass: white glass, aluminium | | | | 2454,00 |
| 131.231.SI.6 | Geberit Monolith Plus sanitary module for wall-hung WC, 114 cm, front cladding made of glass: black glass, black chrome aluminium | | | | 2454,00 |
| 119.652.16.1 | Geberit flush bend 90° set with insulation: d=56mm | | | | 22,00 |
| 118.003.10.1 | Geberit flush bend 90°, low-level: d=50mm, X=23cm, X1=23cm, bahama beige | | | | 17,00 |
| 118.003.11.1 | Geberit flush bend 90°, low-level: d=50mm, X=23cm, X1=23cm, white alpine | | | | 11,00 |
| 118.006.11.1 | Geberit flush bend 90°, low-level: d=50mm, X=39cm, X1=35cm, white alpine | | | | 22,00 |
| 118.007.04.1 | Geberit flush bend 90°, half-high level: d=50mm, X1=35cm, mossgreen | | | | 41,00 |
| 118.007.10.1 | Geberit flush bend 90°, half-high level: d=50mm, X1=35cm, bahama beige | | | | 41,00 |
| 118.007.11.1 | Geberit flush bend 90°, half-high level: d=50mm, X1=35cm, white alpine | | | | 34,00 |
| 118.007.CG.1 | Geberit flush bend 90°, half-high level: d=50mm, X1=35cm, manhattan | | | | 41,00 |
| 118.007.EP.1 | Geberit flush bend 90°, half-high level: d=50mm, X1=35cm, pergamon | | | | 41,00 |
| 119.610.11.1 | Geberit flush bend 90°, high-level, with collar: d=32mm, X=24cm, X1=12cm, white alpine | | | | 12,00 |
| 814.141.16.1 | Geberit flush bend 90°, 38 x 5 cm: d=50mm, l=5.2cm, h=38cm | | | | 24,00 |
| 118.120.11.1 | Geberit flush bend 90°, 28 x 21 cm, offset to the left: d=50mm, A=2cm, white alpine | | | | 23,00 |
| 118.121.11.1 | Geberit flush bend 90°, 28 x 21 cm, offset to the left: d=50mm, A=4cm, white alpine | | | | 23,00 |
| 118.122.11.1 | Geberit flush bend 90°, 28 x 21 cm, offset to the left: d=50mm, A=6cm, white alpine | | | | 23,00 |
| 118.123.11.1 | Geberit flush bend 90°, 28 x 21 cm, offset to the left: d=50mm, A=8cm, white alpine | | | | 23,00 |

| | | | | | |
|--------------|--|--|------------|------------|--------|
| 118.124.11.1 | Geberit flush bend 90°, 28 x 21 cm, offset to the left: d=50mm, A=10cm, white alpine | | | | 23,00 |
| 118.125.11.1 | Geberit flush bend 90°, 28 x 21 cm, offset to the left: d=50mm, A=12cm, white alpine | | | | 31,00 |
| 118.126.11.1 | Geberit flush bend 90°, 28 x 21 cm, offset to the left: d=50mm, A=14cm, white alpine | | | | 31,00 |
| 118.110.11.1 | Geberit flush bend 90°, 28 x 21 cm, offset to the right: d=50mm, A=2cm, white alpine | | | | 23,00 |
| 118.111.11.1 | Geberit flush bend 90°, 28 x 21 cm, offset to the right: d=50mm, A=4cm, white alpine | | | | 23,00 |
| 118.112.11.1 | Geberit flush bend 90°, 28 x 21 cm, offset to the right: d=50mm, A=6cm, white alpine | | | | 23,00 |
| 118.113.11.1 | Geberit flush bend 90°, 28 x 21 cm, offset to the right: d=50mm, A=8cm, white alpine | | | | 23,00 |
| 118.114.11.1 | Geberit flush bend 90°, 28 x 21 cm, offset to the right: d=50mm, A=10cm, white alpine | | | | 23,00 |
| 118.115.11.1 | Geberit flush bend 90°, 28 x 21 cm, offset to the right: d=50mm, A=12cm, white alpine | | | | 31,00 |
| 118.116.11.1 | Geberit flush bend 90°, 28 x 21 cm, offset to the right: d=50mm, A=14cm, white alpine | | | | 31,00 |
| 119.504.11.1 | Geberit flush bend 90° set, 156 x 24 cm, offset: d=32mm, A=6.5cm, white alpine | | | | 30,00 |
| 118.100.11.1 | Geberit flush bend 90° set, offset: d=50mm, A=6cm, white alpine | | | | 64,00 |
| 118.020.11.1 | Geberit flush bend extension 45°, 30 x 10 cm, offset, with ring seal socket: d=44mm, white alpine | | | | 22,00 |
| 118.011.10.1 | Geberit flush bend extension 90° with ring seal socket: d=44mm, bahama beige | | | | 29,00 |
| 118.011.11.1 | Geberit flush bend extension 90° with ring seal socket: d=44mm, white alpine | | | | 21,00 |
| 119.060.11.1 | Geberit flush bend extension 90° with ring seal socket: d=32mm, white alpine | | | | 14,00 |
| 119.503.11.1 | Geberit flush bend extension, offset: d=32mm, A=6.5cm, white alpine | | | | 48,00 |
| 118.021.11.1 | Geberit flush bend extension 135° with ring seal socket: d=44mm, white alpine | | | | 31,00 |
| 119.063.11.1 | Geberit flush bend extension, straight, with ring seal socket: d=32mm, white alpine | | | | 13,00 |
| 118.131.10.1 | Geberit flush bend extension, straight, with ring seal socket: d=44mm, bahama beige | | | | 19,00 |
| 118.131.11.1 | Geberit flush bend extension, straight, with ring seal socket: d=44mm, white alpine | | | | 17,00 |
| 118.133.11.1 | Geberit flush bend extension, straight, with ring seal socket: d=44mm, white alpine | | | | 22,00 |
| 118.026.11.1 | Geberit flush bend extension set with collar: d=45mm, white alpine | | | | 21,00 |
| 118.026.21.1 | Geberit flush bend extension set with collar: d=45mm, bright chrome-plated | | | | 30,00 |
| 118.221.11.1 | Geberit flush bend extension set with collar: d=45mm, white alpine | | | | 25,00 |
| 118.221.21.1 | Geberit flush bend extension set with collar: d=45mm, bright chrome-plated | | | | 25,00 |
| 119.692.21.1 | Geberit flush bend extension with sleeve: bright chrome-plated | | | | 109,00 |
| 119.703.16.1 | Geberit flush pipe intermediate section | | | | 72,00 |
| 119.704.16.1 | Geberit flush pipe intermediate section | | | | 34,00 |
| 118.210.16.1 | Geberit flush bend 90° for thick walls: d=50mm, X=10cm | | | | 25,00 |
| 118.200.16.1 | Geberit flush bend 90°, 28 cm, for thick walls: d=50mm, X=28cm, X1=4cm | | | | 25,00 |
| 119.611.16.1 | Geberit flush bend 90° set, telescopic, with recess shells and protection plugs: d=32mm, A=9.5cm | | | | 78,00 |
| 119.696.11.1 | Geberit flushing water manifold: white alpine | | | | 9,00 |
| 242.018.00.1 | Geberit sleeve for flush pipe connection: d=32mm | | | | 6,00 |
| 119.675.00.1 | Geberit sleeve for flush pipe connection: d=45mm | | | | 6,00 |
| 131.081.11.1 | Geberit P-bend set for floor-standing WC: d=90mm | | | | 56,00 |
| 131.082.16.1 | Geberit connection set for floor-standing WC | | | | 60,00 |
| 131.083.16.1 | Geberit straight connector set for WC | | | | 23,00 |
| 131.085.11.1 | Geberit straight connector set for wall-hung WC, stepped by 3 cm | | | | 23,00 |
| 131.108.11.1 | Geberit straight connector set for wall-hung WC, stepped by 7 cm | | | | 59,00 |
| 131.088.29.1 | Geberit S-bend set for wall-hung WC | | | | 153,00 |
| 131.084.16.1 | Geberit straight connector set for wall-hung WC | | | | 33,00 |
| 131.015.11.1 | Geberit connection set for floor-standing WC | | | | 91,00 |
| 131.102.TA.1 | Conversion set for Geberit AquaClean WC enhancement solutions: aluminium brushed, Sanitary module=Monolith, 101 cm | | | | 295,00 |
| 131.071.21.1 | Lateral water supply connection set for Geberit Monolith sanitary module for WC: bright chrome-plated | | | | 109,00 |
| 131.119.00.1 | Soap dispenser for Geberit Monolith sanitary module for washbasin | | | | 212,00 |
| 241.481.00.1 | Geberit water pressure reducing valve with a system separator | | | | 499,00 |
| 241.482.00.1 | Geberit tank cover | | | | 110,00 |
| 816.418.00.1 | Geberit flat gasket for flush valve for exposed and concealed cistern: d=63mm | | | | 5,00 |
| 240.139.00.1 | Geberit tilting seal for exposed cisterns AP123, AP124 and AP130 | | | | 5,00 |
| 240.017.00.1 | Geberit rear centre water supply connection set | | | | 19,00 |
| 241.167.00.1 | Geberit flush valve bracket for flush valves | | | | 16,00 |
| 240.771.00.1 | Geberit operating part set for fill valve type 380 | | | | 10,00 |
| 243.801.00.1 | Geberit operating part set for fill valve type 333 | | | | 6,00 |
| 813.514.00.1 | Geberit spring for actuator plate | | | | 3,00 |
| 240.195.00.1 | Geberit basket with seal, for concealed cisterns types 110.620, 10.400, 10.800 and Twinline | | | | 11,00 |
| 240.989.00.1 | Geberit reinforced braided hose | | | | 22,00 |
| 240.151.11.1 | Geberit cistern lid for exposed cistern AP123: white alpine | | | | 44,00 |
| 240.500.00.1 | Geberit basket for flush valves and concealed cistern | | | | 11,00 |
| 362.769.00.1 | Geberit PE round cord ring: d=45mm, DN=40 | | | | 3,00 |
| 240.710.00.1 | Geberit connection pipe for fill valve type 380 | | | | 15,00 |
| 240.711.00.1 | Geberit eccentric pipe connector for fill valve type 380 | | | | 13,00 |
| 274.006.KG.1 | Geberit actuator for flush valve type 280: =N/A, bright chrome-plated | | | | 12,00 |
| 241.801.00.1 | Geberit basket for flush valve type 280 | | | | 16,00 |
| 240.712.00.1 | Geberit elbow adapter union | | | | 20,00 |
| 274.600.00.1 | Geberit extension set for type 280 | | | | 8,00 |
| 240.467.00.1 | Geberit flat gasket | | | | 5,00 |
| 240.835.00.1 | Geberit conversion set for dual flush, for concealed cistern type 10.800 | | | | 104,00 |
| 240.515.00.1 | Geberit conversion set for dual flush, for concealed cistern type 110.800 | | | | 75,00 |
| 240.516.00.1 | Geberit conversion set for dual flush, for concealed cistern type 110.700 | | | | 60,00 |
| 240.114.00.1 | Geberit universal flush valve for concealed cistern | | | | 54,00 |
| 240.622.00.1 | Geberit flush valve | | 2021-07-01 | 2021-10-01 | 21,00 |
| 240.501.00.1 | Geberit flush valve | | | | 40,00 |
| 241.290.00.1 | Geberit flush valve with basket | | | | 32,00 |
| 215.299.00.1 | Geberit flush valve | | | | 33,00 |
| 240.113.00.1 | Geberit universal flush valve for exposed cisterns | | | | 54,00 |
| 215.052.11.1 | Geberit basket for high-level cisterns: white alpine | | | | 35,00 |
| 240.160.00.1 | Geberit flush valve for flush valve type 220 | | | | 23,00 |
| 241.813.00.1 | Geberit operating part set for fill valve type 360 | | | | 9,00 |
| 131.112.TA.1 | Set of fixing bolts made of aluminium, for Geberit Monolith side cladding (2 pc.): aluminium brushed | | | | 66,00 |
| 131.074.00.1 | Bottom water supply connection set for Geberit Monolith sanitary module for WC, 101 cm | | | | 86,00 |
| 131.138.00.1 | Bottom water supply connection set for Geberit Monolith sanitary module for WC, 114 cm | | | | 43,00 |
| 131.077.00.1 | Rear centre water supply connection set for Geberit Monolith sanitary module for WC, 114 cm | | | | 114,00 |
| 242.480.00.1 | Fastening material for front cladding for Geberit Monolith | | | | 29,00 |
| 242.390.11.1 | Flush bend for Geberit Monolith sanitary module for WC: white alpine | | | | 47,00 |
| 244.637.00.1 | Reinforced braided hose for Geberit Monolith sanitary modules for WC, 101cm | | | | 18,00 |
| 242.968.00.1 | Geberit standard power supply unit 230 V / 4.1 V / 50 Hz | | | | 111,00 |
| 242.969.00.1 | Power supply unit retainer for Geberit Monolith Plus sanitary module for WC | | | | 162,00 |
| 242.970.00.1 | Geberit upper part for odour extraction unit, with servomotor | | | | 244,00 |
| 242.971.00.1 | Geberit lower part for odour extraction unit | | | | 82,00 |
| 242.668.SI.1 | Front cladding for Geberit Monolith sanitary module for bidet, 101 cm: white / glass | | | | 355,00 |
| 131.109.21.1 | Double towel rail for Geberit Monolith sanitary module for washbasin: bright chrome-plated, L=34cm | | | | 107,00 |
| 131.110.21.1 | Double towel rail for Geberit Monolith sanitary module for washbasin: bright chrome-plated, L=44cm | | | | 132,00 |
| 242.730.TA.1 | Side cladding for Geberit Monolith sanitary module for washbasin: aluminium brushed | | | | 218,00 |
| 243.906.00.1 | Geberit flush guide for WC | | | | 8,00 |
| 595130000 | Geberit flush guide Type SP33, for WC Rimfree | | | | 6,00 |
| 136.535.11.1 | Geberit exposed cistern AP117, dual flush, lateral or rear centre water supply connection: white alpine | | | | 74,00 |
| 136.613.11.1 | Geberit exposed cistern AP110, stop-and-go flush: white alpine | | | | 48,00 |
| 136.430.11.1 | Geberit exposed cistern AP116, dual flush: white alpine | | | | 66,00 |
| 136.444.11.1 | Geberit exposed cistern AP116plus, dual flush, with insert for in-cistern block: white alpine | | | | 90,00 |
| 238.192.00.2 | Geberit angle stop valve for exposed cistern AP117 | | | | 23,00 |
| 238.069.00.1 | Geberit membrane for fill valve type 330 | | | | 7,00 |
| 238.234.00.1 | Geberit flush valve for exposed cistern AP110 | | | | 16,00 |
| 238.074.11.1 | Geberit union nut for exposed cisterns AP110, AP112 and AP113: white alpine | | | | 5,00 |
| 238.505.00.1 | Geberit basket for flush valve type 230 | | | | 6,00 |
| 241.350.00.1 | Geberit flat gasket | | | | 6,00 |
| 379.000.16.0 | Geberit PE pipe: d=32mm | | | | 3,00 |
| 360.000.16.0 | Geberit PE pipe: d=40mm | | | | 4,00 |
| 361.000.16.0 | Geberit PE pipe: d=50mm | | | | 4,00 |
| 363.000.16.0 | Geberit PE pipe: d=56mm | | | | 5,00 |
| 364.000.16.0 | Geberit PE pipe: d=63mm | | | | 6,00 |
| 365.000.16.0 | Geberit PE pipe: d=75mm | | | | 6,00 |
| 366.000.16.0 | Geberit PE pipe: d=90mm | | | | 9,00 |

| | | | | | |
|--------------|---|--|--|--|--------|
| 367.000.16.0 | Geberit PE pipe: d=110mm | | | | 13,00 |
| 368.000.16.0 | Geberit PE pipe: d=125mm | | | | 17,00 |
| 369.000.16.0 | Geberit PE pipe: d=160mm | | | | 26,00 |
| 370.000.16.0 | Geberit PE pipe: d=200mm | | | | 33,00 |
| 370.050.16.0 | Geberit PE pipe PN4: d=200mm | | | | 37,00 |
| 371.000.16.0 | Geberit PE pipe: d=250mm | | | | 60,00 |
| 371.050.16.0 | Geberit PE pipe PN4: d=250mm | | | | 67,00 |
| 372.000.16.0 | Geberit PE pipe: d=315mm | | | | 95,00 |
| 372.050.16.0 | Geberit PE pipe PN4: d=315mm | | | | 104,00 |
| 379.055.16.1 | Geberit PE bend with large leg: 90°, d=32mm | | | | 3,00 |
| 379.108.16.1 | Geberit PE branch fitting 45°: d=32mm, d1=32mm | | | | 5,00 |
| 379.158.16.1 | Geberit PE branch fitting 88.5°: d=32mm, d1=32mm | | | | 5,00 |
| 379.791.16.1 | Geberit PE expansion socket with double flange: d=32mm | | | | 8,00 |
| 379.740.16.1 | Geberit PE threaded connector with compression joint: d=32mm | | | | 6,00 |
| 379.750.16.1 | Geberit PE threaded connector with screw cap: d=32mm, D=5.6cm, H=4.5cm | | | | 7,00 |
| 379.772.16.1 | Geberit PE flange bushing: d=32mm | | | | 4,00 |
| 379.812.16.1 | Geberit PE weld-on cap: d=32mm | | | | 1,00 |
| 379.781.16.1 | Geberit PE screw cap: d=32mm | | | | 4,00 |
| 360.045.16.1 | Geberit PE bend: 45°, d=40mm | | | | 3,00 |
| 360.055.16.1 | Geberit PE bend with large leg: 90°, d=40mm | | | | 3,00 |
| 360.108.16.1 | Geberit PE branch fitting 45°: d=40mm, d1=32mm | | | | 5,00 |
| 360.109.16.1 | Geberit PE branch fitting 45°: d=40mm, d1=40mm | | | | 5,00 |
| 360.158.16.1 | Geberit PE branch fitting 88.5°: d=40mm, d1=32mm | | | | 5,00 |
| 360.159.16.1 | Geberit PE branch fitting 88.5°: d=40mm, d1=40mm | | | | 5,00 |
| 360.557.16.1 | Geberit PE reducer, concentric, short: d=40mm, d1=32mm | | | | 2,00 |
| 360.719.16.1 | Geberit PE adapter with female thread: d=40mm, Rp=1/2" | | | | 22,00 |
| 360.720.16.1 | Geberit PE adapter with female thread: d=40mm, Rp=3/4" | | | | 22,00 |
| 360.721.16.1 | Geberit PE adapter with female thread: d=40mm, Rp=1" | | | | 22,00 |
| 360.700.16.1 | Geberit PE expansion socket with double flange: d=40mm | | | | 14,00 |
| 360.740.16.1 | Geberit PE threaded connector with compression joint: d=40mm | | | | 6,00 |
| 360.750.16.1 | Geberit PE threaded connector with screw cap: d=40mm, D=6.4cm, H=6.3cm | | | | 8,00 |
| 360.772.16.1 | Geberit PE flange bushing: d=40mm | | | | 4,00 |
| 360.812.16.1 | Geberit PE weld-on cap: d=40mm | | | | 1,00 |
| 360.781.16.1 | Geberit PE screw cap: d=40mm | | | | 5,00 |
| 361.045.16.1 | Geberit PE bend: 45°, d=50mm | | | | 3,00 |
| 361.088.16.1 | Geberit PE bend: 88.5°, d=50mm | | | | 3,00 |
| 361.055.16.1 | Geberit PE bend with large leg: 90°, d=50mm | | | | 3,00 |
| 361.872.16.1 | Geberit PE bend 90°, reduced, without leg: 90°, d=50mm, d1=40mm | | | | 3,00 |
| 361.109.16.1 | Geberit PE branch fitting 45°: d=50mm, d1=40mm | | | | 5,00 |
| 361.112.16.1 | Geberit PE branch fitting 45°: d=50mm, d1=50mm | | | | 5,00 |
| 361.159.16.1 | Geberit PE branch fitting 88.5°: d=50mm, d1=40mm | | | | 5,00 |
| 361.162.16.1 | Geberit PE branch fitting 88.5°: d=50mm, d1=50mm | | | | 5,00 |
| 361.459.16.1 | Geberit PE breeches branch fitting 2 x 30°: d=50mm, d1=40mm | | | | 13,00 |
| 361.462.16.1 | Geberit PE breeches branch fitting 2 x 30°: d=50mm, d1=50mm | | | | 13,00 |
| 361.558.16.1 | Geberit PE reducer, eccentric, short: d=50mm, d1=40mm | | | | 2,00 |
| 361.557.16.1 | Geberit PE reducer, concentric, short: d=50mm, d1=32mm | | | | 2,00 |
| 361.559.16.1 | Geberit PE reducer, concentric, short: d=50mm, d1=40mm | | | | 2,00 |
| 361.726.16.1 | Geberit PE adapter with male thread: d=50mm, R=1 1/4" | | | | 25,00 |
| 361.727.16.1 | Geberit PE adapter with male thread: d=50mm, R=1 1/2" | | | | 25,00 |
| 361.719.16.1 | Geberit PE adapter with female thread: d=50mm, Rp=1/2" | | | | 25,00 |
| 361.720.16.1 | Geberit PE adapter with female thread: d=50mm, Rp=3/4" | | | | 25,00 |
| 361.721.16.1 | Geberit PE adapter with female thread: d=50mm, Rp=1" | | | | 25,00 |
| 361.722.16.1 | Geberit PE adapter with female thread: d=50mm, Rp=1 1/4" | | | | 25,00 |
| 361.723.16.1 | Geberit PE adapter with female thread: d=50mm, Rp=1 1/2" | | | | 25,00 |
| 361.700.16.1 | Geberit PE expansion socket with double flange: d=50mm | | | | 14,00 |
| 361.740.16.1 | Geberit PE threaded connector with compression joint: d=50mm | | | | 7,00 |
| 361.750.16.1 | Geberit PE threaded connector with screw cap: d=50mm, D=7.4cm, H=6.3cm | | | | 8,00 |
| 361.744.16.1 | Geberit PE flange adapter: d=50mm | | | | 14,00 |
| 361.772.16.1 | Geberit PE flange bushing: d=50mm | | | | 4,00 |
| 361.080.16.1 | Geberit PE connection bend 90° for sleeve: d=50mm, d1=50mm, di=44mm | | | | 5,00 |
| 361.768.16.1 | Geberit PE connection ring seal socket with round cord ring: d=50mm, d1=45mm | | | | 9,00 |
| 361.776.16.1 | Geberit electrofusion tape for anchor point: d=50mm, d1=58mm | | | | 14,00 |
| 361.812.16.1 | Geberit PE weld-on cap: d=50mm | | | | 2,00 |
| 363.045.16.1 | Geberit PE bend: 45°, d=56mm | | | | 4,00 |
| 363.088.16.1 | Geberit PE bend: 88.5°, d=56mm | | | | 4,00 |
| 363.055.16.1 | Geberit PE bend with large leg: 90°, d=56mm | | | | 4,00 |
| 363.873.16.1 | Geberit PE bend 90°, reduced, without leg: 90°, d=56mm, d1=50mm | | | | 4,00 |
| 363.112.16.1 | Geberit PE branch fitting 45°: d=56mm, d1=50mm | | | | 7,00 |
| 363.115.16.1 | Geberit PE branch fitting 45°: d=56mm, d1=56mm | | | | 7,00 |
| 363.162.16.1 | Geberit PE branch fitting 88.5°: d=56mm, d1=50mm | | | | 7,00 |
| 363.165.16.1 | Geberit PE branch fitting 88.5°: d=56mm, d1=56mm | | | | 7,00 |
| 363.462.16.1 | Geberit PE breeches branch fitting 2 x 30°: d=56mm, d1=50mm | | | | 14,00 |
| 363.465.16.1 | Geberit PE breeches branch fitting 2 x 30°: d=56mm, d1=56mm | | | | 14,00 |
| 363.558.16.1 | Geberit PE reducer, eccentric, short: d=56mm, d1=40mm | | | | 3,00 |
| 363.561.16.1 | Geberit PE reducer, eccentric, short: d=56mm, d1=50mm | | | | 3,00 |
| 363.559.16.1 | Geberit PE reducer, concentric, short: d=56mm, d1=40mm | | | | 3,00 |
| 363.560.16.1 | Geberit PE reducer, concentric, short: d=56mm, d1=50mm | | | | 3,00 |
| 363.728.16.1 | Geberit PE adapter with male thread: d=56mm, R=2" | | | | 28,00 |
| 363.724.16.1 | Geberit PE adapter with female thread: d=56mm, Rp=2" | | | | 28,00 |
| 363.700.16.1 | Geberit PE expansion socket with double flange: d=56mm | | | | 14,00 |
| 363.740.16.1 | Geberit PE threaded connector with compression joint: d=56mm | | | | 10,00 |
| 363.750.16.1 | Geberit PE threaded connector with screw cap: d=56mm, D=8.5cm, H=6.8cm | | | | 9,00 |
| 363.744.16.1 | Geberit PE flange adapter: d=56mm | | | | 14,00 |
| 363.772.16.1 | Geberit PE flange bushing: d=56mm | | | | 5,00 |
| 363.083.16.1 | Geberit PE connection bend 90° for sleeve: d=56mm, d1=50mm, di=44mm | | | | 6,00 |
| 363.080.16.1 | Geberit PE connection bend 90° for sleeve: d=56mm, d1=56mm, di=50mm | | | | 6,00 |
| 363.472.16.1 | Geberit PE double connection bend 90° for sleeve: d=56mm, d1=50mm, di=44mm | | | | 37,00 |
| 363.776.16.1 | Geberit electrofusion tape for anchor point: d=56mm, d1=64mm | | | | 14,00 |
| 363.812.16.1 | Geberit PE weld-on cap: d=56mm | | | | 3,00 |
| 364.045.16.1 | Geberit PE bend: 45°, d=63mm | | | | 4,00 |
| 364.088.16.1 | Geberit PE bend: 88.5°, d=63mm | | | | 4,00 |
| 364.055.16.1 | Geberit PE bend with large leg: 90°, d=63mm | | | | 4,00 |
| 364.062.16.1 | Geberit PE bend 90°, reduced, with large leg and small radius: 90°, d=63mm, d1=50mm | | | | 6,00 |
| 364.063.16.1 | Geberit PE bend 90°, reduced, with large leg and small radius: 90°, d=63mm, d1=56mm | | | | 8,00 |
| 364.873.16.1 | Geberit PE bend 90°, reduced, without leg: 90°, d=63mm, d1=50mm | | | | 4,00 |
| 364.874.16.1 | Geberit PE bend 90°, reduced, without leg: 90°, d=63mm, d1=56mm | | | | 4,00 |
| 364.109.16.1 | Geberit PE branch fitting 45°: d=63mm, d1=40mm | | | | 7,00 |
| 364.112.16.1 | Geberit PE branch fitting 45°: d=63mm, d1=50mm | | | | 7,00 |
| 364.115.16.1 | Geberit PE branch fitting 45°: d=63mm, d1=56mm | | | | 7,00 |
| 364.120.16.1 | Geberit PE branch fitting 45°: d=63mm, d1=63mm | | | | 7,00 |
| 364.159.16.1 | Geberit PE branch fitting 88.5°: d=63mm, d1=40mm | | | | 7,00 |
| 364.162.16.1 | Geberit PE branch fitting 88.5°: d=63mm, d1=50mm | | | | 7,00 |
| 364.165.16.1 | Geberit PE branch fitting 88.5°: d=63mm, d1=56mm | | | | 7,00 |
| 364.170.16.1 | Geberit PE branch fitting 88.5°: d=63mm, d1=63mm | | | | 7,00 |
| 364.462.16.1 | Geberit PE breeches branch fitting 2 x 30°: d=63mm, d1=50mm | | | | 16,00 |
| 364.465.16.1 | Geberit PE breeches branch fitting 2 x 30°: d=63mm, d1=56mm | | | | 16,00 |
| 364.320.16.1 | Geberit PE double branchball 88.5°, connections 90° offset: d=63mm, d1=63mm | | | | 29,00 |
| 364.370.16.1 | Geberit PE double branchball 88.5°, connections 135° offset: d=63mm, d1=63mm | | | | 29,00 |
| 364.270.16.1 | Geberit PE double branchball 88.5°, connections 180° offset: d=63mm, d1=63mm | | | | 29,00 |
| 364.800.16.1 | Geberit PE triple branchball 88.5°, connections 135° offset: d=63mm, d1=63mm | | | | 39,00 |
| 364.805.16.1 | Geberit PE triple branchball 88.5°, connections 90° offset: d=63mm, d1=63mm | | | | 39,00 |
| 364.610.16.1 | Geberit PE quadruple branchball 88.5°, connections 90° offset: d=63mm, d1=63mm | | | | 56,00 |
| 364.558.16.1 | Geberit PE reducer, eccentric, short: d=63mm, d1=40mm | | | | 3,00 |

| | | | | |
|--------------|---|--|--|--------|
| 364.561.16.1 | Geberit PE reducer, eccentric, short: d=63mm, d1=50mm | | | 3,00 |
| 364.566.16.1 | Geberit PE reducer, eccentric, short: d=63mm, d1=56mm | | | 3,00 |
| 364.559.16.1 | Geberit PE reducer, concentric, short: d=63mm, d1=40mm | | | 3,00 |
| 364.560.16.1 | Geberit PE reducer, concentric, short: d=63mm, d1=50mm | | | 3,00 |
| 364.565.16.1 | Geberit PE reducer, concentric, short: d=63mm, d1=56mm | | | 3,00 |
| 364.728.16.1 | Geberit PE adapter with male thread: d=63mm, R=2" | | | 32,00 |
| 364.724.16.1 | Geberit PE adapter with female thread: d=63mm, Rp=2" | | | 32,00 |
| 364.451.16.1 | Geberit PE access pipe 90° with round service opening: d=63mm, d1=63mm | | | 22,00 |
| 364.700.16.1 | Geberit PE expansion socket with double flange: d=63mm | | | 16,00 |
| 360.779.16.3 | Geberit PE ring seal socket with lip seal: d=40mm | | | 4,00 |
| 361.779.16.3 | Geberit PE ring seal socket with lip seal: d=50mm | | | 4,00 |
| 363.779.16.3 | Geberit PE ring seal socket with lip seal: d=56mm | | | 7,00 |
| 364.779.16.3 | Geberit PE ring seal socket with lip seal: d=63mm | | | 8,00 |
| 365.779.16.3 | Geberit PE ring seal socket with lip seal: d=75mm | | | 8,00 |
| 366.779.16.3 | Geberit PE ring seal socket with lip seal: d=90mm | | | 10,00 |
| 367.779.16.3 | Geberit PE ring seal socket with lip seal: d=110mm | | | 11,00 |
| 368.779.16.3 | Geberit PE ring seal socket with lip seal: d=125mm | | | 17,00 |
| 369.779.16.3 | Geberit PE ring seal socket with lip seal: d=160mm | | | 29,00 |
| 361.752.16.3 | Geberit PE ring seal socket, reduced, with lip seal: d=56mm | | | 4,00 |
| 364.752.16.3 | Geberit PE ring seal socket, reduced, with lip seal: d=63mm | | | 9,00 |
| 364.740.16.1 | Geberit PE threaded connector with compression joint: d=63mm | | | 13,00 |
| 364.750.16.1 | Geberit PE threaded connector with screw cap: d=63mm, D=9cm, H=6.8cm | | | 11,00 |
| 364.744.16.1 | Geberit PE flange adapter: d=63mm | | | 17,00 |
| 364.084.16.1 | Geberit PE connection bend 90° for sleeve: d=56mm, d1=63mm, di=57mm | | | 15,00 |
| 364.730.16.1 | Geberit PE P-trap: d=63mm | | | 63,00 |
| 364.776.16.1 | Geberit electrofusion tape for anchor point: d=63mm, d1=71mm | | | 14,00 |
| 364.812.16.1 | Geberit PE weld-on cap: d=63mm | | | 3,00 |
| 364.802.92.1 | Geberit PE protective cap for pipe end: d=63mm | | | 2,00 |
| 364.781.16.1 | Geberit PE screw cap: d=63mm | | | 7,00 |
| 365.045.16.1 | Geberit PE bend: 45°, d=75mm | | | 7,00 |
| 365.088.16.1 | Geberit PE bend: 88.5°, d=75mm | | | 7,00 |
| 365.046.16.1 | Geberit PE bend with large leg: 45°, d=75mm | | | 11,00 |
| 365.051.16.1 | Geberit PE bend with large leg: 88.5°, d=75mm | | | 18,00 |
| 365.055.16.1 | Geberit PE bend with large leg: 90°, d=75mm | | | 7,00 |
| 365.109.16.1 | Geberit PE branch fitting 45°: d=75mm, d1=40mm | | | 9,00 |
| 365.112.16.1 | Geberit PE branch fitting 45°: d=75mm, d1=50mm | | | 9,00 |
| 365.115.16.1 | Geberit PE branch fitting 45°: d=75mm, d1=56mm | | | 9,00 |
| 365.120.16.1 | Geberit PE branch fitting 45°: d=75mm, d1=63mm | | | 9,00 |
| 365.125.16.1 | Geberit PE branch fitting 45°: d=75mm, d1=75mm | | | 9,00 |
| 365.159.16.1 | Geberit PE branch fitting 88.5°: d=75mm, d1=40mm | | | 9,00 |
| 365.162.16.1 | Geberit PE branch fitting 88.5°: d=75mm, d1=50mm | | | 9,00 |
| 365.165.16.1 | Geberit PE branch fitting 88.5°: d=75mm, d1=56mm | | | 9,00 |
| 365.170.16.1 | Geberit PE branch fitting 88.5°: d=75mm, d1=63mm | | | 9,00 |
| 365.175.16.1 | Geberit PE branch fitting 88.5°: d=75mm, d1=75mm | | | 9,00 |
| 365.465.16.1 | Geberit PE breeches branch fitting 2 x 30°: d=75mm, d1=56mm | | | 26,00 |
| 365.470.16.1 | Geberit PE breeches branch fitting 2 x 30°: d=75mm, d1=63mm | | | 26,00 |
| 365.325.16.1 | Geberit PE double branchball 88.5°, connections 90° offset: d=75mm, d1=75mm | | | 30,00 |
| 365.375.16.1 | Geberit PE double branchball 88.5°, connections 135° offset: d=75mm, d1=75mm | | | 30,00 |
| 365.275.16.1 | Geberit PE double branchball 88.5°, connections 180° offset: d=75mm, d1=75mm | | | 30,00 |
| 365.600.16.1 | Geberit PE triple branchball 88.5°, connections 135° offset: d=75mm, d1=75mm | | | 63,00 |
| 365.605.16.1 | Geberit PE triple branchball 88.5°, connections 90° offset: d=75mm, d1=75mm | | | 39,00 |
| 365.610.16.1 | Geberit PE quadruple branchball 88.5°, connections 90° offset: d=75mm, d1=75mm | | | 56,00 |
| 365.558.16.1 | Geberit PE reducer, eccentric, short: d=75mm, d1=40mm | | | 4,00 |
| 365.561.16.1 | Geberit PE reducer, eccentric, short: d=75mm, d1=50mm | | | 4,00 |
| 365.566.16.1 | Geberit PE reducer, eccentric, short: d=75mm, d1=56mm | | | 4,00 |
| 365.571.16.1 | Geberit PE reducer, eccentric, short: d=75mm, d1=63mm | | | 4,00 |
| 365.559.16.1 | Geberit PE reducer, concentric, short: d=75mm, d1=40mm | | | 4,00 |
| 365.560.16.1 | Geberit PE reducer, concentric, short: d=75mm, d1=50mm | | | 4,00 |
| 365.565.16.1 | Geberit PE reducer, concentric, short: d=75mm, d1=56mm | | | 4,00 |
| 365.570.16.1 | Geberit PE reducer, concentric, short: d=75mm, d1=63mm | | | 4,00 |
| 365.729.16.1 | Geberit PE adapter with male thread: d=75mm, R=2 1/2" | | | 41,00 |
| 365.725.16.1 | Geberit PE adapter with female thread: d=75mm, Rp=2 1/2" | | | 41,00 |
| 365.451.16.1 | Geberit PE access pipe 90° with round service opening: d=75mm, d1=75mm | | | 23,00 |
| 365.700.16.1 | Geberit PE expansion socket with double flange: d=75mm | | | 14,00 |
| 365.740.16.1 | Geberit PE threaded connector with compression joint: d=75mm | | | 16,00 |
| 365.750.16.1 | Geberit PE threaded connector with screw cap: d=75mm, D=11.2cm, H=9.6cm | | | 14,00 |
| 365.744.16.1 | Geberit PE flange adapter: d=75mm | | | 17,00 |
| 365.472.16.1 | Geberit PE double connection bend 90° for sleeve: d=75mm, d1=56mm, di=50mm | | | 56,00 |
| 365.730.16.1 | Geberit PE P-trap: d=75mm | | | 111,00 |
| 365.813.16.1 | Geberit PE suction trap with service opening: d=75mm | | | 96,00 |
| 365.776.16.1 | Geberit electrofusion tape for anchor point: d=75mm, d1=83mm | | | 15,00 |
| 365.812.16.1 | Geberit PE weld-on cap: d=75mm | | | 3,00 |
| 365.781.16.1 | Geberit PE screw cap: d=75mm | | | 8,00 |
| 366.045.16.1 | Geberit PE bend: 45°, d=90mm | | | 9,00 |
| 366.088.16.1 | Geberit PE bend: 88.5°, d=90mm | | | 9,00 |
| 366.055.16.1 | Geberit PE bend with large leg: 90°, d=90mm | | | 11,00 |
| 366.876.16.1 | Geberit PE bend 90° with large leg and small radius: 90°, d=90mm | | | 9,00 |
| 366.109.16.1 | Geberit PE branch fitting 45°: d=90mm, d1=40mm | | | 11,00 |
| 366.112.16.1 | Geberit PE branch fitting 45°: d=90mm, d1=50mm | | | 11,00 |
| 366.115.16.1 | Geberit PE branch fitting 45°: d=90mm, d1=56mm | | | 11,00 |
| 366.120.16.1 | Geberit PE branch fitting 45°: d=90mm, d1=63mm | | | 11,00 |
| 366.125.16.1 | Geberit PE branch fitting 45°: d=90mm, d1=75mm | | | 11,00 |
| 366.130.16.1 | Geberit PE branch fitting 45°: d=90mm, d1=90mm | | | 11,00 |
| 366.159.16.1 | Geberit PE branch fitting 88.5°: d=90mm, d1=40mm | | | 11,00 |
| 366.162.16.1 | Geberit PE branch fitting 88.5°: d=90mm, d1=50mm | | | 11,00 |
| 366.165.16.1 | Geberit PE branch fitting 88.5°: d=90mm, d1=56mm | | | 11,00 |
| 366.170.16.1 | Geberit PE branch fitting 88.5°: d=90mm, d1=63mm | | | 11,00 |
| 366.175.16.1 | Geberit PE branch fitting 88.5°: d=90mm, d1=75mm | | | 11,00 |
| 366.180.16.1 | Geberit PE branch fitting 88.5°: d=90mm, d1=90mm | | | 11,00 |
| 366.330.16.1 | Geberit PE double branchball 88.5°, connections 90° offset: d=90mm, d1=90mm | | | 34,00 |
| 366.380.16.1 | Geberit PE double branchball 88.5°, connections 135° offset: d=90mm, d1=90mm | | | 34,00 |
| 366.280.16.1 | Geberit PE double branchball 88.5°, connections 180° offset: d=90mm, d1=90mm | | | 34,00 |
| 366.605.16.1 | Geberit PE triple branchball 88.5°, connections 90° offset: d=90mm, d1=90mm | | | 39,00 |
| 366.561.16.1 | Geberit PE reducer, eccentric, short: d=90mm, d1=50mm | | | 5,00 |
| 366.566.16.1 | Geberit PE reducer, eccentric, short: d=90mm, d1=56mm | | | 5,00 |
| 366.571.16.1 | Geberit PE reducer, eccentric, short: d=90mm, d1=63mm | | | 5,00 |
| 366.576.16.1 | Geberit PE reducer, eccentric, short: d=90mm, d1=75mm | | | 5,00 |
| 366.559.16.1 | Geberit PE reducer, concentric, short: d=90mm, d1=40mm | | | 5,00 |
| 366.560.16.1 | Geberit PE reducer, concentric, short: d=90mm, d1=50mm | | | 5,00 |
| 366.565.16.1 | Geberit PE reducer, concentric, short: d=90mm, d1=56mm | | | 5,00 |
| 366.570.16.1 | Geberit PE reducer, concentric, short: d=90mm, d1=63mm | | | 5,00 |
| 366.575.16.1 | Geberit PE reducer, concentric, short: d=90mm, d1=75mm | | | 5,00 |
| 366.451.16.1 | Geberit PE access pipe 90° with round service opening: d=90mm, d1=90mm | | | 30,00 |
| 366.700.16.1 | Geberit PE expansion socket with double flange: d=90mm | | | 14,00 |
| 366.750.16.1 | Geberit PE threaded connector with screw cap: d=90mm, D=12.9cm, H=9.7cm | | | 18,00 |
| 366.744.16.1 | Geberit PE flange adapter: d=90mm | | | 21,00 |
| 366.913.16.1 | Geberit PE connection bend 90° for wall-hung WC, offset to the left, with extension: d=90mm, d1=90mm | | | 59,00 |
| 366.914.16.1 | Geberit PE connection bend 90° for wall-hung WC, offset to the right, with extension: d=90mm, d1=90mm | | | 59,00 |
| 241.899.00.1 | Geberit PE connection bend 90° with lip seal, extended, for wall-hung WC: d=90mm, d1=90mm | | | 59,00 |
| 366.941.16.1 | Geberit PE connection ring seal socket with lip seal for wall-hung WC: d=90mm, d1=90mm | | | 12,00 |
| 366.730.16.1 | Geberit PE P-trap: d=90mm | | | 130,00 |
| 366.776.16.1 | Geberit electrofusion tape for anchor point: d=90mm, d1=98mm | | | 16,00 |
| 366.812.16.1 | Geberit PE weld-on cap: d=90mm | | | 3,00 |

| | | | | | |
|--------------|---|--|--|--|--------|
| 366.781.16.1 | Geberit PE screw cap: d=90mm | | | | 11,00 |
| 367.045.16.1 | Geberit PE bend: 45°, d=110mm | | | | 9,00 |
| 367.088.16.1 | Geberit PE bend: 88.5°, d=110mm | | | | 9,00 |
| 367.015.16.1 | Geberit PE bend with large leg: 15°, d=110mm | | | | 24,00 |
| 367.030.16.1 | Geberit PE bend with large leg: 30°, d=110mm | | | | 24,00 |
| 367.046.16.1 | Geberit PE bend with large leg: 45°, d=110mm | | | | 11,00 |
| 367.055.16.1 | Geberit PE bend with large leg: 90°, d=110mm | | | | 11,00 |
| 367.876.16.1 | Geberit PE bend 90° with large leg and small radius: 90°, d=110mm | | | | 11,00 |
| 367.615.16.1 | Geberit PE Bottom Turn bend: d=110mm | | | | 137,00 |
| 367.616.16.1 | Geberit PE BackFlip bend: d=110mm | | | | 64,00 |
| 367.109.16.1 | Geberit PE branch fitting 45°: d=110mm, d1=40mm | | | | 13,00 |
| 367.112.16.1 | Geberit PE branch fitting 45°: d=110mm, d1=50mm | | | | 13,00 |
| 367.115.16.1 | Geberit PE branch fitting 45°: d=110mm, d1=56mm | | | | 13,00 |
| 367.120.16.1 | Geberit PE branch fitting 45°: d=110mm, d1=63mm | | | | 13,00 |
| 367.125.16.1 | Geberit PE branch fitting 45°: d=110mm, d1=75mm | | | | 13,00 |
| 367.130.16.1 | Geberit PE branch fitting 45°: d=110mm, d1=90mm | | | | 13,00 |
| 367.135.16.1 | Geberit PE branch fitting 45°: d=110mm, d1=110mm | | | | 13,00 |
| 367.159.16.1 | Geberit PE branch fitting 88.5°: d=110mm, d1=40mm | | | | 13,00 |
| 367.162.16.1 | Geberit PE branch fitting 88.5°: d=110mm, d1=50mm | | | | 13,00 |
| 367.165.16.1 | Geberit PE branch fitting 88.5°: d=110mm, d1=56mm | | | | 13,00 |
| 367.170.16.1 | Geberit PE branch fitting 88.5°: d=110mm, d1=63mm | | | | 13,00 |
| 367.175.16.1 | Geberit PE branch fitting 88.5°: d=110mm, d1=75mm | | | | 13,00 |
| 367.180.16.1 | Geberit PE branch fitting 88.5°: d=110mm, d1=90mm | | | | 13,00 |
| 367.185.16.1 | Geberit PE branch fitting 88.5°: d=110mm, d1=110mm | | | | 13,00 |
| 367.163.16.1 | Geberit PE branch fitting 88.5°, swept-entry: d=110mm, d1=110mm | | | | 13,00 |
| 367.480.16.1 | Geberit PE breeches branch fitting 2 x 30°: d=110mm, d1=90mm | | | | 29,00 |
| 367.481.16.1 | Geberit PE breeches branch fitting 2 x 30°: d=110mm, d1=110mm | | | | 29,00 |
| 367.209.16.1 | Geberit PE double branch fitting 45°: d=110mm, d1=40mm | | | | 25,00 |
| 367.212.16.1 | Geberit PE double branch fitting 45°: d=110mm, d1=50mm | | | | 25,00 |
| 367.235.16.1 | Geberit PE double branch fitting 45°: d=110mm, d1=110mm | | | | 25,00 |
| 367.315.16.1 | Geberit PE double branchball 88.5°, connections 90° offset: d=110mm, d1=56mm | | | | 38,00 |
| 367.320.16.1 | Geberit PE double branchball 88.5°, connections 90° offset: d=110mm, d1=63mm | | | | 38,00 |
| 367.325.16.1 | Geberit PE double branchball 88.5°, connections 90° offset: d=110mm, d1=75mm | | | | 38,00 |
| 367.330.16.1 | Geberit PE double branchball 88.5°, connections 90° offset: d=110mm, d1=90mm | | | | 38,00 |
| 367.335.16.1 | Geberit PE double branchball 88.5°, connections 90° offset: d=110mm, d1=110mm | | | | 38,00 |
| 367.362.16.1 | Geberit PE double branchball 88.5°, connections 135° offset: d=110mm, d1=50mm | | | | 38,00 |
| 367.365.16.1 | Geberit PE double branchball 88.5°, connections 135° offset: d=110mm, d1=56mm | | | | 38,00 |
| 367.370.16.1 | Geberit PE double branchball 88.5°, connections 135° offset: d=110mm, d1=63mm | | | | 38,00 |
| 367.375.16.1 | Geberit PE double branchball 88.5°, connections 135° offset: d=110mm, d1=75mm | | | | 38,00 |
| 367.380.16.1 | Geberit PE double branchball 88.5°, connections 135° offset: d=110mm, d1=90mm | | | | 38,00 |
| 367.385.16.1 | Geberit PE double branchball 88.5°, connections 135° offset: d=110mm, d1=110mm | | | | 38,00 |
| 367.262.16.1 | Geberit PE double branchball 88.5°, connections 180° offset: d=110mm, d1=50mm | | | | 38,00 |
| 367.265.16.1 | Geberit PE double branchball 88.5°, connections 180° offset: d=110mm, d1=56mm | | | | 38,00 |
| 367.270.16.1 | Geberit PE double branchball 88.5°, connections 180° offset: d=110mm, d1=63mm | | | | 38,00 |
| 367.275.16.1 | Geberit PE double branchball 88.5°, connections 180° offset: d=110mm, d1=75mm | | | | 38,00 |
| 367.280.16.1 | Geberit PE double branchball 88.5°, connections 180° offset: d=110mm, d1=90mm | | | | 38,00 |
| 367.285.16.1 | Geberit PE double branchball 88.5°, connections 180° offset: d=110mm, d1=110mm | | | | 38,00 |
| 367.600.16.1 | Geberit PE triple branchball 88.5°, connections 135° offset: d=110mm, d1=110mm | | | | 48,00 |
| 367.605.16.1 | Geberit PE triple branchball 88.5°, connections 90° offset: d=110mm, d1=110mm | | | | 48,00 |
| 367.610.16.1 | Geberit PE quadruple branchball 88.5°, connections 90° offset: d=110mm, d1=110mm | | | | 58,00 |
| 367.558.16.1 | Geberit PE reducer, eccentric, short: d=110mm, d1=40mm | | | | 5,00 |
| 367.561.16.1 | Geberit PE reducer, eccentric, short: d=110mm, d1=50mm | | | | 5,00 |
| 367.566.16.1 | Geberit PE reducer, eccentric, short: d=110mm, d1=56mm | | | | 5,00 |
| 367.571.16.1 | Geberit PE reducer, eccentric, short: d=110mm, d1=63mm | | | | 5,00 |
| 367.576.16.1 | Geberit PE reducer, eccentric, short: d=110mm, d1=75mm | | | | 5,00 |
| 367.581.16.1 | Geberit PE reducer, eccentric, short: d=110mm, d1=90mm | | | | 5,00 |
| 367.559.16.1 | Geberit PE reducer, concentric, short: d=110mm, d1=40mm | | | | 5,00 |
| 367.560.16.1 | Geberit PE reducer, concentric, short: d=110mm, d1=50mm | | | | 5,00 |
| 367.565.16.1 | Geberit PE reducer, concentric, short: d=110mm, d1=56mm | | | | 5,00 |
| 367.570.16.1 | Geberit PE reducer, concentric, short: d=110mm, d1=63mm | | | | 5,00 |
| 367.575.16.1 | Geberit PE reducer, concentric, short: d=110mm, d1=75mm | | | | 5,00 |
| 367.580.16.1 | Geberit PE reducer, concentric, short: d=110mm, d1=90mm | | | | 5,00 |
| 367.453.16.1 | Geberit PE access pipe 45° with round service opening: d=110mm, d1=110mm | | | | 39,00 |
| 367.451.16.1 | Geberit PE access pipe 90° with round service opening: d=110mm, d1=110mm | | | | 35,00 |
| 367.454.16.1 | Geberit PE access pipe 90° with oval service opening: d=110mm | | | | 155,00 |
| 367.614.16.1 | Geberit PE Sovent fitting: d=110mm, d1=110mm, d2=75mm | | | | 95,00 |
| 367.612.16.1 | Geberit PE waste manifold: d=110mm, d1=56mm | | | | 116,00 |
| 367.700.16.1 | Geberit PE expansion socket with double flange: d=110mm | | | | 15,00 |
| 367.701.16.1 | Geberit PE expansion socket with sealing protection: d=110mm | | | | 241,00 |
| 367.740.16.1 | Geberit PE threaded connector with compression joint: d=110mm | | | | 23,00 |
| 367.750.16.1 | Geberit PE threaded connector with screw cap: d=110mm, D=14.9cm, H=9.7cm | | | | 19,00 |
| 367.471.16.1 | Geberit PE threaded connector with screw cap: d=110mm, D=14.3cm, H=4cm | | | | 17,00 |
| 367.744.16.1 | Geberit PE flange adapter: d=110mm | | | | 23,00 |
| 367.945.16.1 | Geberit PE connection bend 45° with connection ring seal socket for wall-hung WC: d=110mm, d1=90mm | | | | 52,00 |
| 367.880.16.1 | Geberit PE connection bend 88.5° for floor-standing WC: d=110mm, d1=120mm | | | | 23,00 |
| 367.792.16.1 | Geberit PE connection bend 90° for wall-hung WC, with extension: d=110mm, d1=110mm | | | | 23,00 |
| 367.913.16.1 | Geberit PE connection bend 90° for wall-hung WC, offset to the left, with extension: d=110mm, d1=90mm | | | | 59,00 |
| 367.901.16.1 | Geberit PE connection bend 90° for wall-hung WC, offset to the left, with extension: d=110mm, d1=110mm | | | | 59,00 |
| 367.914.16.1 | Geberit PE connection bend 90° for wall-hung WC, offset to the right, with extension: d=110mm, d1=90mm | | | | 59,00 |
| 367.902.16.1 | Geberit PE connection bend 90° for wall-hung WC, offset to the right, with extension: d=110mm, d1=110mm | | | | 59,00 |
| 367.485.16.1 | Geberit PE double connection bend 90°, offset, for wall-hung WC: d=110mm, d1=90mm | | | | 122,00 |
| 367.904.16.1 | Geberit PE double connection bend 90°, offset, for wall-hung WC: d=110mm, d1=110mm | | | | 122,00 |
| 367.923.16.1 | Geberit PE double connection bend 90° for wall-hung WC: d=110mm, d1=90mm | | | | 122,00 |
| 367.903.16.1 | Geberit PE double connection bend 90° for wall-hung WC: d=110mm, d1=110mm | | | | 122,00 |
| 367.898.16.1 | Geberit PE coupling socket for floor-standing WC: d=110mm, d1=120mm | | | | 9,00 |
| 367.868.16.1 | Geberit PE coupling socket, long, with sleeve, for floor-standing WC: d=110mm, d1=120mm | | | | 15,00 |
| 367.941.16.1 | Geberit PE connection ring seal socket with lip seal for wall-hung WC: d=110mm, d1=90mm | | | | 12,00 |
| 367.794.16.1 | Geberit PE connection ring seal socket with lip seal for wall-hung WC: d=110mm, d1=110mm | | | | 12,00 |
| 367.730.16.1 | Geberit PE P-trap: d=110mm | | | | 132,00 |
| 367.813.16.1 | Geberit PE suction trap with service opening: d=110mm | | | | 125,00 |
| 367.776.16.1 | Geberit electrofusion tape for anchor point: d=110mm, d1=118mm | | | | 18,00 |
| 367.812.16.1 | Geberit PE weld-on cap: d=110mm | | | | 3,00 |
| 367.929.16.1 | Geberit PE end cap, extended: d=110mm | | | | 22,00 |
| 368.045.16.1 | Geberit PE bend: 45°, d=125mm | | | | 13,00 |
| 368.088.16.1 | Geberit PE bend: 88.5°, d=125mm | | | | 14,00 |
| 368.015.16.1 | Geberit PE bend with large leg: 15°, d=125mm | | | | 29,00 |
| 368.030.16.1 | Geberit PE bend with large leg: 30°, d=125mm | | | | 29,00 |
| 368.055.16.1 | Geberit PE bend with large leg: 90°, d=125mm | | | | 14,00 |
| 368.120.16.1 | Geberit PE branch fitting 45°: d=125mm, d1=63mm | | | | 19,00 |
| 368.125.16.1 | Geberit PE branch fitting 45°: d=125mm, d1=75mm | | | | 19,00 |
| 368.130.16.1 | Geberit PE branch fitting 45°: d=125mm, d1=90mm | | | | 19,00 |
| 368.135.16.1 | Geberit PE branch fitting 45°: d=125mm, d1=110mm | | | | 19,00 |
| 368.139.16.1 | Geberit PE branch fitting 45°: d=125mm, d1=125mm | | | | 19,00 |
| 368.162.16.1 | Geberit PE branch fitting 88.5°: d=125mm, d1=50mm | | | | 19,00 |
| 368.165.16.1 | Geberit PE branch fitting 88.5°: d=125mm, d1=56mm | | | | 19,00 |
| 368.170.16.1 | Geberit PE branch fitting 88.5°: d=125mm, d1=63mm | | | | 19,00 |
| 368.175.16.1 | Geberit PE branch fitting 88.5°: d=125mm, d1=75mm | | | | 19,00 |
| 368.180.16.1 | Geberit PE branch fitting 88.5°: d=125mm, d1=90mm | | | | 19,00 |
| 368.185.16.1 | Geberit PE branch fitting 88.5°: d=125mm, d1=110mm | | | | 19,00 |
| 368.189.16.1 | Geberit PE branch fitting 88.5°: d=125mm, d1=125mm | | | | 19,00 |
| 368.335.16.1 | Geberit PE double branchball 88.5°, connections 90° offset: d=125mm, d1=110mm | | | | 61,00 |
| 368.385.16.1 | Geberit PE double branchball 88.5°, connections 135° offset: d=125mm, d1=110mm | | | | 61,00 |
| 368.285.16.1 | Geberit PE double branchball 88.5°, connections 180° offset: d=125mm, d1=110mm | | | | 61,00 |

| | | | |
|--------------|--|--|--------|
| 368.600.16.1 | Geberit PE triple branchball 88.5°, connections 135° offset: d=125mm, d1=110mm | | 68,00 |
| 368.605.16.1 | Geberit PE triple branchball 88.5°, connections 90° offset: d=125mm, d1=110mm | | 68,00 |
| 368.610.16.1 | Geberit PE quadruple branchball 88.5°, connections 90° offset: d=125mm, d1=110mm | | 87,00 |
| 368.561.16.1 | Geberit PE reducer, eccentric, short: d=125mm, d1=50mm | | 11,00 |
| 368.566.16.1 | Geberit PE reducer, eccentric, short: d=125mm, d1=56mm | | 11,00 |
| 368.571.16.1 | Geberit PE reducer, eccentric, short: d=125mm, d1=63mm | | 11,00 |
| 368.576.16.1 | Geberit PE reducer, eccentric, short: d=125mm, d1=75mm | | 11,00 |
| 368.581.16.1 | Geberit PE reducer, eccentric, short: d=125mm, d1=90mm | | 11,00 |
| 368.586.16.1 | Geberit PE reducer, eccentric, short: d=125mm, d1=110mm | | 11,00 |
| 368.584.16.1 | Geberit PE reducer, eccentric, long: d=125mm, d1=110mm | | 19,00 |
| 368.570.16.1 | Geberit PE reducer, concentric, short: d=125mm, d1=63mm | | 11,00 |
| 368.575.16.1 | Geberit PE reducer, concentric, short: d=125mm, d1=75mm | | 11,00 |
| 368.580.16.1 | Geberit PE reducer, concentric, short: d=125mm, d1=90mm | | 11,00 |
| 368.585.16.1 | Geberit PE reducer, concentric, short: d=125mm, d1=110mm | | 11,00 |
| 368.453.16.1 | Geberit PE access pipe 45° with round service opening: d=125mm, d1=110mm | | 54,00 |
| 368.451.16.1 | Geberit PE access pipe 90° with round service opening: d=125mm, d1=110mm | | 43,00 |
| 368.454.16.1 | Geberit PE access pipe 90° with oval service opening: d=125mm | | 230,00 |
| 368.700.16.1 | Geberit PE expansion socket with double flange: d=125mm | | 25,00 |
| 368.701.16.1 | Geberit PE expansion socket with sealing protection: d=125mm | | 265,00 |
| 368.744.16.1 | Geberit PE flange adapter: d=125mm | | 29,00 |
| 368.776.16.1 | Geberit electrofusion tape for anchor point: d=125mm, d1=133mm | | 24,00 |
| 368.812.16.1 | Geberit PE weld-on cap: d=125mm | | 5,00 |
| 369.045.16.1 | Geberit PE bend: 45°, d=160mm | | 28,00 |
| 369.088.16.1 | Geberit PE bend: 88.5°, d=160mm | | 34,00 |
| 369.015.16.1 | Geberit PE bend with large leg: 15°, d=160mm | | 48,00 |
| 369.030.16.1 | Geberit PE bend with large leg: 30°, d=160mm | | 48,00 |
| 369.055.16.1 | Geberit PE bend with large leg: 90°, d=160mm | | 34,00 |
| 369.125.16.1 | Geberit PE branch fitting 45°: d=160mm, d1=75mm | | 60,00 |
| 369.130.16.1 | Geberit PE branch fitting 45°: d=160mm, d1=90mm | | 60,00 |
| 369.135.16.1 | Geberit PE branch fitting 45°: d=160mm, d1=110mm | | 60,00 |
| 369.139.16.1 | Geberit PE branch fitting 45°: d=160mm, d1=125mm | | 60,00 |
| 369.145.16.1 | Geberit PE branch fitting 45°: d=160mm, d1=160mm | | 60,00 |
| 369.175.16.1 | Geberit PE branch fitting 88.5°: d=160mm, d1=75mm | | 60,00 |
| 369.185.16.1 | Geberit PE branch fitting 88.5°: d=160mm, d1=110mm | | 60,00 |
| 369.189.16.1 | Geberit PE branch fitting 88.5°: d=160mm, d1=125mm | | 60,00 |
| 369.195.16.1 | Geberit PE branch fitting 88.5°: d=160mm, d1=160mm | | 60,00 |
| 369.335.16.1 | Geberit PE double branchball 88.5°, connections 90° offset: d=160mm, d1=110mm | | 77,00 |
| 369.385.16.1 | Geberit PE double branchball 88.5°, connections 135° offset: d=160mm, d1=110mm | | 77,00 |
| 369.285.16.1 | Geberit PE double branchball 88.5°, connections 180° offset: d=160mm, d1=110mm | | 77,00 |
| 369.605.16.1 | Geberit PE triple branchball 88.5°, connections 90° offset: d=160mm, d1=110mm | | 87,00 |
| 369.586.16.1 | Geberit PE reducer, eccentric, short: d=160mm, d1=110mm | | 13,00 |
| 369.588.16.1 | Geberit PE reducer, eccentric, short: d=160mm, d1=125mm | | 13,00 |
| 369.591.16.1 | Geberit PE reducer, eccentric, short: d=160mm, d1=140mm | | 13,00 |
| 369.584.16.1 | Geberit PE reducer, eccentric, long: d=160mm, d1=110mm | | 67,00 |
| 369.535.16.1 | Geberit PE reducer, concentric, short: d=160mm, d1=110mm | | 13,00 |
| 369.453.16.1 | Geberit PE access pipe 45° with round service opening: d=160mm, d1=110mm | | 96,00 |
| 369.451.16.1 | Geberit PE access pipe 90° with round service opening: d=160mm, d1=110mm | | 77,00 |
| 369.454.16.1 | Geberit PE access pipe 90° with oval service opening: d=160mm | | 283,00 |
| 369.001.16.1 | Geberit PE solvent fitting: d=160mm, d1=110mm, d2=75mm | | 128,00 |
| 369.700.16.1 | Geberit PE expansion socket with double flange: d=160mm | | 41,00 |
| 369.701.16.1 | Geberit PE expansion socket with sealing protection: d=160mm | | 410,00 |
| 369.744.16.1 | Geberit PE flange adapter: d=160mm | | 44,00 |
| 369.776.16.1 | Geberit electrofusion tape for anchor point: d=160mm, d1=168mm | | 27,00 |
| 369.812.16.1 | Geberit PE weld-on cap: d=160mm | | 6,00 |
| 369.929.16.1 | Geberit PE end cap, extended: d=160mm | | 41,00 |
| 370.045.16.1 | Geberit PE bend: 45°, d=200mm | | 66,00 |
| 370.015.16.1 | Geberit PE segment bend: 15°, d=200mm | | 81,00 |
| 370.030.16.1 | Geberit PE segment bend: 30°, d=200mm | | 81,00 |
| 370.055.16.1 | Geberit PE segment bend: 90°, d=200mm | | 133,00 |
| 370.125.16.1 | Geberit PE branch fitting 45°: d=200mm, d1=75mm | | 135,00 |
| 370.135.16.1 | Geberit PE branch fitting 45°: d=200mm, d1=110mm | | 135,00 |
| 370.139.16.1 | Geberit PE branch fitting 45°: d=200mm, d1=125mm | | 135,00 |
| 370.145.16.1 | Geberit PE branch fitting 45°: d=200mm, d1=160mm | | 135,00 |
| 370.146.16.1 | Geberit PE branch fitting 45°: d=200mm, d1=200mm | | 135,00 |
| 370.180.16.1 | Geberit PE branch fitting 88.5°: d=200mm, d1=90mm | | 135,00 |
| 370.185.16.1 | Geberit PE branch fitting 88.5°: d=200mm, d1=110mm | | 135,00 |
| 370.189.16.1 | Geberit PE branch fitting 88.5°: d=200mm, d1=125mm | | 135,00 |
| 370.195.16.1 | Geberit PE branch fitting 88.5°: d=200mm, d1=160mm | | 135,00 |
| 370.196.16.1 | Geberit PE branch fitting 88.5°: d=200mm, d1=200mm | | 135,00 |
| 370.584.16.5 | Geberit PE reducer, eccentric, long: d=200mm, d1=110mm | | 92,00 |
| 370.587.16.5 | Geberit PE reducer, eccentric, long: d=200mm, d1=125mm | | 92,00 |
| 370.594.16.5 | Geberit PE reducer, eccentric, long: d=200mm, d1=160mm | | 92,00 |
| 370.738.16.1 | Geberit PE straight adapter to cast: d=200mm, d1=212mm | | 171,00 |
| 370.739.16.1 | Geberit PE straight adapter to stoneware: d=200mm, d1=242mm | | 327,00 |
| 370.454.16.1 | Geberit PE access pipe 90° with oval service opening: d=200mm | | 508,00 |
| 370.700.16.1 | Geberit PE expansion socket: d=200mm | | 183,00 |
| 370.701.16.1 | Geberit PE expansion socket with sealing protection: d=200mm | | 506,00 |
| 370.744.16.1 | Geberit PE flange adapter: d=200mm | | 65,00 |
| 370.751.16.1 | Geberit PE double-flange bushing: d=200mm | | 73,00 |
| 370.776.16.1 | Geberit electrofusion tape for anchor point: d=200mm, d1=208mm | | 28,00 |
| 370.812.16.1 | Geberit PE weld-on cap: d=200mm | | 9,00 |
| 371.015.16.1 | Geberit PE segment bend: 15°, d=250mm | | 111,00 |
| 371.030.16.1 | Geberit PE segment bend: 30°, d=250mm | | 111,00 |
| 371.045.16.1 | Geberit PE segment bend: 45°, d=250mm | | 106,00 |
| 371.055.16.1 | Geberit PE segment bend: 90°, d=250mm | | 249,00 |
| 371.135.16.1 | Geberit PE branch fitting 45°: d=250mm, d1=110mm | | 159,00 |
| 371.139.16.1 | Geberit PE branch fitting 45°: d=250mm, d1=125mm | | 159,00 |
| 371.145.16.1 | Geberit PE branch fitting 45°: d=250mm, d1=160mm | | 159,00 |
| 371.146.16.1 | Geberit PE branch fitting 45°: d=250mm, d1=200mm | | 159,00 |
| 371.147.16.1 | Geberit PE branch fitting 45°: d=250mm, d1=250mm | | 159,00 |
| 371.185.16.1 | Geberit PE branch fitting 88.5°: d=250mm, d1=110mm | | 159,00 |
| 371.189.16.1 | Geberit PE branch fitting 88.5°: d=250mm, d1=125mm | | 159,00 |
| 371.195.16.1 | Geberit PE branch fitting 88.5°: d=250mm, d1=160mm | | 159,00 |
| 371.196.16.1 | Geberit PE branch fitting 88.5°: d=250mm, d1=200mm | | 159,00 |
| 371.197.16.1 | Geberit PE branch fitting 88.5°: d=250mm, d1=250mm | | 159,00 |
| 371.596.16.1 | Geberit PE reducer, eccentric, long: d=250mm, d1=200mm | | 138,00 |
| 371.738.16.1 | Geberit PE straight adapter to cast: d=250mm, d1=274mm | | 382,00 |
| 371.739.16.1 | Geberit PE straight adapter to stoneware: d=250mm, d1=298mm | | 377,00 |
| 371.454.16.1 | Geberit PE access pipe 90° with oval service opening: d=250mm | | 681,00 |
| 371.700.16.1 | Geberit PE expansion socket: d=250mm | | 280,00 |
| 371.701.16.1 | Geberit PE expansion socket with sealing protection: d=250mm | | 627,00 |
| 371.744.16.1 | Geberit PE flange adapter: d=250mm | | 116,00 |
| 371.751.16.1 | Geberit PE double-flange bushing: d=250mm | | 102,00 |
| 371.776.16.1 | Geberit electrofusion tape for anchor point: d=250mm, d1=258mm | | 41,00 |
| 372.015.16.1 | Geberit PE segment bend: 15°, d=315mm | | 131,00 |
| 372.030.16.1 | Geberit PE segment bend: 30°, d=315mm | | 131,00 |
| 372.045.16.1 | Geberit PE segment bend: 45°, d=315mm | | 151,00 |
| 372.055.16.1 | Geberit PE segment bend: 90°, d=315mm | | 319,00 |
| 372.135.16.1 | Geberit PE branch fitting 45°: d=315mm, d1=110mm | | 241,00 |
| 372.139.16.1 | Geberit PE branch fitting 45°: d=315mm, d1=125mm | | 241,00 |
| 372.145.16.1 | Geberit PE branch fitting 45°: d=315mm, d1=160mm | | 241,00 |
| 372.146.16.1 | Geberit PE branch fitting 45°: d=315mm, d1=200mm | | 241,00 |
| 372.147.16.1 | Geberit PE branch fitting 45°: d=315mm, d1=250mm | | 241,00 |

| | | | | | | |
|--------------|--|--|--|--|--|--------|
| 372.148.16.1 | Geberit PE branch fitting 45°: d=315mm, d1=315mm | | | | | 383,00 |
| 372.185.16.1 | Geberit PE branch fitting 88.5°: d=315mm, d1=110mm | | | | | 241,00 |
| 372.189.16.1 | Geberit PE branch fitting 88.5°: d=315mm, d1=125mm | | | | | 241,00 |
| 372.195.16.1 | Geberit PE branch fitting 88.5°: d=315mm, d1=160mm | | | | | 241,00 |
| 372.196.16.1 | Geberit PE branch fitting 88.5°: d=315mm, d1=200mm | | | | | 241,00 |
| 372.197.16.1 | Geberit PE branch fitting 88.5°: d=315mm, d1=250mm | | | | | 241,00 |
| 372.198.16.1 | Geberit PE branch fitting 88.5°: d=315mm, d1=315mm | | | | | 241,00 |
| 369.587.16.1 | Geberit PE reducer, eccentric, long: d=160mm, d1=125mm | | | | | 67,00 |
| 372.596.16.1 | Geberit PE reducer, eccentric, long: d=315mm, d1=200mm | | | | | 164,00 |
| 372.598.16.1 | Geberit PE reducer, eccentric, long: d=315mm, d1=250mm | | | | | 176,00 |
| 372.738.16.1 | Geberit PE straight adapter to cast: d=315mm, d1=326mm | | | | | 432,00 |
| 372.739.16.1 | Geberit PE straight adapter to stoneware: d=315mm, d1=352mm | | | | | 452,00 |
| 372.454.16.1 | Geberit PE access pipe 90° with oval service opening: d=315mm | | | | | 858,00 |
| 372.700.16.1 | Geberit PE expansion socket: d=315mm | | | | | 506,00 |
| 372.701.16.1 | Geberit PE expansion socket with sealing protection: d=315mm | | | | | 796,00 |
| 372.744.16.1 | Geberit PE flange adapter: d=315mm | | | | | 280,00 |
| 372.751.16.1 | Geberit PE double-flange bushing: d=315mm | | | | | 140,00 |
| 372.776.16.1 | Geberit electrofusion tape set for anchor point (2 pc.): d=315mm, d1=323mm | | | | | 69,00 |
| 359.226.16.1 | Geberit PE straight adapter: d=110mm, d1=132mm | | | | | 126,00 |
| 359.229.16.1 | Geberit PE straight adapter: d=160mm, d1=187mm | | | | | 201,00 |
| 359.309.00.1 | Geberit PE straight adapter with male thread and compression joint: d=50mm, R=1 1/2" | | | | | 32,00 |
| 359.311.00.1 | Geberit PE straight adapter with male thread and compression joint: d=56mm, R=2" | | | | | 48,00 |
| 359.313.00.1 | Geberit PE straight adapter with female thread and compression joint: d=56mm, Rp=2" | | | | | 41,00 |
| 359.421.00.1 | Geberit PE straight adapter with compression joint, for glueing: d=56mm, d1=50mm | | | | | 28,00 |
| 359.423.00.1 | Geberit PE straight adapter with compression joint, for glueing: d=56mm, d1=63mm | | | | | 28,00 |
| 359.140.00.1 | Geberit PE adapter sleeve to cast iron, with support ring: d=50mm, d1=58mm, di=46mm | | | | | 15,00 |
| 359.141.00.1 | Geberit PE adapter sleeve to cast iron, with support ring: d=75mm, d1=78mm, di=70mm | | | | | 17,00 |
| 359.142.00.1 | Geberit PE adapter sleeve to cast iron, with support ring: d=125mm, d1=135mm, di=117mm | | | | | 52,00 |
| 359.330.00.1 | Geberit PE straight adapter to lead: d=56mm, d1=54mm | | | | | 48,00 |
| 360.802.92.1 | Geberit PE protective cap for pipe end: d=40mm | | | | | 2,00 |
| 361.802.92.1 | Geberit PE protective cap for pipe end: d=50mm | | | | | 2,00 |
| 363.802.92.1 | Geberit PE protective cap for pipe end: d=56mm | | | | | 2,00 |
| 365.802.92.1 | Geberit PE protective cap for pipe end: d=75mm | | | | | 2,00 |
| 366.802.92.1 | Geberit PE protective cap for pipe end: d=90mm | | | | | 2,00 |
| 367.802.92.1 | Geberit PE protective cap for pipe end: d=110mm | | | | | 2,00 |
| 368.802.92.1 | Geberit PE protective cap for pipe end: d=125mm | | | | | 3,00 |
| 369.802.92.1 | Geberit PE protective cap for pipe end: d=160mm | | | | | 4,00 |
| 361.781.16.1 | Geberit PE screw cap: d=50mm | | | | | 5,00 |
| 363.781.16.1 | Geberit PE screw cap: d=56mm | | | | | 5,00 |
| 367.781.16.1 | Geberit PE screw cap: d=110mm | | | | | 12,00 |
| 853.650.16.1 | Geberit repair patch: d=40-160mm | | | | | 7,00 |
| 361.673.00.1 | Geberit moisture sealing with contact foil Resistit®: d=50mm, Sealing of connection=EPDM (Resistit® Perfekt E) | | | | | 86,00 |
| 363.673.00.1 | Geberit moisture sealing with contact foil Resistit®: d=56mm, Sealing of connection=EPDM (Resistit® Perfekt E) | | | | | 88,00 |
| 365.673.00.1 | Geberit moisture sealing with contact foil Resistit®: d=75mm, Sealing of connection=EPDM (Resistit® Perfekt E) | | | | | 93,00 |
| 367.673.00.1 | Geberit moisture sealing with contact foil Resistit®: d=110mm, Sealing of connection=EPDM (Resistit® Perfekt E) | | | | | 102,00 |
| 368.673.00.1 | Geberit moisture sealing with contact foil Resistit®: d=125mm, Sealing of connection=EPDM (Resistit® Perfekt E) | | | | | 107,00 |
| 361.674.00.1 | Geberit moisture sealing with contact foil Sarnafil® PVC: d=50mm, Sealing of connection=PVC (Sarnafil G 410-18) | | | | | 96,00 |
| 363.674.00.1 | Geberit moisture sealing with contact foil Sarnafil® PVC: d=56mm, Sealing of connection=PVC (Sarnafil G 410-18) | | | | | 88,00 |
| 365.674.00.1 | Geberit moisture sealing with contact foil Sarnafil® PVC: d=75mm, Sealing of connection=PVC (Sarnafil G 410-18) | | | | | 93,00 |
| 367.674.00.1 | Geberit moisture sealing with contact foil Sarnafil® PVC: d=110mm, Sealing of connection=PVC (Sarnafil G 410-18) | | | | | 102,00 |
| 368.674.00.1 | Geberit moisture sealing with contact foil Sarnafil® PVC: d=125mm, Sealing of connection=PVC (Sarnafil G 410-18) | | | | | 107,00 |
| 362.796.92.1 | Geberit protection plug: d=44.6mm | | | | | 8,00 |
| 364.783.00.1 | Geberit compression seal: di=59mm | | | | | 3,00 |
| 360.789.00.1 | Geberit PE round cord ring: d=40mm, DN=40 | | | | | 3,00 |
| 361.789.00.1 | Geberit PE round cord ring: d=50mm, DN=50 | | | | | 3,00 |
| 362.790.00.1 | Geberit PE round cord ring: d=32mm, DN=30 | | | | | 3,00 |
| 363.789.00.1 | Geberit PE round cord ring: d=56mm, DN=56 | | | | | 3,00 |
| 364.789.00.1 | Geberit PE round cord ring: d=63mm, DN=60 | | | | | 3,00 |
| 365.789.00.1 | Geberit PE round cord ring: d=75mm, DN=70 | | | | | 3,00 |
| 366.789.00.1 | Geberit PE round cord ring: d=90mm, DN=90 | | | | | 3,00 |
| 367.789.00.1 | Geberit PE round cord ring: d=110mm, DN=100 | | | | | 3,00 |
| 368.789.00.1 | Geberit PE round cord ring: d=125mm, DN=125 | | | | | 4,00 |
| 369.789.00.1 | Geberit PE round cord ring: d=160mm, DN=150 | | | | | 11,00 |
| 853.522.00.1 | Geberit PE sleeve: d=40mm, DN=40 | | | | | 8,00 |
| 853.523.00.1 | Geberit PE sleeve: d=50mm, DN=50 | | | | | 9,00 |
| 853.524.00.1 | Geberit PE sleeve: d=56mm, DN=56 | | | | | 11,00 |
| 853.526.00.1 | Geberit PE sleeve: d=75mm, DN=70 | | | | | 14,00 |
| 853.527.00.1 | Geberit PE sleeve: d=90mm, DN=90 | | | | | 16,00 |
| 853.528.00.1 | Geberit PE sleeve: d=110mm, DN=100 | | | | | 106,00 |
| 853.529.00.1 | Geberit PE sleeve: d=125mm, DN=125 | | | | | 22,00 |
| 853.531.00.1 | Geberit PE sleeve: d=160mm, DN=150 | | | | | 28,00 |
| 853.705.00.1 | Geberit PE sleeve: d=200mm, DN=200 | | | | | 56,00 |
| 387.282.00.1 | Geberit PE sleeve: d=90mm, DN=90 | | | | | 5,00 |
| 240.813.00.1 | Geberit PE sleeve: d=110mm, DN=100 | | | | | 6,00 |
| 379.783.00.1 | Geberit PE compression seal: d=32mm | | | | | 3,00 |
| 360.783.00.1 | Geberit PE compression seal: d=40mm | | | | | 3,00 |
| 361.783.00.1 | Geberit PE compression seal: d=50mm | | | | | 3,00 |
| 363.783.00.1 | Geberit PE compression seal: d=56mm | | | | | 3,00 |
| 365.783.00.1 | Geberit PE compression seal: d=75mm | | | | | 3,00 |
| 366.783.00.1 | Geberit PE compression seal: d=90mm | | | | | 4,00 |
| 367.783.00.1 | Geberit PE compression seal: d=110mm | | | | | 4,00 |
| 379.782.16.1 | Geberit compression ring: d=32mm | | | | | 7,00 |
| 360.782.16.1 | Geberit compression ring: d=40mm | | | | | 3,00 |
| 361.782.16.1 | Geberit compression ring: d=50mm | | | | | 3,00 |
| 363.782.16.1 | Geberit compression ring: d=56mm | | | | | 3,00 |
| 364.782.16.1 | Geberit compression ring: d=63mm | | | | | 3,00 |
| 365.782.16.1 | Geberit compression ring: d=75mm | | | | | 3,00 |
| 366.782.16.1 | Geberit compression ring: d=90mm | | | | | 3,00 |
| 367.782.16.1 | Geberit compression ring: d=110mm | | | | | 3,00 |
| 367.810.16.1 | Geberit PE screw cap for access pipes: d=110mm | | | | | 27,00 |
| 366.820.92.1 | Geberit protective cap: d=90mm, DN=90 | | | | | 4,00 |
| 152.153.16.1 | Geberit PE straight adapter with shrink-fitted sleeve: d=40mm, di=50mm | | | | | 26,00 |
| 152.154.16.1 | Geberit PE straight adapter with shrink-fitted sleeve: d=40mm, di=60mm | | | | | 26,00 |
| 152.155.16.1 | Geberit PE straight adapter with shrink-fitted sleeve: d=40mm, di=70mm | | | | | 26,00 |
| 360.771.16.1 | Geberit electrofusion coupling: d=40mm | | | | | 4,00 |
| 152.197.16.1 | Geberit PE straight adapter with shrink-fitted sleeve: d=50mm, di=70mm | | | | | 27,00 |
| 152.198.16.1 | Geberit PE straight adapter with shrink-fitted sleeve: d=50mm, di=80mm | | | | | 27,00 |
| 152.651.16.1 | Geberit PE straight adapter with shrink-fitted sleeve: d=50mm, di=60mm | | | | | 27,00 |
| 152.652.16.1 | Geberit PE straight adapter with shrink-fitted sleeve: d=50mm, di=90mm | | | | | 27,00 |
| 361.771.16.1 | Geberit electrofusion coupling: d=50mm | | | | | 5,00 |
| 359.424.00.2 | Geberit adapter clamping connector: d=48-50mm, d1=48-50mm | | | | | 18,00 |
| 359.465.00.2 | Geberit adapter clamping connector: d=50mm, d1=58mm | | | | | 20,00 |
| 359.454.00.1 | Geberit PE support ring: d=50mm, di=44mm | | | | | 7,00 |
| 361.780.16.1 | Geberit PE union nut: d=50mm | | | | | 5,00 |
| 361.748.00.1 | Geberit PE blind flange: d=50mm | | | | | 34,00 |
| 152.149.16.1 | Geberit PE straight adapter with shrink-fitted sleeve: d=56mm, di=70mm | | | | | 30,00 |
| 152.150.16.1 | Geberit PE straight adapter with shrink-fitted sleeve: d=56mm, di=80mm | | | | | 30,00 |
| 152.654.16.1 | Geberit PE straight adapter with shrink-fitted sleeve: d=56mm, di=60mm | | | | | 28,00 |
| 363.771.16.1 | Geberit electrofusion coupling: d=56mm | | | | | 7,00 |
| 359.425.00.2 | Geberit adapter clamping connector: d=54-56mm, d1=54-56mm | | | | | 20,00 |
| 359.426.00.2 | Geberit adapter clamping connector: d=56mm, d1=58mm | | | | | 20,00 |
| 359.427.00.2 | Geberit adapter clamping connector: d=56mm, d1=68mm | | | | | 20,00 |
| 359.455.00.1 | Geberit PE support ring: d=56mm, di=50mm | | | | | 8,00 |

| | | | | | | | | |
|--------------|--|--|--|--|--|--|--|--------|
| 363.748.00.1 | Geberit PE blind flange: d=56 / 63mm | | | | | | | 39,00 |
| 152.657.16.1 | Geberit PE straight adapter with shrink-fitted sleeve: d=63mm, di=73mm | | | | | | | 33,00 |
| 152.658.16.1 | Geberit PE straight adapter with shrink-fitted sleeve: d=63mm, di=80mm | | | | | | | 28,00 |
| 364.771.16.1 | Geberit electrofusion coupling: d=63mm | | | | | | | 7,00 |
| 359.428.00.2 | Geberit adapter clamping connector: d=63mm, d1=60mm | | | | | | | 21,00 |
| 359.429.00.2 | Geberit adapter clamping connector: d=63-64mm, d1=63-64mm | | | | | | | 21,00 |
| 359.430.00.2 | Geberit adapter clamping connector: d=63-64mm, d1=68mm | | | | | | | 21,00 |
| 359.431.00.2 | Geberit adapter clamping connector: d=68mm, d1=68mm | | | | | | | 22,00 |
| 359.456.00.1 | Geberit PE support ring: d=63mm, di=57mm | | | | | | | 9,00 |
| 364.772.16.1 | Geberit PE flange bushing: d=63mm | | | | | | | 8,00 |
| 152.151.16.1 | Geberit PE straight adapter with shrink-fitted sleeve: d=75mm, di=90mm | | | | | | | 32,00 |
| 365.771.16.1 | Geberit electrofusion coupling: d=75mm | | | | | | | 7,00 |
| 359.432.00.2 | Geberit adapter clamping connector: d=75mm, d1=68mm | | | | | | | 22,00 |
| 359.433.00.2 | Geberit adapter clamping connector: d=75-76mm, d1=75-76mm | | | | | | | 22,00 |
| 359.434.00.2 | Geberit adapter clamping connector: d=75-76mm, d1=78mm | | | | | | | 22,00 |
| 359.435.00.2 | Geberit adapter clamping connector: d=75-76mm, d1=83-84mm | | | | | | | 22,00 |
| 359.457.00.1 | Geberit PE support ring: d=75mm, di=69mm | | | | | | | 10,00 |
| 365.748.00.1 | Geberit PE blind flange: d=75mm | | | | | | | 45,00 |
| 365.772.16.1 | Geberit PE flange bushing: d=75mm | | | | | | | 9,00 |
| 152.152.16.1 | Geberit PE straight adapter with shrink-fitted sleeve: d=75mm, di=80mm | | | | | | | 28,00 |
| 152.661.16.1 | Geberit PE straight adapter with shrink-fitted sleeve: d=75mm, di=100mm | | | | | | | 34,00 |
| 366.550.16.1 | Geberit PE straight adapter with shrink-fitted sleeve: d=90mm, di=110mm | | | | | | | 34,00 |
| 366.771.16.1 | Geberit electrofusion coupling: d=90mm | | | | | | | 8,00 |
| 359.436.00.2 | Geberit adapter clamping connector: d=75-76mm, d1=89-90mm | | | | | | | 22,00 |
| 359.437.00.2 | Geberit adapter clamping connector: d=89-90mm, d1=83-84mm | | | | | | | 24,00 |
| 359.438.00.2 | Geberit adapter clamping connector: d=89-90mm, d1=89-90mm | | | | | | | 24,00 |
| 359.458.00.1 | Geberit PE support ring: d=90mm, di=83mm | | | | | | | 10,00 |
| 366.748.00.1 | Geberit PE blind flange: d=90mm | | | | | | | 51,00 |
| 366.772.16.1 | Geberit PE flange bushing: d=90mm | | | | | | | 10,00 |
| 366.061.16.1 | Geberit PE connection bend 90° for wall-hung WC: d=90mm, d1=90mm | | | | | | | 17,00 |
| 366.925.16.1 | Geberit PE connection bend 90° for wall-hung WC, with extension: d=90mm, d1=90mm | | | | | | | 22,00 |
| 366.887.16.1 | Geberit PE straight connector with ring seal socket for wall-hung WC: d=90mm, d1=90mm | | | | | | | 25,00 |
| 367.928.16.1 | Geberit PE adapter socket: d1=90mm, d2=110mm | | | | | | | 11,00 |
| 367.550.16.1 | Geberit PE straight adapter with shrink-fitted sleeve: d=110mm, di=140mm | | | | | | | 39,00 |
| 367.551.16.1 | Geberit PE straight adapter with shrink-fitted sleeve: d=110mm, di=125mm | | | | | | | 39,00 |
| 367.771.16.1 | Geberit electrofusion coupling: d=110mm | | | | | | | 9,00 |
| 359.439.00.2 | Geberit adapter clamping connector: d=89-90mm, d1=96mm | | | | | | | 24,00 |
| 359.440.00.2 | Geberit adapter clamping connector: d=108-110mm, d1=106mm | | | | | | | 25,00 |
| 359.441.00.2 | Geberit adapter clamping connector: d=108-110mm, d1=108-110mm | | | | | | | 25,00 |
| 359.442.00.2 | Geberit adapter clamping connector: d=108-110mm, d1=114-116mm | | | | | | | 25,00 |
| 359.459.00.1 | Geberit PE support ring: d=110mm, di=101.4mm | | | | | | | 11,00 |
| 367.748.00.1 | Geberit PE blind flange: d=110mm | | | | | | | 58,00 |
| 367.772.16.1 | Geberit PE flange bushing: d=110mm | | | | | | | 12,00 |
| 367.925.16.1 | Geberit PE connection bend 90° for wall-hung WC, with extension: d=110mm, d1=90mm | | | | | | | 28,00 |
| 367.885.16.1 | Geberit PE straight connector for floor-standing WC: d=110mm, di=120mm | | | | | | | 31,00 |
| 367.887.16.1 | Geberit PE straight connector with ring seal socket for wall-hung WC: d=110mm, d1=90mm | | | | | | | 27,00 |
| 368.550.16.1 | Geberit PE straight adapter with shrink-fitted sleeve: d=125mm, di=150mm | | | | | | | 49,00 |
| 368.771.16.1 | Geberit electrofusion coupling: d=125mm | | | | | | | 12,00 |
| 359.443.00.2 | Geberit adapter clamping connector: d=125mm, d1=125mm | | | | | | | 39,00 |
| 359.444.00.2 | Geberit adapter clamping connector: d=125mm, d1=131-135mm | | | | | | | 39,00 |
| 359.445.00.2 | Geberit adapter clamping connector: d=125mm, d1=140-141mm | | | | | | | 39,00 |
| 359.462.00.1 | Geberit PE support ring: d=125mm, di=115.2mm | | | | | | | 12,00 |
| 368.748.00.1 | Geberit PE blind flange: d=125mm | | | | | | | 75,00 |
| 359.446.00.2 | Geberit adapter clamping connector: d=135mm, d1=135mm | | | | | | | 39,00 |
| 359.447.00.2 | Geberit adapter clamping connector: d=140-141mm, d1=140-141mm | | | | | | | 39,00 |
| 369.550.16.1 | Geberit PE straight adapter with shrink-fitted sleeve: d=160mm, di=195mm | | | | | | | 68,00 |
| 369.551.16.1 | Geberit PE straight adapter with shrink-fitted sleeve: d=160mm, di=230mm | | | | | | | 68,00 |
| 369.771.16.1 | Geberit electrofusion coupling: d=160mm | | | | | | | 16,00 |
| 359.448.00.2 | Geberit adapter clamping connector: d=159-160mm, d1=152mm | | | | | | | 66,00 |
| 359.449.00.2 | Geberit adapter clamping connector: d=159-160mm, d1=159-160mm | | | | | | | 66,00 |
| 359.450.00.2 | Geberit adapter clamping connector: d=159-160mm, d1=168mm | | | | | | | 66,00 |
| 359.464.00.1 | Geberit PE support ring: d=160mm, di=147.6mm | | | | | | | 17,00 |
| 369.748.00.1 | Geberit PE blind flange: d=160mm | | | | | | | 94,00 |
| 370.550.16.1 | Geberit PE straight adapter with shrink-fitted sleeve: d=200mm, di=230mm | | | | | | | 123,00 |
| 370.775.16.1 | Geberit PE electrofusion coupling with integrated thermal fuse: d=200mm | | | | | | | 161,00 |
| 359.451.00.2 | Geberit adapter clamping connector: d=210mm, d1=210mm | | | | | | | 125,00 |
| 370.748.00.1 | Geberit PE blind flange: d=200mm | | | | | | | 128,00 |
| 371.550.16.1 | Geberit PE straight adapter with shrink-fitted sleeve: d=250mm, di=280mm | | | | | | | 220,00 |
| 371.775.16.1 | Geberit PE electrofusion coupling with integrated thermal fuse: d=250mm | | | | | | | 191,00 |
| 371.748.00.1 | Geberit PE blind flange: d=250mm | | | | | | | 166,00 |
| 372.550.16.1 | Geberit PE straight adapter with shrink-fitted sleeve: d=315mm, di=355mm | | | | | | | 314,00 |
| 372.775.16.1 | Geberit PE electrofusion coupling with integrated thermal fuse: d=315mm | | | | | | | 312,00 |
| 372.748.00.1 | Geberit PE blind flange: d=315mm | | | | | | | 234,00 |
| 361.745.00.1 | Geberit PE loose flange: d=50mm | | | | | | | 26,00 |
| 363.745.00.1 | Geberit PE loose flange: d=56 / 63mm | | | | | | | 28,00 |
| 365.745.00.1 | Geberit PE loose flange: d=75mm | | | | | | | 33,00 |
| 366.745.00.1 | Geberit PE loose flange: d=90mm | | | | | | | 38,00 |
| 367.745.00.1 | Geberit PE loose flange: d=110mm | | | | | | | 42,00 |
| 368.745.00.1 | Geberit PE loose flange: d=125mm | | | | | | | 47,00 |
| 369.745.00.1 | Geberit PE loose flange: d=160mm | | | | | | | 61,00 |
| 370.745.00.1 | Geberit PE loose flange: d=200mm | | | | | | | 82,00 |
| 371.745.00.1 | Geberit PE loose flange: d=250mm | | | | | | | 111,00 |
| 372.745.00.1 | Geberit PE loose flange: d=315mm | | | | | | | 162,00 |
| 361.743.26.1 | Geberit PE bolt set: d=50-75mm | | | | | | | 4,00 |
| 366.743.26.1 | Geberit PE bolt set: d=90-125mm | | | | | | | 5,00 |
| 369.743.26.1 | Geberit PE bolt set: d=160-200mm | | | | | | | 7,00 |
| 371.743.26.1 | Geberit PE bolt set: d=250mm | | | | | | | 9,00 |
| 372.743.26.1 | Geberit PE bolt set: d=315mm | | | | | | | 12,00 |
| 367.819.92.1 | Geberit protective cap: d=110mm | | | | | | | 4,00 |
| 367.897.92.1 | Geberit protection plug: d=120mm | | | | | | | 10,00 |
| 953.761.00.1 | Geberit lubricant, 250 ml | | | | | | | 6,00 |
| 361.742.00.1 | Geberit PE flange gasket: d=50mm, di=45mm | | | | | | | 5,00 |
| 363.742.00.1 | Geberit PE flange gasket: d=56-63mm, di=59mm | | | | | | | 5,00 |
| 365.742.00.1 | Geberit PE flange gasket: d=75mm, di=69mm | | | | | | | 7,00 |
| 366.742.00.1 | Geberit PE flange gasket: d=90mm, di=83mm | | | | | | | 9,00 |
| 367.742.00.1 | Geberit PE flange gasket: d=110mm, di=102mm | | | | | | | 10,00 |
| 368.742.00.1 | Geberit PE flange gasket: d=125mm, di=116mm | | | | | | | 11,00 |
| 369.742.00.1 | Geberit PE flange gasket: d=160mm, di=149mm | | | | | | | 13,00 |
| 370.742.00.1 | Geberit PE flange gasket: d=200mm, di=191mm | | | | | | | 15,00 |
| 371.742.00.1 | Geberit PE flange gasket: d=250mm, di=238mm | | | | | | | 26,00 |
| 372.742.00.1 | Geberit PE flange gasket: d=315mm, di=298mm | | | | | | | 28,00 |
| 388.352.29.1 | Geberit straight connector set for wall-hung WC, stepped by 5 cm | | | | | | | 24,00 |
| 388.350.29.1 | Geberit PVC S-bend: d=90mm, di=100-105.6mm, grey | | | | | | | 61,00 |
| 348.227.00.1 | Geberit puddle flange: d=110mm | | | | | | | 69,00 |
| 348.228.00.1 | Geberit puddle flange: d=125mm | | | | | | | 77,00 |
| 348.229.00.1 | Geberit puddle flange: d=160mm | | | | | | | 81,00 |
| 241.722.00.1 | Geberit sleeve for S-bend made of PVC/ ABS: d=110 / 90mm | | | | | | | 12,00 |
| 305.000.14.1 | Geberit Silent-db20 pipe: d=56mm | | | | | | | 11,00 |
| 306.000.14.1 | Geberit Silent-db20 pipe: d=63mm | | | | | | | 13,00 |
| 307.000.14.1 | Geberit Silent-db20 pipe: d=75mm | | | | | | | 16,00 |
| 308.000.14.1 | Geberit Silent-db20 pipe: d=90mm | | | | | | | 22,00 |
| 310.000.14.1 | Geberit Silent-db20 pipe: d=110mm | | | | | | | 25,00 |
| 312.000.14.1 | Geberit Silent-db20 pipe: d=135mm | | | | | | | 32,00 |

| | | | | | |
|--------------|--|--|--|--|--------|
| 315.001.14.1 | Geberit Silent-db20 pipe: d=160mm | | | | 48,00 |
| 305.150.14.1 | Geberit Silent-db20 bend: 15°, d=56mm | | | | 8,00 |
| 305.300.14.1 | Geberit Silent-db20 bend: 30°, d=56mm | | | | 7,00 |
| 305.450.14.1 | Geberit Silent-db20 bend: 45°, d=56mm | | | | 7,00 |
| 305.670.14.1 | Geberit Silent-db20 bend: 67°, d=56mm | | | | 7,00 |
| 305.600.14.1 | Geberit Silent-db20 bend with large leg: 60°, d=56mm | | | | 24,00 |
| 305.885.14.1 | Geberit Silent-db20 bend with large leg: 88.5°, d=56mm | | | | 15,00 |
| 305.880.14.1 | Geberit Silent-db20 bend 88.5°: d=56mm | | | | 7,00 |
| 305.054.14.1 | Geberit Silent-db20 branch fitting 45°: d=56mm, d1=56mm | | | | 8,00 |
| 305.058.14.1 | Geberit Silent-db20 branch fitting 88.5°: d=56mm, d1=56mm | | | | 8,00 |
| 305.905.14.1 | Geberit Silent-db20 connection bend 90°, extended: d=56mm, d1=50mm | | | | 7,00 |
| 305.906.14.1 | Geberit Silent-db20 connection bend 90°, extended: d=56mm, d1=57mm | | | | 8,00 |
| 305.904.14.1 | Geberit Silent-db20 connection bend 90°, extended: d=56mm, d1=46mm | | | | 7,00 |
| 305.005.14.1 | Geberit Silent-db20 end cap: d=56mm | | | | 5,00 |
| 306.150.14.1 | Geberit Silent-db20 bend: 15°, d=63mm | | | | 8,00 |
| 306.300.14.1 | Geberit Silent-db20 bend: 30°, d=63mm | | | | 8,00 |
| 306.450.14.1 | Geberit Silent-db20 bend: 45°, d=63mm | | | | 7,00 |
| 306.600.14.1 | Geberit Silent-db20 bend with large leg: 60°, d=63mm | | | | 26,00 |
| 306.885.14.1 | Geberit Silent-db20 bend with large leg: 88.5°, d=63mm | | | | 17,00 |
| 306.880.14.1 | Geberit Silent-db20 bend 88.5°: d=63mm | | | | 7,00 |
| 306.054.14.1 | Geberit Silent-db20 branch fitting 45°: d=63mm, d1=56mm | | | | 10,00 |
| 306.064.14.1 | Geberit Silent-db20 branch fitting 45°: d=63mm, d1=63mm | | | | 12,00 |
| 306.058.14.1 | Geberit Silent-db20 branch fitting 88.5°: d=63mm, d1=56mm | | | | 12,00 |
| 306.068.14.1 | Geberit Silent-db20 branch fitting 88.5°: d=63mm, d1=63mm | | | | 12,00 |
| 306.050.14.1 | Geberit Silent-db20 reducer, eccentric, short: d=63mm, d1=56mm | | | | 6,00 |
| 307.150.14.1 | Geberit Silent-db20 bend: 15°, d=75mm | | | | 8,00 |
| 307.300.14.1 | Geberit Silent-db20 bend: 30°, d=75mm | | | | 8,00 |
| 307.450.14.1 | Geberit Silent-db20 bend: 45°, d=75mm | | | | 7,00 |
| 307.670.14.1 | Geberit Silent-db20 bend: 67°, d=75mm | | | | 7,00 |
| 307.600.14.1 | Geberit Silent-db20 bend with large leg: 60°, d=75mm | | | | 27,00 |
| 307.885.14.1 | Geberit Silent-db20 bend with large leg: 88.5°, d=75mm | | | | 19,00 |
| 307.880.14.1 | Geberit Silent-db20 bend 88.5°: d=75mm | | | | 7,00 |
| 307.054.14.1 | Geberit Silent-db20 branch fitting 45°: d=75mm, d1=56mm | | | | 13,00 |
| 307.064.14.1 | Geberit Silent-db20 branch fitting 45°: d=75mm, d1=63mm | | | | 13,00 |
| 307.074.14.1 | Geberit Silent-db20 branch fitting 45°: d=75mm, d1=75mm | | | | 13,00 |
| 307.058.14.1 | Geberit Silent-db20 branch fitting 88.5°: d=75mm, d1=56mm | | | | 13,00 |
| 307.068.14.1 | Geberit Silent-db20 branch fitting 88.5°: d=75mm, d1=63mm | | | | 15,00 |
| 307.078.14.1 | Geberit Silent-db20 branch fitting 88.5°: d=75mm, d1=75mm | | | | 13,00 |
| 307.050.14.1 | Geberit Silent-db20 reducer, eccentric, short: d=75mm, d1=56mm | | | | 7,00 |
| 307.060.14.1 | Geberit Silent-db20 reducer, eccentric, short: d=75mm, d1=63mm | | | | 8,00 |
| 307.333.14.1 | Geberit Silent-db20 access pipe 90° with round service opening: d=75mm | | | | 21,00 |
| 307.005.14.1 | Geberit Silent-db20 end cap: d=75mm | | | | 5,00 |
| 308.150.14.1 | Geberit Silent-db20 bend: 15°, d=90mm | | | | 14,00 |
| 308.300.14.1 | Geberit Silent-db20 bend: 30°, d=90mm | | | | 14,00 |
| 308.450.14.1 | Geberit Silent-db20 bend: 45°, d=90mm | | | | 12,00 |
| 308.670.14.1 | Geberit Silent-db20 bend: 67°, d=90mm | | | | 14,00 |
| 308.600.14.1 | Geberit Silent-db20 bend with large leg: 60°, d=90mm | | | | 31,00 |
| 308.880.14.1 | Geberit Silent-db20 bend 88.5°: d=90mm | | | | 12,00 |
| 308.054.14.1 | Geberit Silent-db20 branch fitting 45°: d=90mm, d1=56mm | | | | 18,00 |
| 308.064.14.1 | Geberit Silent-db20 branch fitting 45°: d=90mm, d1=63mm | | | | 21,00 |
| 308.074.14.1 | Geberit Silent-db20 branch fitting 45°: d=90mm, d1=75mm | | | | 21,00 |
| 308.084.14.1 | Geberit Silent-db20 branch fitting 45°: d=90mm, d1=90mm | | | | 18,00 |
| 308.058.14.1 | Geberit Silent-db20 branch fitting 88.5°: d=90mm, d1=56mm | | | | 18,00 |
| 308.068.14.1 | Geberit Silent-db20 branch fitting 88.5°: d=90mm, d1=63mm | | | | 21,00 |
| 308.078.14.1 | Geberit Silent-db20 branch fitting 88.5°: d=90mm, d1=75mm | | | | 21,00 |
| 308.088.14.1 | Geberit Silent-db20 branch fitting 88.5°: d=90mm, d1=90mm | | | | 21,00 |
| 308.081.14.1 | Geberit Silent-db20 parallel branch fitting 45°: d=90mm, d1=90mm | | | | 55,00 |
| 308.050.14.1 | Geberit Silent-db20 reducer, eccentric, short: d=90mm, d1=56mm | | | | 9,00 |
| 308.060.14.1 | Geberit Silent-db20 reducer, eccentric, short: d=90mm, d1=63mm | | | | 10,00 |
| 308.070.14.1 | Geberit Silent-db20 reducer, eccentric, short: d=90mm, d1=75mm | | | | 9,00 |
| 308.333.14.1 | Geberit Silent-db20 access pipe 90° with round service opening: d=90mm | | | | 29,00 |
| 308.005.14.1 | Geberit Silent-db20 end cap: d=90mm | | | | 7,00 |
| 310.150.14.1 | Geberit Silent-db20 bend: 15°, d=110mm | | | | 12,00 |
| 310.300.14.1 | Geberit Silent-db20 bend: 30°, d=110mm | | | | 12,00 |
| 310.450.14.1 | Geberit Silent-db20 bend: 45°, d=110mm | | | | 12,00 |
| 310.670.14.1 | Geberit Silent-db20 bend: 67°, d=110mm | | | | 12,00 |
| 310.600.14.1 | Geberit Silent-db20 bend with large leg: 60°, d=110mm | | | | 35,00 |
| 310.885.14.1 | Geberit Silent-db20 bend with large leg: 88.5°, d=110mm | | | | 30,00 |
| 310.880.14.1 | Geberit Silent-db20 bend 88.5°: d=110mm | | | | 12,00 |
| 310.054.14.1 | Geberit Silent-db20 branch fitting 45°: d=110mm, d1=56mm | | | | 22,00 |
| 310.064.14.1 | Geberit Silent-db20 branch fitting 45°: d=110mm, d1=63mm | | | | 25,00 |
| 310.074.14.1 | Geberit Silent-db20 branch fitting 45°: d=110mm, d1=75mm | | | | 22,00 |
| 310.084.14.1 | Geberit Silent-db20 branch fitting 45°: d=110mm, d1=90mm | | | | 25,00 |
| 310.104.14.1 | Geberit Silent-db20 branch fitting 45°: d=110mm, d1=110mm | | | | 22,00 |
| 310.058.14.1 | Geberit Silent-db20 branch fitting 88.5°: d=110mm, d1=56mm | | | | 22,00 |
| 310.068.14.1 | Geberit Silent-db20 branch fitting 88.5°: d=110mm, d1=63mm | | | | 25,00 |
| 310.078.14.1 | Geberit Silent-db20 branch fitting 88.5°: d=110mm, d1=75mm | | | | 22,00 |
| 310.088.14.1 | Geberit Silent-db20 branch fitting 88.5°, swept-entry: d=110mm, d1=90mm | | | | 22,00 |
| 310.108.14.1 | Geberit Silent-db20 branch fitting 88.5°, swept-entry: d=110mm, d1=110mm | | | | 22,00 |
| 310.102.14.1 | Geberit Silent-db20 double branch fitting 88.5°, swept-entry: d=110mm, d1=110mm | | | | 60,00 |
| 310.172.14.1 | Geberit Silent-db20 duct branch fitting 88.5°, swept-entry, left: d=110mm, d1=110mm, d2=75mm | | | | 113,00 |
| 310.081.14.1 | Geberit Silent-db20 parallel branch fitting 45°: d=110mm, d1=90mm | | | | 55,00 |
| 310.101.14.1 | Geberit Silent-db20 parallel branch fitting 45°: d=110mm, d1=110mm | | | | 49,00 |
| 310.050.14.1 | Geberit Silent-db20 reducer, eccentric: d=110mm, d1=56mm | | | | 10,00 |
| 310.060.14.1 | Geberit Silent-db20 reducer, eccentric: d=110mm, d1=63mm | | | | 11,00 |
| 310.070.14.1 | Geberit Silent-db20 reducer, eccentric: d=110mm, d1=75mm | | | | 10,00 |
| 310.080.14.1 | Geberit Silent-db20 reducer, eccentric: d=110mm, d1=90mm | | | | 10,00 |
| 310.334.14.1 | Geberit Silent-db20 access pipe 90° with round service opening: d=110mm | | | | 30,00 |
| 310.005.14.1 | Geberit Silent-db20 end cap: d=110mm | | | | 7,00 |
| 312.150.14.1 | Geberit Silent-db20 bend: 15°, d=135mm | | | | 29,00 |
| 312.300.14.1 | Geberit Silent-db20 bend: 30°, d=135mm | | | | 26,00 |
| 312.450.14.1 | Geberit Silent-db20 bend: 45°, d=135mm | | | | 26,00 |
| 312.600.14.1 | Geberit Silent-db20 bend with large leg: 60°, d=135mm | | | | 67,00 |
| 312.885.14.1 | Geberit Silent-db20 bend with large leg: 88.5°, d=135mm | | | | 47,00 |
| 312.880.14.1 | Geberit Silent-db20 bend 88.5°: d=135mm | | | | 26,00 |
| 312.104.14.1 | Geberit Silent-db20 branch fitting 45°: d=135mm, d1=110mm | | | | 40,00 |
| 312.124.14.1 | Geberit Silent-db20 branch fitting 45°: d=135mm, d1=135mm | | | | 40,00 |
| 312.108.14.1 | Geberit Silent-db20 branch fitting 88.5°: d=135mm, d1=110mm | | | | 40,00 |
| 312.128.14.1 | Geberit Silent-db20 branch fitting 88.5°: d=135mm, d1=135mm | | | | 46,00 |
| 312.100.14.1 | Geberit Silent-db20 reducer, eccentric: d=135mm, d1=110mm | | | | 30,00 |
| 312.125.14.1 | Geberit Silent-db20 reducer, eccentric: d=135mm, d1=125mm | | | | 30,00 |
| 312.333.14.1 | Geberit Silent-db20 access pipe 90° with round service opening: d=135mm | | | | 61,00 |
| 312.005.14.1 | Geberit Silent-db20 end cap: d=135mm | | | | 20,00 |
| 312.140.00.2 | Geberit adapter clamping connector: d=135mm, d1=140mm | | | | 55,00 |
| 315.150.14.1 | Geberit Silent-db20 bend: 15°, d=160mm | | | | 47,00 |
| 315.300.14.1 | Geberit Silent-db20 bend: 30°, d=160mm | | | | 47,00 |
| 315.450.14.1 | Geberit Silent-db20 bend: 45°, d=160mm | | | | 41,00 |
| 315.885.14.1 | Geberit Silent-db20 bend with large leg: 88.5°, d=160mm | | | | 78,00 |
| 315.144.14.1 | Geberit Silent-db20 branch fitting 45°: d=160mm, d1=160mm | | | | 113,00 |
| 315.104.14.1 | Geberit Silent-db20 branch fitting 45°: d=160mm, d1=110mm | | | | 113,00 |
| 315.124.14.1 | Geberit Silent-db20 branch fitting 45°: d=160mm, d1=135mm | | | | 113,00 |
| 315.148.14.1 | Geberit Silent-db20 branch fitting 88.5°: d=160mm, d1=160mm | | | | 129,00 |
| 315.108.14.1 | Geberit Silent-db20 branch fitting 88.5°: d=160mm, d1=110mm | | | | 129,00 |

| | | | | | | | |
|--------------|---|--|--|--|--|--|--------|
| 315.128.14.1 | Geberit Silent-db20 branch fitting 88.5": d=160mm, d1=135mm | | | | | | 113,00 |
| 315.100.14.1 | Geberit Silent-db20 reducer, eccentric: d=160mm, d1=110mm | | | | | | 39,00 |
| 315.126.14.1 | Geberit Silent-db20 reducer, eccentric: d=160mm, d1=135mm | | | | | | 39,00 |
| 315.333.14.1 | Geberit Silent-db20 access pipe 90° with round service opening: d=160mm | | | | | | 138,00 |
| 315.005.14.1 | Geberit Silent-db20 end cap, screwable: d=160mm | | | | | | 27,00 |
| 308.051.14.1 | Geberit Silent-db20 branch fitting 90° for waste fitting, left: d=90mm, d1=56mm, di=32mm | | | | | | 62,00 |
| 308.052.14.1 | Geberit Silent-db20 branch fitting 90° for waste fitting, right: d=90mm, d1=56mm, di=32mm | | | | | | 62,00 |
| 305.003.14.3 | Geberit Silent-db20 clamping connector: d=56mm | | | | | | 5,00 |
| 305.002.14.1 | Geberit Silent-db20 double sleeve coupling: d=56mm | | | | | | 12,00 |
| 306.002.14.1 | Geberit Silent-db20 double sleeve coupling: d=63mm | | | | | | 14,00 |
| 307.003.14.3 | Geberit Silent-db20 clamping connector: d=75mm | | | | | | 6,00 |
| 307.012.14.1 | Geberit Silent-db20 expansion socket with double flange: d=75mm | | | | | | 24,00 |
| 307.002.14.1 | Geberit Silent-db20 double sleeve coupling: d=75mm | | | | | | 16,00 |
| 308.003.14.3 | Geberit Silent-db20 clamping connector: d=90mm | | | | | | 6,00 |
| 308.012.14.1 | Geberit Silent-db20 expansion socket with double flange: d=90mm | | | | | | 25,00 |
| 308.002.14.1 | Geberit Silent-db20 double sleeve coupling: d=90mm | | | | | | 22,00 |
| 310.003.14.3 | Geberit Silent-db20 clamping connector: d=110mm | | | | | | 6,00 |
| 310.012.14.1 | Geberit Silent-db20 expansion socket with double flange: d=110mm | | | | | | 27,00 |
| 310.002.14.1 | Geberit Silent-db20 double sleeve coupling: d=110mm | | | | | | 21,00 |
| 312.003.14.3 | Geberit Silent-db20 clamping connector: d=135mm | | | | | | 10,00 |
| 312.012.14.1 | Geberit Silent-db20 expansion socket with double flange: d=135mm | | | | | | 46,00 |
| 312.002.14.1 | Geberit Silent-db20 double sleeve coupling: d=135mm | | | | | | 44,00 |
| 312.771.16.1 | Geberit electrofusion coupling: d=135mm | | | | | | 15,00 |
| 315.003.14.3 | Geberit Silent-db20 clamping connector: d=160mm | | | | | | 11,00 |
| 315.012.14.1 | Geberit Silent-db20 expansion socket with double flange: d=160mm | | | | | | 69,00 |
| 315.002.14.1 | Geberit Silent-db20 double sleeve coupling: d=160mm | | | | | | 97,00 |
| 390.000.14.1 | Geberit Silent-PP pipe with one socket: d=32mm, L=15cm | | | | | | 3,00 |
| 390.001.14.1 | Geberit Silent-PP pipe with one socket: d=32mm, L=25cm | | | | | | 4,00 |
| 390.002.14.1 | Geberit Silent-PP pipe with one socket: d=32mm, L=50cm | | | | | | 5,00 |
| 390.004.14.1 | Geberit Silent-PP pipe with one socket: d=32mm, L=100cm | | | | | | 8,00 |
| 390.005.14.1 | Geberit Silent-PP pipe with one socket: d=32mm, L=150cm | | | | | | 13,00 |
| 390.006.14.1 | Geberit Silent-PP pipe with one socket: d=32mm, L=200cm | | | | | | 16,00 |
| 390.007.14.1 | Geberit Silent-PP pipe with one socket: d=32mm, L=300cm | | | | | | 22,00 |
| 390.100.14.1 | Geberit Silent-PP pipe with one socket: d=40mm, L=15cm | | | | | | 3,00 |
| 390.101.14.1 | Geberit Silent-PP pipe with one socket: d=40mm, L=25cm | | | | | | 4,00 |
| 390.102.14.1 | Geberit Silent-PP pipe with one socket: d=40mm, L=50cm | | | | | | 5,00 |
| 390.104.14.1 | Geberit Silent-PP pipe with one socket: d=40mm, L=100cm | | | | | | 8,00 |
| 390.105.14.1 | Geberit Silent-PP pipe with one socket: d=40mm, L=150cm | | | | | | 13,00 |
| 390.106.14.1 | Geberit Silent-PP pipe with one socket: d=40mm, L=200cm | | | | | | 16,00 |
| 390.107.14.1 | Geberit Silent-PP pipe with one socket: d=40mm, L=300cm | | | | | | 23,00 |
| 390.200.14.1 | Geberit Silent-PP pipe with one socket: d=50mm, L=15cm | | | | | | 4,00 |
| 390.201.14.1 | Geberit Silent-PP pipe with one socket: d=50mm, L=25cm | | | | | | 4,00 |
| 390.202.14.1 | Geberit Silent-PP pipe with one socket: d=50mm, L=50cm | | | | | | 6,00 |
| 390.204.14.1 | Geberit Silent-PP pipe with one socket: d=50mm, L=100cm | | | | | | 8,00 |
| 390.205.14.1 | Geberit Silent-PP pipe with one socket: d=50mm, L=150cm | | | | | | 13,00 |
| 390.206.14.1 | Geberit Silent-PP pipe with one socket: d=50mm, L=200cm | | | | | | 17,00 |
| 390.207.14.1 | Geberit Silent-PP pipe with one socket: d=50mm, L=300cm | | | | | | 26,00 |
| 390.300.14.1 | Geberit Silent-PP pipe with one socket: d=75mm, L=15cm | | | | | | 7,00 |
| 390.301.14.1 | Geberit Silent-PP pipe with one socket: d=75mm, L=25cm | | | | | | 7,00 |
| 390.302.14.1 | Geberit Silent-PP pipe with one socket: d=75mm, L=50cm | | | | | | 10,00 |
| 390.304.14.1 | Geberit Silent-PP pipe with one socket: d=75mm, L=100cm | | | | | | 14,00 |
| 390.305.14.1 | Geberit Silent-PP pipe with one socket: d=75mm, L=150cm | | | | | | 20,00 |
| 390.306.14.1 | Geberit Silent-PP pipe with one socket: d=75mm, L=200cm | | | | | | 26,00 |
| 390.307.14.1 | Geberit Silent-PP pipe with one socket: d=75mm, L=300cm | | | | | | 39,00 |
| 390.400.14.1 | Geberit Silent-PP pipe with one socket: d=90mm, L=15cm | | | | | | 7,00 |
| 390.401.14.1 | Geberit Silent-PP pipe with one socket: d=90mm, L=25cm | | | | | | 9,00 |
| 390.402.14.1 | Geberit Silent-PP pipe with one socket: d=90mm, L=50cm | | | | | | 13,00 |
| 390.404.14.1 | Geberit Silent-PP pipe with one socket: d=90mm, L=100cm | | | | | | 21,00 |
| 390.405.14.1 | Geberit Silent-PP pipe with one socket: d=90mm, L=150cm | | | | | | 29,00 |
| 390.406.14.1 | Geberit Silent-PP pipe with one socket: d=90mm, L=200cm | | | | | | 38,00 |
| 390.407.14.1 | Geberit Silent-PP pipe with one socket: d=90mm, L=300cm | | | | | | 55,00 |
| 390.500.14.1 | Geberit Silent-PP pipe with one socket: d=110mm, L=15cm | | | | | | 8,00 |
| 390.501.14.1 | Geberit Silent-PP pipe with one socket: d=110mm, L=25cm | | | | | | 10,00 |
| 390.502.14.1 | Geberit Silent-PP pipe with one socket: d=110mm, L=50cm | | | | | | 15,00 |
| 390.504.14.1 | Geberit Silent-PP pipe with one socket: d=110mm, L=100cm | | | | | | 23,00 |
| 390.505.14.1 | Geberit Silent-PP pipe with one socket: d=110mm, L=150cm | | | | | | 32,00 |
| 390.506.14.1 | Geberit Silent-PP pipe with one socket: d=110mm, L=200cm | | | | | | 43,00 |
| 390.507.14.1 | Geberit Silent-PP pipe with one socket: d=110mm, L=300cm | | | | | | 61,00 |
| 390.600.14.1 | Geberit Silent-PP pipe with one socket: d=125mm, L=15cm | | | | | | 12,00 |
| 390.601.14.1 | Geberit Silent-PP pipe with one socket: d=125mm, L=25cm | | | | | | 15,00 |
| 390.602.14.1 | Geberit Silent-PP pipe with one socket: d=125mm, L=50cm | | | | | | 21,00 |
| 390.604.14.1 | Geberit Silent-PP pipe with one socket: d=125mm, L=100cm | | | | | | 34,00 |
| 390.605.14.1 | Geberit Silent-PP pipe with one socket: d=125mm, L=150cm | | | | | | 46,00 |
| 390.606.14.1 | Geberit Silent-PP pipe with one socket: d=125mm, L=200cm | | | | | | 62,00 |
| 390.607.14.1 | Geberit Silent-PP pipe with one socket: d=125mm, L=300cm | | | | | | 86,00 |
| 390.700.14.1 | Geberit Silent-PP pipe with one socket: d=160mm, L=15cm | | | | | | 17,00 |
| 390.701.14.1 | Geberit Silent-PP pipe with one socket: d=160mm, L=25cm | | | | | | 21,00 |
| 390.702.14.1 | Geberit Silent-PP pipe with one socket: d=160mm, L=50cm | | | | | | 32,00 |
| 390.704.14.1 | Geberit Silent-PP pipe with one socket: d=160mm, L=100cm | | | | | | 50,00 |
| 390.705.14.1 | Geberit Silent-PP pipe with one socket: d=160mm, L=150cm | | | | | | 68,00 |
| 390.706.14.1 | Geberit Silent-PP pipe with one socket: d=160mm, L=200cm | | | | | | 93,00 |
| 390.707.14.1 | Geberit Silent-PP pipe with one socket: d=160mm, L=300cm | | | | | | 132,00 |
| 390.010.14.1 | Geberit Silent-PP pipe with two sockets: d=32mm, L=50cm | | | | | | 7,00 |
| 390.011.14.1 | Geberit Silent-PP pipe with two sockets: d=32mm, L=100cm | | | | | | 10,00 |
| 390.012.14.1 | Geberit Silent-PP pipe with two sockets: d=32mm, L=150cm | | | | | | 15,00 |
| 390.013.14.1 | Geberit Silent-PP pipe with two sockets: d=32mm, L=200cm | | | | | | 19,00 |
| 390.014.14.1 | Geberit Silent-PP pipe with two sockets: d=32mm, L=300cm | | | | | | 26,00 |
| 390.110.14.1 | Geberit Silent-PP pipe with two sockets: d=40mm, L=50cm | | | | | | 8,00 |
| 390.111.14.1 | Geberit Silent-PP pipe with two sockets: d=40mm, L=100cm | | | | | | 10,00 |
| 390.112.14.1 | Geberit Silent-PP pipe with two sockets: d=40mm, L=150cm | | | | | | 17,00 |
| 390.113.14.1 | Geberit Silent-PP pipe with two sockets: d=40mm, L=200cm | | | | | | 19,00 |
| 390.114.14.1 | Geberit Silent-PP pipe with two sockets: d=40mm, L=300cm | | | | | | 29,00 |
| 390.210.14.1 | Geberit Silent-PP pipe with two sockets: d=50mm, L=50cm | | | | | | 9,00 |
| 390.211.14.1 | Geberit Silent-PP pipe with two sockets: d=50mm, L=100cm | | | | | | 11,00 |
| 390.212.14.1 | Geberit Silent-PP pipe with two sockets: d=50mm, L=150cm | | | | | | 17,00 |
| 390.213.14.1 | Geberit Silent-PP pipe with two sockets: d=50mm, L=200cm | | | | | | 21,00 |
| 390.214.14.1 | Geberit Silent-PP pipe with two sockets: d=50mm, L=300cm | | | | | | 32,00 |
| 390.310.14.1 | Geberit Silent-PP pipe with two sockets: d=75mm, L=50cm | | | | | | 14,00 |
| 390.311.14.1 | Geberit Silent-PP pipe with two sockets: d=75mm, L=100cm | | | | | | 17,00 |
| 390.312.14.1 | Geberit Silent-PP pipe with two sockets: d=75mm, L=150cm | | | | | | 25,00 |
| 390.313.14.1 | Geberit Silent-PP pipe with two sockets: d=75mm, L=200cm | | | | | | 31,00 |
| 390.314.14.1 | Geberit Silent-PP pipe with two sockets: d=75mm, L=300cm | | | | | | 46,00 |
| 390.410.14.1 | Geberit Silent-PP pipe with two sockets: d=90mm, L=50cm | | | | | | 17,00 |
| 390.411.14.1 | Geberit Silent-PP pipe with two sockets: d=90mm, L=100cm | | | | | | 23,00 |
| 390.412.14.1 | Geberit Silent-PP pipe with two sockets: d=90mm, L=150cm | | | | | | 35,00 |
| 390.413.14.1 | Geberit Silent-PP pipe with two sockets: d=90mm, L=200cm | | | | | | 44,00 |
| 390.414.14.1 | Geberit Silent-PP pipe with two sockets: d=90mm, L=300cm | | | | | | 62,00 |
| 390.510.14.1 | Geberit Silent-PP pipe with two sockets: d=110mm, L=50cm | | | | | | 19,00 |
| 390.511.14.1 | Geberit Silent-PP pipe with two sockets: d=110mm, L=100cm | | | | | | 28,00 |
| 390.512.14.1 | Geberit Silent-PP pipe with two sockets: d=110mm, L=150cm | | | | | | 41,00 |
| 390.513.14.1 | Geberit Silent-PP pipe with two sockets: d=110mm, L=200cm | | | | | | 52,00 |
| 390.514.14.1 | Geberit Silent-PP pipe with two sockets: d=110mm, L=300cm | | | | | | 75,00 |
| 390.610.14.1 | Geberit Silent-PP pipe with two sockets: d=125mm, L=50cm | | | | | | 28,00 |

| | | | | | |
|--------------|---|--|--|--|--------|
| 390.611.14.1 | Geberit Silent-PP pipe with two sockets: d=125mm, L=100cm | | | | 45,00 |
| 390.612.14.1 | Geberit Silent-PP pipe with two sockets: d=125mm, L=150cm | | | | 61,00 |
| 390.613.14.1 | Geberit Silent-PP pipe with two sockets: d=125mm, L=200cm | | | | 83,00 |
| 390.614.14.1 | Geberit Silent-PP pipe with two sockets: d=125mm, L=300cm | | | | 116,00 |
| 390.020.14.1 | Geberit Silent-PP bend: 15°, d=32mm | | | | 4,00 |
| 390.021.14.1 | Geberit Silent-PP bend: 30°, d=32mm | | | | 4,00 |
| 390.022.14.1 | Geberit Silent-PP bend: 45°, d=32mm | | | | 3,00 |
| 390.023.14.1 | Geberit Silent-PP bend: 67.5°, d=32mm | | | | 4,00 |
| 390.024.14.1 | Geberit Silent-PP bend: 87.5°, d=32mm | | | | 4,00 |
| 390.030.14.1 | Geberit Silent-PP branch fitting 45°: d=32mm, d1=32mm | | | | 7,00 |
| 390.046.14.1 | Geberit Silent-PP branch fitting 87.5°: d=32mm, d1=32mm | | | | 7,00 |
| 390.083.14.1 | Geberit Silent-PP connection bend 90°: d=32mm, d1=46mm | | | | 9,00 |
| 390.080.14.1 | Geberit Silent-PP straight connector: d=32mm, d1=46mm | | | | 9,00 |
| 390.120.14.1 | Geberit Silent-PP bend: 15°, d=40mm | | | | 4,00 |
| 390.121.14.1 | Geberit Silent-PP bend: 30°, d=40mm | | | | 4,00 |
| 390.122.14.1 | Geberit Silent-PP bend: 45°, d=40mm | | | | 3,00 |
| 390.123.14.1 | Geberit Silent-PP bend: 67.5°, d=40mm | | | | 4,00 |
| 390.124.14.1 | Geberit Silent-PP bend: 87.5°, d=40mm | | | | 4,00 |
| 390.130.14.1 | Geberit Silent-PP branch fitting 45°: d=40mm, d1=32mm | | | | 7,00 |
| 390.131.14.1 | Geberit Silent-PP branch fitting 45°: d=40mm, d1=40mm | | | | 7,00 |
| 390.147.14.1 | Geberit Silent-PP branch fitting 87.5°: d=40mm, d1=40mm | | | | 7,00 |
| 390.179.14.1 | Geberit Silent-PP reducer, concentric, short: d=40mm, d1=32mm | | | | 6,00 |
| 390.183.14.1 | Geberit Silent-PP connection bend 90°: d=40mm, d1=46mm | | | | 6,00 |
| 390.186.14.1 | Geberit Silent-PP connection bend 90°, long: d=40mm, d1=46mm | | | | 6,00 |
| 390.180.14.1 | Geberit Silent-PP straight connector: d=40mm, d1=46mm | | | | 6,00 |
| 390.128.14.1 | Geberit Silent-PP socket plug: d=40mm | | | | 4,00 |
| 390.220.14.1 | Geberit Silent-PP bend: 15°, d=50mm | | | | 5,00 |
| 390.221.14.1 | Geberit Silent-PP bend: 30°, d=50mm | | | | 4,00 |
| 390.222.14.1 | Geberit Silent-PP bend: 45°, d=50mm | | | | 4,00 |
| 390.223.14.1 | Geberit Silent-PP bend: 67.5°, d=50mm | | | | 6,00 |
| 390.224.14.1 | Geberit Silent-PP bend: 87.5°, d=50mm | | | | 5,00 |
| 390.230.14.1 | Geberit Silent-PP branch fitting 45°: d=50mm, d1=32mm | | | | 9,00 |
| 390.231.14.1 | Geberit Silent-PP branch fitting 45°: d=50mm, d1=40mm | | | | 9,00 |
| 390.232.14.1 | Geberit Silent-PP branch fitting 45°: d=50mm, d1=50mm | | | | 8,00 |
| 390.247.14.1 | Geberit Silent-PP branch fitting 87.5°: d=50mm, d1=40mm | | | | 9,00 |
| 390.248.14.1 | Geberit Silent-PP branch fitting 87.5°: d=50mm, d1=50mm | | | | 9,00 |
| 390.279.14.1 | Geberit Silent-PP reducer, eccentric: d=50mm, d1=32mm | | | | 6,00 |
| 390.271.14.1 | Geberit Silent-PP reducer, eccentric: d=50mm, d1=40mm | | | | 5,00 |
| 390.278.14.1 | Geberit Silent-PP reducer, concentric, short: d=50mm, d1=40mm | | | | 5,00 |
| 390.225.14.1 | Geberit Silent-PP reducing bend 87.5°: d=40mm, d1=50mm | | | | 5,00 |
| 390.227.14.1 | Geberit Silent-PP access pipe 90° with round service opening: d=50mm | | | | 16,00 |
| 390.283.14.1 | Geberit Silent-PP connection bend 90°: d=50mm, d1=46mm | | | | 6,00 |
| 390.284.14.1 | Geberit Silent-PP connection bend 90°: d=50mm, d1=58mm | | | | 6,00 |
| 390.286.14.1 | Geberit Silent-PP connection bend 90°, extended: d=50mm, d1=46mm | | | | 6,00 |
| 390.287.14.1 | Geberit Silent-PP connection bend 90°, extended: d=50mm, d1=58mm | | | | 6,00 |
| 390.289.14.1 | Geberit Silent-PP double connection bend 90°, extended: d=50mm, d1=46mm, d2=46mm | | | | 9,00 |
| 390.281.14.1 | Geberit Silent-PP straight connector: d=50mm, d1=58mm | | | | 6,00 |
| 390.228.14.1 | Geberit Silent-PP socket plug: d=50mm | | | | 5,00 |
| 390.320.14.1 | Geberit Silent-PP bend: 15°, d=75mm | | | | 7,00 |
| 390.321.14.1 | Geberit Silent-PP bend: 30°, d=75mm | | | | 7,00 |
| 390.322.14.1 | Geberit Silent-PP bend: 45°, d=75mm | | | | 7,00 |
| 390.323.14.1 | Geberit Silent-PP bend: 67.5°, d=75mm | | | | 9,00 |
| 390.324.14.1 | Geberit Silent-PP bend: 87.5°, d=75mm | | | | 9,00 |
| 390.331.14.1 | Geberit Silent-PP branch fitting 45°: d=75mm, d1=40mm | | | | 13,00 |
| 390.332.14.1 | Geberit Silent-PP branch fitting 45°: d=75mm, d1=50mm | | | | 11,00 |
| 390.333.14.1 | Geberit Silent-PP branch fitting 45°: d=75mm, d1=75mm | | | | 13,00 |
| 390.347.14.1 | Geberit Silent-PP branch fitting 87.5°: d=75mm, d1=40mm | | | | 13,00 |
| 390.348.14.1 | Geberit Silent-PP branch fitting 87.5°: d=75mm, d1=50mm | | | | 13,00 |
| 390.349.14.1 | Geberit Silent-PP branch fitting 87.5°: d=75mm, d1=75mm | | | | 13,00 |
| 390.372.14.1 | Geberit Silent-PP reducer, eccentric: d=75mm, d1=50mm | | | | 7,00 |
| 390.373.14.1 | Geberit Silent-PP reducer, eccentric, short: d=75mm, d1=50mm | | | | 7,00 |
| 390.474.14.1 | Geberit Silent-PP reducer, eccentric, short: d=90mm, d1=50mm | | | | 9,00 |
| 390.475.14.1 | Geberit Silent-PP reducer, eccentric, short: d=90mm, d1=75mm | | | | 9,00 |
| 390.575.14.1 | Geberit Silent-PP reducer, eccentric, short: d=110mm, d1=50mm | | | | 9,00 |
| 390.576.14.1 | Geberit Silent-PP reducer, eccentric, short: d=110mm, d1=75mm | | | | 10,00 |
| 390.577.14.1 | Geberit Silent-PP reducer, eccentric, short: d=110mm, d1=90mm | | | | 10,00 |
| 390.327.14.1 | Geberit Silent-PP access pipe 90° with round service opening: d=75mm | | | | 20,00 |
| 390.328.14.1 | Geberit Silent-PP socket plug: d=75mm | | | | 7,00 |
| 390.420.14.1 | Geberit Silent-PP bend: 15°, d=90mm | | | | 10,00 |
| 390.421.14.1 | Geberit Silent-PP bend: 30°, d=90mm | | | | 10,00 |
| 390.422.14.1 | Geberit Silent-PP bend: 45°, d=90mm | | | | 9,00 |
| 390.423.14.1 | Geberit Silent-PP bend: 67.5°, d=90mm | | | | 11,00 |
| 390.424.14.1 | Geberit Silent-PP bend: 87.5°, d=90mm | | | | 10,00 |
| 390.432.14.1 | Geberit Silent-PP branch fitting 45°: d=90mm, d1=50mm | | | | 19,00 |
| 390.433.14.1 | Geberit Silent-PP branch fitting 45°: d=90mm, d1=75mm | | | | 19,00 |
| 390.434.14.1 | Geberit Silent-PP branch fitting 45°: d=90mm, d1=90mm | | | | 19,00 |
| 390.469.14.1 | Geberit Silent-PP double branch fitting 45°: d=90mm, d1=50mm, d2=50mm | | | | 35,00 |
| 390.448.14.1 | Geberit Silent-PP branch fitting 87.5°: d=90mm, d1=50mm | | | | 19,00 |
| 390.449.14.1 | Geberit Silent-PP branch fitting 87.5°: d=90mm, d1=75mm | | | | 19,00 |
| 390.454.14.1 | Geberit Silent-PP branch fitting swept entry 87.5°: d=90mm, d1=90mm | | | | 20,00 |
| 390.466.14.1 | Geberit Silent-PP double branch fitting 87.5°, swept-entry: d=90mm, d1=90mm, d2=90mm | | | | 83,00 |
| 390.457.14.1 | Geberit Silent-PP parallel branch fitting 45°: d=90mm, d1=90mm | | | | 77,00 |
| 390.464.14.1 | Geberit Silent-PP duct branch fitting 87.5°, swept-entry, left: d=90mm, d1=75mm, d2=90mm | | | | 118,00 |
| 390.463.14.1 | Geberit Silent-PP duct branch fitting 87.5°, swept-entry, right: d=90mm, d1=75mm, d2=90mm | | | | 118,00 |
| 390.459.14.1 | Geberit Silent-PP corner branch fitting 87.5°: d=90mm, d1=90mm, d2=90mm | | | | 80,00 |
| 390.471.14.1 | Geberit Silent-PP reducer, eccentric: d=90mm, d1=40mm | | | | 9,00 |
| 390.472.14.1 | Geberit Silent-PP reducer, eccentric: d=90mm, d1=50mm | | | | 9,00 |
| 390.473.14.1 | Geberit Silent-PP reducer, eccentric: d=90mm, d1=75mm | | | | 9,00 |
| 390.427.14.1 | Geberit Silent-PP access pipe 90° with round service opening: d=90mm | | | | 27,00 |
| 390.428.14.1 | Geberit Silent-PP socket plug: d=90mm | | | | 14,00 |
| 390.520.14.1 | Geberit Silent-PP bend: 15°, d=110mm | | | | 11,00 |
| 390.521.14.1 | Geberit Silent-PP bend: 30°, d=110mm | | | | 11,00 |
| 390.522.14.1 | Geberit Silent-PP bend: 45°, d=110mm | | | | 9,00 |
| 390.523.14.1 | Geberit Silent-PP bend: 67.5°, d=110mm | | | | 11,00 |
| 390.524.14.1 | Geberit Silent-PP bend: 87.5°, d=110mm | | | | 10,00 |
| 390.531.14.1 | Geberit Silent-PP branch fitting 45°: d=110mm, d1=40mm | | | | 21,00 |
| 390.532.14.1 | Geberit Silent-PP branch fitting 45°: d=110mm, d1=50mm | | | | 20,00 |
| 390.533.14.1 | Geberit Silent-PP branch fitting 45°: d=110mm, d1=75mm | | | | 21,00 |
| 390.534.14.1 | Geberit Silent-PP branch fitting 45°: d=110mm, d1=90mm | | | | 21,00 |
| 390.535.14.1 | Geberit Silent-PP branch fitting 45°: d=110mm, d1=110mm | | | | 19,00 |
| 390.569.14.1 | Geberit Silent-PP double branch fitting 45°: d=110mm, d1=50mm, d2=50mm | | | | 35,00 |
| 390.547.14.1 | Geberit Silent-PP branch fitting 87.5°: d=110mm, d1=40mm | | | | 21,00 |
| 390.548.14.1 | Geberit Silent-PP branch fitting 87.5°: d=110mm, d1=50mm | | | | 21,00 |
| 390.549.14.1 | Geberit Silent-PP branch fitting 87.5°: d=110mm, d1=75mm | | | | 21,00 |
| 390.554.14.1 | Geberit Silent-PP branch fitting swept entry 87.5°: d=110mm, d1=90mm | | | | 20,00 |
| 390.555.14.1 | Geberit Silent-PP branch fitting swept entry 87.5°: d=110mm, d1=110mm | | | | 20,00 |
| 390.567.14.1 | Geberit Silent-PP double branch fitting 87.5°, swept-entry: d=110mm, d1=110mm, d2=75mm | | | | 88,00 |
| 390.566.14.1 | Geberit Silent-PP double branch fitting 87.5°, swept-entry: d=110mm, d1=110mm, d2=110mm | | | | 88,00 |
| 390.558.14.1 | Geberit Silent-PP combined branch fitting 87.5°, swept-entry: d=110mm, d1=110mm, d2=50mm | | | | 93,00 |
| 390.557.14.1 | Geberit Silent-PP parallel branch fitting 45°: d=110mm, d1=110mm | | | | 77,00 |
| 390.564.14.1 | Geberit Silent-PP duct branch fitting 87.5°, swept-entry, left: d=110mm, d1=75mm, d2=110mm | | | | 137,00 |
| 390.563.14.1 | Geberit Silent-PP duct branch fitting 87.5°, swept-entry, right: d=110mm, d1=75mm, d2=110mm | | | | 137,00 |
| 390.559.14.1 | Geberit Silent-PP corner branch fitting 87.5°: d=110mm, d1=110mm, d2=110mm | | | | 92,00 |

| | | | | | |
|--------------|--|--|--|--|--------|
| 390.578.14.1 | Geberit Silent-PP combined corner branch fitting 87.5°, swept-entry, left: d=110mm, d1=110mm, d2=50mm | | | | 93,00 |
| 390.561.14.1 | Geberit Silent-PP combined corner branch fitting 87.5°, swept-entry, left: d=110mm, d1=110mm, d2=75mm | | | | 93,00 |
| 390.565.14.1 | Geberit Silent-PP combined corner branch fitting 87.5°, swept-entry, right: d=110mm, d1=110mm, d2=50mm | | | | 93,00 |
| 390.560.14.1 | Geberit Silent-PP combined corner branch fitting 87.5°, swept-entry, right: d=110mm, d1=110mm, d2=75mm | | | | 93,00 |
| 390.571.14.1 | Geberit Silent-PP reducer, eccentric: d=110mm, d1=40mm | | | | 10,00 |
| 390.572.14.1 | Geberit Silent-PP reducer, eccentric: d=110mm, d1=50mm | | | | 9,00 |
| 390.573.14.1 | Geberit Silent-PP reducer, eccentric: d=110mm, d1=75mm | | | | 10,00 |
| 390.574.14.1 | Geberit Silent-PP reducer, eccentric: d=110mm, d1=90mm | | | | 11,00 |
| 390.527.14.1 | Geberit Silent-PP access pipe 90° with round service opening: d=110mm | | | | 29,00 |
| 390.493.11.1 | Geberit Silent-PP connection bend 87.5° for WC: d=90mm | | | | 36,00 |
| 390.593.11.1 | Geberit Silent-PP connection bend 87.5° for WC: d=110mm | | | | 39,00 |
| 390.592.11.1 | Geberit Silent-PP straight connector for WC: d=110mm | | | | 36,00 |
| 390.528.14.1 | Geberit Silent-PP socket plug: d=110mm | | | | 15,00 |
| 390.620.14.1 | Geberit Silent-PP bend: 15°, d=125mm | | | | 20,00 |
| 390.621.14.1 | Geberit Silent-PP bend: 30°, d=125mm | | | | 20,00 |
| 390.622.14.1 | Geberit Silent-PP bend: 45°, d=125mm | | | | 20,00 |
| 390.623.14.1 | Geberit Silent-PP bend: 67.5°, d=125mm | | | | 29,00 |
| 390.624.14.1 | Geberit Silent-PP bend: 87.5°, d=125mm | | | | 29,00 |
| 390.634.14.1 | Geberit Silent-PP branch fitting 45°: d=125mm, d1=90mm | | | | 47,00 |
| 390.635.14.1 | Geberit Silent-PP branch fitting 45°: d=125mm, d1=110mm | | | | 47,00 |
| 390.636.14.1 | Geberit Silent-PP branch fitting 45°: d=125mm, d1=125mm | | | | 70,00 |
| 390.650.14.1 | Geberit Silent-PP branch fitting 87.5°: d=125mm, d1=90mm | | | | 47,00 |
| 390.651.14.1 | Geberit Silent-PP branch fitting 87.5°: d=125mm, d1=110mm | | | | 47,00 |
| 390.652.14.1 | Geberit Silent-PP branch fitting 87.5°: d=125mm, d1=125mm | | | | 70,00 |
| 390.665.14.1 | Geberit Silent-PP double branch fitting 87.5°: d=125mm, d1=110mm | | | | 63,00 |
| 390.662.14.1 | Geberit Silent-PP corner branch fitting 87.5°: d=125mm, d1=110mm, d2=110mm | | | | 99,00 |
| 390.675.14.1 | Geberit Silent-PP reducer, eccentric: d=125mm, d1=110mm | | | | 18,00 |
| 390.627.14.1 | Geberit Silent-PP access pipe 90° with round service opening: d=125mm | | | | 57,00 |
| 390.628.14.1 | Geberit Silent-PP socket plug: d=125mm | | | | 20,00 |
| 390.720.14.1 | Geberit Silent-PP bend: 15°, d=160mm | | | | 31,00 |
| 390.721.14.1 | Geberit Silent-PP bend: 30°, d=160mm | | | | 31,00 |
| 390.722.14.1 | Geberit Silent-PP bend: 45°, d=160mm | | | | 31,00 |
| 390.723.14.1 | Geberit Silent-PP bend: 67.5°, d=160mm | | | | 47,00 |
| 390.724.14.1 | Geberit Silent-PP bend: 87.5°, d=160mm | | | | 47,00 |
| 390.735.14.1 | Geberit Silent-PP branch fitting 45°: d=160mm, d1=110mm | | | | 73,00 |
| 390.736.14.1 | Geberit Silent-PP branch fitting 45°: d=160mm, d1=125mm | | | | 96,00 |
| 390.737.14.1 | Geberit Silent-PP branch fitting 45°: d=160mm, d1=160mm | | | | 109,00 |
| 390.751.14.1 | Geberit Silent-PP branch fitting 87.5°: d=160mm, d1=110mm | | | | 73,00 |
| 390.752.14.1 | Geberit Silent-PP branch fitting 87.5°: d=160mm, d1=125mm | | | | 96,00 |
| 390.753.14.1 | Geberit Silent-PP branch fitting 87.5°: d=160mm, d1=160mm | | | | 109,00 |
| 390.775.14.1 | Geberit Silent-PP reducer, eccentric: d=160mm, d1=110mm | | | | 26,00 |
| 390.776.14.1 | Geberit Silent-PP reducer, eccentric: d=160mm, d1=125mm | | | | 26,00 |
| 390.727.14.1 | Geberit Silent-PP access pipe 90° with round service opening: d=160mm | | | | 88,00 |
| 390.728.14.1 | Geberit Silent-PP socket plug: d=160mm | | | | 24,00 |
| 390.016.14.1 | Geberit Silent-PP double ring seal socket: d=32mm | | | | 5,00 |
| 390.017.14.1 | Geberit Silent-PP slip coupling: d=32mm | | | | 5,00 |
| 390.008.14.1 | Geberit retaining claw: d=32mm | | | | 7,00 |
| 390.116.14.1 | Geberit Silent-PP double ring seal socket: d=40mm | | | | 5,00 |
| 390.118.14.1 | Geberit Silent-PP long socket: d=40mm | | | | 6,00 |
| 390.117.14.1 | Geberit Silent-PP slip coupling: d=40mm | | | | 5,00 |
| 390.108.14.1 | Geberit retaining claw: d=40mm | | | | 8,00 |
| 390.296.14.1 | Geberit Silent-PP adapter socket to Geberit Silent-db20: d=50mm, d1=56mm | | | | 10,00 |
| 390.295.14.1 | Geberit Silent-PP adapter sleeve to cast iron: d=40-56mm | | | | 7,00 |
| 390.216.14.1 | Geberit Silent-PP double ring seal socket: d=50mm | | | | 5,00 |
| 390.218.14.1 | Geberit Silent-PP long socket: d=50mm | | | | 7,00 |
| 390.217.14.1 | Geberit Silent-PP slip coupling: d=50mm | | | | 5,00 |
| 390.203.14.1 | Geberit retaining claw: d=50mm | | | | 10,00 |
| 390.396.14.1 | Geberit Silent-PP adapter socket to Geberit Silent-db20: d=75mm, d1=75mm | | | | 14,00 |
| 390.395.14.1 | Geberit Silent-PP adapter sleeve to cast iron: d=56-75mm | | | | 9,00 |
| 390.316.14.1 | Geberit Silent-PP double ring seal socket: d=75mm | | | | 7,00 |
| 390.318.14.1 | Geberit Silent-PP long socket: d=75mm | | | | 10,00 |
| 390.317.14.1 | Geberit Silent-PP slip coupling: d=75mm | | | | 7,00 |
| 390.308.14.1 | Geberit retaining claw: d=75mm | | | | 12,00 |
| 390.496.14.1 | Geberit Silent-PP adapter socket to Geberit Silent-db20: d=90mm, d1=90mm | | | | 16,00 |
| 390.495.14.1 | Geberit Silent-PP adapter sleeve to cast iron: d=75-90mm | | | | 10,00 |
| 390.416.14.1 | Geberit Silent-PP double ring seal socket: d=90mm | | | | 11,00 |
| 390.418.14.1 | Geberit Silent-PP long socket: d=90mm | | | | 15,00 |
| 390.417.14.1 | Geberit Silent-PP slip coupling: d=90mm | | | | 11,00 |
| 390.408.14.1 | Geberit retaining claw: d=90mm | | | | 13,00 |
| 390.596.14.1 | Geberit Silent-PP adapter socket to Geberit Silent-db20: d=110mm, d1=110mm | | | | 16,00 |
| 390.595.14.1 | Geberit Silent-PP adapter sleeve to cast iron: d=104-110mm | | | | 18,00 |
| 390.516.14.1 | Geberit Silent-PP double ring seal socket: d=110mm | | | | 12,00 |
| 390.518.14.1 | Geberit Silent-PP long socket: d=110mm | | | | 16,00 |
| 390.517.14.1 | Geberit Silent-PP slip coupling: d=110mm | | | | 12,00 |
| 390.508.14.1 | Geberit retaining claw: d=110mm | | | | 20,00 |
| 390.696.14.1 | Geberit Silent-PP adapter socket to Geberit Silent-db20: d=125mm, d1=135mm | | | | 45,00 |
| 390.695.14.1 | Geberit Silent-PP adapter sleeve to cast iron: d=125mm | | | | 27,00 |
| 390.616.14.1 | Geberit Silent-PP double ring seal socket: d=125mm | | | | 22,00 |
| 390.618.14.1 | Geberit Silent-PP long socket: d=125mm | | | | 21,00 |
| 390.617.14.1 | Geberit Silent-PP slip coupling: d=125mm | | | | 22,00 |
| 390.608.14.1 | Geberit retaining claw: d=125mm | | | | 26,00 |
| 390.796.14.1 | Geberit Silent-PP adapter socket to Geberit Silent-db20: d=160mm, d1=160mm | | | | 98,00 |
| 390.716.14.1 | Geberit Silent-PP double ring seal socket: d=160mm | | | | 32,00 |
| 390.718.14.1 | Geberit Silent-PP long socket: d=160mm | | | | 39,00 |
| 390.717.14.1 | Geberit Silent-PP slip coupling: d=160mm | | | | 32,00 |
| 390.708.14.1 | Geberit retaining claw: d=160mm | | | | 35,00 |
| 241.785.00.1 | Geberit lip seal: d=40mm | | | | 2,00 |
| 241.787.00.1 | Geberit lip seal: d=75mm | | | | 3,00 |
| 393.200.14.1 | Geberit Silent-Pro pipe with socket: d=50mm, L=15cm | | | | 7,00 |
| 393.201.14.1 | Geberit Silent-Pro pipe with socket: d=50mm, L=25cm | | | | 8,00 |
| 393.202.14.1 | Geberit Silent-Pro pipe with socket: d=50mm, L=50cm | | | | 11,00 |
| 393.204.14.1 | Geberit Silent-Pro pipe with socket: d=50mm, L=100cm | | | | 18,00 |
| 393.205.14.1 | Geberit Silent-Pro pipe with socket: d=50mm, L=150cm | | | | 26,00 |
| 393.206.14.1 | Geberit Silent-Pro pipe with socket: d=50mm, L=200cm | | | | 33,00 |
| 393.207.14.1 | Geberit Silent-Pro pipe with socket: d=50mm, L=300cm | | | | 47,00 |
| 393.300.14.1 | Geberit Silent-Pro pipe with socket: d=75mm, L=15cm | | | | 9,00 |
| 393.301.14.1 | Geberit Silent-Pro pipe with socket: d=75mm, L=25cm | | | | 11,00 |
| 393.302.14.1 | Geberit Silent-Pro pipe with socket: d=75mm, L=50cm | | | | 16,00 |
| 393.304.14.1 | Geberit Silent-Pro pipe with socket: d=75mm, L=100cm | | | | 26,00 |
| 393.305.14.1 | Geberit Silent-Pro pipe with socket: d=75mm, L=150cm | | | | 36,00 |
| 393.306.14.1 | Geberit Silent-Pro pipe with socket: d=75mm, L=200cm | | | | 46,00 |
| 393.307.14.1 | Geberit Silent-Pro pipe with socket: d=75mm, L=300cm | | | | 68,00 |
| 393.400.14.1 | Geberit Silent-Pro pipe with socket: d=90mm, L=15cm | | | | 10,00 |
| 393.401.14.1 | Geberit Silent-Pro pipe with socket: d=90mm, L=25cm | | | | 13,00 |
| 393.402.14.1 | Geberit Silent-Pro pipe with socket: d=90mm, L=50cm | | | | 19,00 |
| 393.404.14.1 | Geberit Silent-Pro pipe with socket: d=90mm, L=100cm | | | | 33,00 |
| 393.405.14.1 | Geberit Silent-Pro pipe with socket: d=90mm, L=150cm | | | | 47,00 |
| 393.406.14.1 | Geberit Silent-Pro pipe with socket: d=90mm, L=200cm | | | | 60,00 |
| 393.407.14.1 | Geberit Silent-Pro pipe with socket: d=90mm, L=300cm | | | | 88,00 |
| 393.500.14.1 | Geberit Silent-Pro pipe with socket: d=110mm, L=15cm | | | | 11,00 |
| 393.501.14.1 | Geberit Silent-Pro pipe with socket: d=110mm, L=25cm | | | | 14,00 |
| 393.502.14.1 | Geberit Silent-Pro pipe with socket: d=110mm, L=50cm | | | | 22,00 |
| 393.504.14.1 | Geberit Silent-Pro pipe with socket: d=110mm, L=100cm | | | | 38,00 |

| | | | | | |
|--------------|--|--|--|--|--------|
| 393.505.14.1 | Geberit Silent-Pro pipe with socket: d=110mm, L=150cm | | | | 53,00 |
| 393.506.14.1 | Geberit Silent-Pro pipe with socket: d=110mm, L=200cm | | | | 69,00 |
| 393.507.14.1 | Geberit Silent-Pro pipe with socket: d=110mm, L=300cm | | | | 101,00 |
| 393.600.14.1 | Geberit Silent-Pro pipe with socket: d=125mm, L=15cm | | | | 16,00 |
| 393.601.14.1 | Geberit Silent-Pro pipe with socket: d=125mm, L=25cm | | | | 20,00 |
| 393.602.14.1 | Geberit Silent-Pro pipe with socket: d=125mm, L=50cm | | | | 30,00 |
| 393.604.14.1 | Geberit Silent-Pro pipe with socket: d=125mm, L=100cm | | | | 50,00 |
| 393.605.14.1 | Geberit Silent-Pro pipe with socket: d=125mm, L=150cm | | | | 71,00 |
| 393.606.14.1 | Geberit Silent-Pro pipe with socket: d=125mm, L=200cm | | | | 91,00 |
| 393.607.14.1 | Geberit Silent-Pro pipe with socket: d=125mm, L=300cm | | | | 134,00 |
| 393.700.14.1 | Geberit Silent-Pro pipe with socket: d=160mm, L=15cm | | | | 20,00 |
| 393.701.14.1 | Geberit Silent-Pro pipe with socket: d=160mm, L=25cm | | | | 26,00 |
| 393.702.14.1 | Geberit Silent-Pro pipe with socket: d=160mm, L=50cm | | | | 41,00 |
| 393.704.14.1 | Geberit Silent-Pro pipe with socket: d=160mm, L=100cm | | | | 72,00 |
| 393.705.14.1 | Geberit Silent-Pro pipe with socket: d=160mm, L=150cm | | | | 102,00 |
| 393.706.14.1 | Geberit Silent-Pro pipe with socket: d=160mm, L=200cm | | | | 133,00 |
| 393.707.14.1 | Geberit Silent-Pro pipe with socket: d=160mm, L=300cm | | | | 195,00 |
| 393.210.14.1 | Geberit Silent-Pro pipe with two sockets: d=50mm, L=50cm | | | | 16,00 |
| 393.211.14.1 | Geberit Silent-Pro pipe with two sockets: d=50mm, L=100cm | | | | 23,00 |
| 393.213.14.1 | Geberit Silent-Pro pipe with two sockets: d=50mm, L=200cm | | | | 38,00 |
| 393.214.14.1 | Geberit Silent-Pro pipe with two sockets: d=50mm, L=300cm | | | | 53,00 |
| 393.310.14.1 | Geberit Silent-Pro pipe with two sockets: d=75mm, L=50cm | | | | 21,00 |
| 393.311.14.1 | Geberit Silent-Pro pipe with two sockets: d=75mm, L=100cm | | | | 31,00 |
| 393.313.14.1 | Geberit Silent-Pro pipe with two sockets: d=75mm, L=200cm | | | | 52,00 |
| 393.314.14.1 | Geberit Silent-Pro pipe with two sockets: d=75mm, L=300cm | | | | 75,00 |
| 393.410.14.1 | Geberit Silent-Pro pipe with two sockets: d=90mm, L=50cm | | | | 25,00 |
| 393.411.14.1 | Geberit Silent-Pro pipe with two sockets: d=90mm, L=100cm | | | | 39,00 |
| 393.413.14.1 | Geberit Silent-Pro pipe with two sockets: d=90mm, L=200cm | | | | 66,00 |
| 393.414.14.1 | Geberit Silent-Pro pipe with two sockets: d=90mm, L=300cm | | | | 95,00 |
| 393.510.14.1 | Geberit Silent-Pro pipe with two sockets: d=110mm, L=50cm | | | | 28,00 |
| 393.511.14.1 | Geberit Silent-Pro pipe with two sockets: d=110mm, L=100cm | | | | 44,00 |
| 393.513.14.1 | Geberit Silent-Pro pipe with two sockets: d=110mm, L=200cm | | | | 75,00 |
| 393.514.14.1 | Geberit Silent-Pro pipe with two sockets: d=110mm, L=300cm | | | | 109,00 |
| 393.610.14.1 | Geberit Silent-Pro pipe with two sockets: d=125mm, L=50cm | | | | 40,00 |
| 393.611.14.1 | Geberit Silent-Pro pipe with two sockets: d=125mm, L=100cm | | | | 60,00 |
| 393.613.14.1 | Geberit Silent-Pro pipe with two sockets: d=125mm, L=200cm | | | | 102,00 |
| 393.614.14.1 | Geberit Silent-Pro pipe with two sockets: d=125mm, L=300cm | | | | 146,00 |
| 393.220.14.1 | Geberit Silent-Pro bend: 15°, d=50mm | | | | 15,00 |
| 393.221.14.1 | Geberit Silent-Pro bend: 30°, d=50mm | | | | 15,00 |
| 393.222.14.1 | Geberit Silent-Pro bend: 45°, d=50mm | | | | 15,00 |
| 393.223.14.1 | Geberit Silent-Pro bend: 67.5°, d=50mm | | | | 15,00 |
| 393.224.14.1 | Geberit Silent-Pro bend: 87.5°, d=50mm | | | | 15,00 |
| 393.232.14.1 | Geberit Silent-Pro branch fitting 45°: d=50mm, d1=50mm | | | | 24,00 |
| 393.248.14.1 | Geberit Silent-Pro branch fitting 87.5°: d=50mm, d1=50mm | | | | 24,00 |
| 393.227.14.1 | Geberit Silent-Pro access pipe 90° with round service opening: d=50mm | | | | 35,00 |
| 393.320.14.1 | Geberit Silent-Pro bend: 15°, d=75mm | | | | 16,00 |
| 393.321.14.1 | Geberit Silent-Pro bend: 30°, d=75mm | | | | 16,00 |
| 393.322.14.1 | Geberit Silent-Pro bend: 45°, d=75mm | | | | 16,00 |
| 393.323.14.1 | Geberit Silent-Pro bend: 67.5°, d=75mm | | | | 16,00 |
| 393.324.14.1 | Geberit Silent-Pro bend: 87.5°, d=75mm | | | | 16,00 |
| 393.332.14.1 | Geberit Silent-Pro branch fitting 45°: d=75mm, d1=50mm | | | | 31,00 |
| 393.333.14.1 | Geberit Silent-Pro branch fitting 45°: d=75mm, d1=75mm | | | | 31,00 |
| 393.348.14.1 | Geberit Silent-Pro branch fitting 87.5°: d=75mm, d1=50mm | | | | 31,00 |
| 393.349.14.1 | Geberit Silent-Pro branch fitting 87.5°: d=75mm, d1=75mm | | | | 31,00 |
| 393.372.14.1 | Geberit Silent-Pro reducer, eccentric: d=75mm, d1=50mm | | | | 16,00 |
| 393.327.14.1 | Geberit Silent-Pro access pipe 90° with round service opening: d=75mm | | | | 44,00 |
| 393.420.14.1 | Geberit Silent-Pro bend: 15°, d=90mm | | | | 24,00 |
| 393.421.14.1 | Geberit Silent-Pro bend: 30°, d=90mm | | | | 24,00 |
| 393.422.14.1 | Geberit Silent-Pro bend: 45°, d=90mm | | | | 24,00 |
| 393.423.14.1 | Geberit Silent-Pro bend: 67.5°, d=90mm | | | | 24,00 |
| 393.424.14.1 | Geberit Silent-Pro bend: 87.5°, d=90mm | | | | 24,00 |
| 393.432.14.1 | Geberit Silent-Pro branch fitting 45°: d=90mm, d1=50mm | | | | 40,00 |
| 393.433.14.1 | Geberit Silent-Pro branch fitting 45°: d=90mm, d1=75mm | | | | 40,00 |
| 393.434.14.1 | Geberit Silent-Pro branch fitting 45°: d=90mm, d1=90mm | | | | 40,00 |
| 393.448.14.1 | Geberit Silent-Pro branch fitting 87.5°: d=90mm, d1=50mm | | | | 40,00 |
| 393.449.14.1 | Geberit Silent-Pro branch fitting 87.5°: d=90mm, d1=75mm | | | | 40,00 |
| 393.454.14.1 | Geberit Silent-Pro branch fitting 87.5°, swept-entry: d=90mm, d1=90mm | | | | 40,00 |
| 393.466.14.1 | Geberit Silent-Pro double branch fitting 87.5°, swept-entry: d=90mm, d1=90mm, d2=90mm | | | | 116,00 |
| 393.457.14.1 | Geberit Silent-Pro parallel branch fitting 45°: d=90mm, d1=90mm | | | | 108,00 |
| 393.464.14.1 | Geberit Silent-Pro duct branch fitting 87.5°, swept-entry, left: d=90mm, d1=75mm, d2=90mm | | | | 145,00 |
| 393.463.14.1 | Geberit Silent-Pro duct branch fitting 87.5°, swept-entry, right: d=90mm, d1=75mm, d2=90mm | | | | 145,00 |
| 393.459.14.1 | Geberit Silent-Pro corner branch fitting 87.5°: d=90mm, d1=90mm, d2=90mm | | | | 116,00 |
| 393.456.14.1 | Geberit Silent-Pro combined branch fitting 87.5°, swept-entry: d=90mm, d1=90mm, d2=50mm | | | | 116,00 |
| 393.470.14.1 | Geberit Silent-Pro combined branch fitting 87.5°, swept-entry, left: d=90mm, d1=90mm, d2=50mm | | | | 116,00 |
| 393.462.14.1 | Geberit Silent-Pro combined branch fitting 87.5°, swept-entry, right: d=90mm, d1=90mm, d2=50mm | | | | 116,00 |
| 393.472.14.1 | Geberit Silent-Pro reducer, eccentric: d=90mm, d1=50mm | | | | 19,00 |
| 393.473.14.1 | Geberit Silent-Pro reducer, eccentric: d=90mm, d1=75mm | | | | 19,00 |
| 393.427.14.1 | Geberit Silent-Pro access pipe 90° with round service opening: d=90mm | | | | 48,00 |
| 393.520.14.1 | Geberit Silent-Pro bend: 15°, d=110mm | | | | 25,00 |
| 393.521.14.1 | Geberit Silent-Pro bend: 30°, d=110mm | | | | 25,00 |
| 393.522.14.1 | Geberit Silent-Pro bend: 45°, d=110mm | | | | 25,00 |
| 393.523.14.1 | Geberit Silent-Pro bend: 67.5°, d=110mm | | | | 25,00 |
| 393.524.14.1 | Geberit Silent-Pro bend: 87.5°, d=110mm | | | | 25,00 |
| 393.532.14.1 | Geberit Silent-Pro branch fitting 45°: d=110mm, d1=50mm | | | | 45,00 |
| 393.533.14.1 | Geberit Silent-Pro branch fitting 45°: d=110mm, d1=75mm | | | | 45,00 |
| 393.534.14.1 | Geberit Silent-Pro branch fitting 45°: d=110mm, d1=90mm | | | | 45,00 |
| 393.535.14.1 | Geberit Silent-Pro branch fitting 45°: d=110mm, d1=110mm | | | | 45,00 |
| 393.547.14.1 | Geberit Silent-Pro branch fitting 87.5°: d=110mm, d1=50mm | | | | 45,00 |
| 393.549.14.1 | Geberit Silent-Pro branch fitting 87.5°: d=110mm, d1=75mm | | | | 45,00 |
| 393.552.14.1 | Geberit Silent-Pro branch fitting 87.5°, swept-entry: d=110mm, d1=90mm | | | | 45,00 |
| 393.555.14.1 | Geberit Silent-Pro branch fitting 87.5°, swept-entry: d=110mm, d1=110mm | | | | 45,00 |
| 393.566.14.1 | Geberit Silent-Pro double branch fitting 87.5°, swept-entry: d=110mm, d1=110mm, d2=110mm | | | | 122,00 |
| 393.551.14.1 | Geberit Silent-Pro parallel branch fitting 45°: d=110mm, d1=90mm | | | | 114,00 |
| 393.557.14.1 | Geberit Silent-Pro parallel branch fitting 45°: d=110mm, d1=110mm | | | | 123,00 |
| 393.554.14.1 | Geberit Silent-Pro duct branch fitting 87.5°, swept-entry, left: d=110mm, d1=75mm, d2=90mm | | | | 149,00 |
| 393.564.14.1 | Geberit Silent-Pro duct branch fitting 87.5°, swept-entry, left: d=110mm, d1=75mm, d2=110mm | | | | 157,00 |
| 393.553.14.1 | Geberit Silent-Pro duct branch fitting 87.5°, swept-entry, right: d=110mm, d1=75mm, d2=90mm | | | | 149,00 |
| 393.563.14.1 | Geberit Silent-Pro duct branch fitting 87.5°, swept-entry, right: d=110mm, d1=75mm, d2=110mm | | | | 157,00 |
| 393.550.14.1 | Geberit Silent-Pro corner branch fitting 87.5°: d=110mm, d1=90mm, d2=90mm | | | | 122,00 |
| 393.559.14.1 | Geberit Silent-Pro corner branch fitting 87.5°: d=110mm, d1=110mm, d2=110mm | | | | 122,00 |
| 393.556.14.1 | Geberit Silent-Pro combined branch fitting 87.5°, swept-entry: d=110mm, d1=90mm, d2=50mm | | | | 124,00 |
| 393.558.14.1 | Geberit Silent-Pro combined branch fitting 87.5°, swept-entry: d=110mm, d1=110mm, d2=50mm | | | | 127,00 |
| 393.570.14.1 | Geberit Silent-Pro combined branch fitting 87.5°, swept-entry, left: d=110mm, d1=90mm, d2=50mm | | | | 124,00 |
| 393.578.14.1 | Geberit Silent-Pro combined branch fitting 87.5°, swept-entry, left: d=110mm, d1=110mm, d2=50mm | | | | 127,00 |
| 393.561.14.1 | Geberit Silent-Pro combined branch fitting 87.5°, swept-entry, left: d=110mm, d1=110mm, d2=75mm | | | | 141,00 |
| 393.562.14.1 | Geberit Silent-Pro combined branch fitting 87.5°, swept-entry, right: d=110mm, d1=90mm, d2=50mm | | | | 124,00 |
| 393.565.14.1 | Geberit Silent-Pro combined branch fitting 87.5°, swept-entry, right: d=110mm, d1=110mm, d2=50mm | | | | 127,00 |
| 393.560.14.1 | Geberit Silent-Pro combined branch fitting 87.5°, swept-entry, right: d=110mm, d1=110mm, d2=75mm | | | | 141,00 |
| 393.572.14.1 | Geberit Silent-Pro reducer, eccentric: d=110mm, d1=50mm | | | | 23,00 |
| 393.573.14.1 | Geberit Silent-Pro reducer, eccentric: d=110mm, d1=75mm | | | | 23,00 |
| 393.574.14.1 | Geberit Silent-Pro reducer, eccentric: d=110mm, d1=90mm | | | | 23,00 |
| 393.527.14.1 | Geberit Silent-Pro access pipe 90° with round service opening: d=110mm | | | | 61,00 |
| 393.503.14.1 | Geberit Silent-Pro access pipe 90° with oval service opening: d=110mm | | | | 196,00 |

| | | | | | |
|--------------|---|--|--|--|--------|
| 393.620.14.1 | Geberit Silent-Pro bend: 15°, d=125mm | | | | 49,00 |
| 393.621.14.1 | Geberit Silent-Pro bend: 30°, d=125mm | | | | 49,00 |
| 393.622.14.1 | Geberit Silent-Pro bend: 45°, d=125mm | | | | 49,00 |
| 393.624.14.1 | Geberit Silent-Pro bend: 87.5°, d=125mm | | | | 49,00 |
| 393.633.14.1 | Geberit Silent-Pro branch fitting 45°: d=125mm, d1=75mm | | | | 75,00 |
| 393.634.14.1 | Geberit Silent-Pro branch fitting 45°: d=125mm, d1=90mm | | | | 75,00 |
| 393.635.14.1 | Geberit Silent-Pro branch fitting 45°: d=125mm, d1=110mm | | | | 75,00 |
| 393.636.14.1 | Geberit Silent-Pro branch fitting 45°: d=125mm, d1=125mm | | | | 75,00 |
| 393.654.14.1 | Geberit Silent-Pro branch fitting 87.5°: d=125mm, d1=75mm | | | | 75,00 |
| 393.650.14.1 | Geberit Silent-Pro branch fitting 87.5°: d=125mm, d1=90mm | | | | 75,00 |
| 393.652.14.1 | Geberit Silent-Pro branch fitting 87.5°: d=125mm, d1=125mm | | | | 75,00 |
| 393.651.14.1 | Geberit Silent-Pro branch fitting 87.5°, swept-entry: d=125mm, d1=110mm | | | | 75,00 |
| 393.665.14.1 | Geberit Silent-Pro double branch fitting 87.5°, swept-entry: d=125mm, d1=110mm, d2=110mm | | | | 132,00 |
| 393.662.14.1 | Geberit Silent-Pro corner branch fitting 87.5°: d=125mm, d1=110mm, d2=110mm | | | | 139,00 |
| 393.674.14.1 | Geberit Silent-Pro reducer, eccentric: d=125mm, d1=90mm | | | | 44,00 |
| 393.675.14.1 | Geberit Silent-Pro reducer, eccentric: d=125mm, d1=110mm | | | | 44,00 |
| 393.627.14.1 | Geberit Silent-Pro access pipe 90° with round service opening: d=125mm | | | | 104,00 |
| 393.603.14.1 | Geberit Silent-Pro access pipe 90° with oval service opening: d=125mm | | | | 313,00 |
| 393.720.14.1 | Geberit Silent-Pro bend: 15°, d=160mm | | | | 73,00 |
| 393.721.14.1 | Geberit Silent-Pro bend: 30°, d=160mm | | | | 73,00 |
| 393.722.14.1 | Geberit Silent-Pro bend: 45°, d=160mm | | | | 73,00 |
| 393.724.14.1 | Geberit Silent-Pro bend: 87.5°, d=160mm | | | | 73,00 |
| 393.734.14.1 | Geberit Silent-Pro branch fitting 45°: d=160mm, d1=90mm | | | | 166,00 |
| 393.735.14.1 | Geberit Silent-Pro branch fitting 45°: d=160mm, d1=110mm | | | | 166,00 |
| 393.736.14.1 | Geberit Silent-Pro branch fitting 45°: d=160mm, d1=125mm | | | | 166,00 |
| 393.737.14.1 | Geberit Silent-Pro branch fitting 45°: d=160mm, d1=160mm | | | | 166,00 |
| 393.751.14.1 | Geberit Silent-Pro branch fitting 87.5°: d=160mm, d1=110mm | | | | 166,00 |
| 393.752.14.1 | Geberit Silent-Pro branch fitting 87.5°: d=160mm, d1=125mm | | | | 166,00 |
| 393.753.14.1 | Geberit Silent-Pro branch fitting 87.5°: d=160mm, d1=160mm | | | | 166,00 |
| 393.775.14.1 | Geberit Silent-Pro reducer, eccentric: d=160mm, d1=110mm | | | | 70,00 |
| 393.776.14.1 | Geberit Silent-Pro reducer, eccentric: d=160mm, d1=125mm | | | | 70,00 |
| 393.727.14.1 | Geberit Silent-Pro access pipe 90° with round service opening: d=160mm | | | | 173,00 |
| 393.703.14.1 | Geberit Silent-Pro access pipe 90° with oval service opening: d=160mm | | | | 361,00 |
| 393.216.14.1 | Geberit Silent-Pro double ring seal socket: d=50mm | | | | 13,00 |
| 393.217.14.1 | Geberit Silent-Pro slip coupling: d=50mm | | | | 13,00 |
| 393.218.14.1 | Geberit Silent-Pro long socket: d=50mm | | | | 17,00 |
| 393.316.14.1 | Geberit Silent-Pro double ring seal socket: d=75mm | | | | 15,00 |
| 393.317.14.1 | Geberit Silent-Pro slip coupling: d=75mm | | | | 15,00 |
| 393.318.14.1 | Geberit Silent-Pro long socket: d=75mm | | | | 19,00 |
| 393.416.14.1 | Geberit Silent-Pro double ring seal socket: d=90mm | | | | 21,00 |
| 393.417.14.1 | Geberit Silent-Pro slip coupling: d=90mm | | | | 21,00 |
| 393.418.14.1 | Geberit Silent-Pro long socket: d=90mm | | | | 28,00 |
| 393.516.14.1 | Geberit Silent-Pro double ring seal socket: d=110mm | | | | 21,00 |
| 393.517.14.1 | Geberit Silent-Pro slip coupling: d=110mm | | | | 21,00 |
| 393.518.14.1 | Geberit Silent-Pro long socket: d=110mm | | | | 28,00 |
| 393.616.14.1 | Geberit Silent-Pro double ring seal socket: d=125mm | | | | 42,00 |
| 393.617.14.1 | Geberit Silent-Pro slip coupling: d=125mm | | | | 42,00 |
| 393.716.14.1 | Geberit Silent-Pro double ring seal socket: d=160mm | | | | 61,00 |
| 393.717.14.1 | Geberit Silent-Pro slip coupling: d=160mm | | | | 61,00 |
| 359.153.14.1 | Geberit repair patch: d=50-160mm | | | | 14,00 |
| 359.900.00.1 | Geberit air admittance valve GRB50, for drainage systems: d=50mm, G=1 1/2", d1=63mm | | | | 61,00 |
| 310.006.00.1 | Air admittance valve GRB90, for Geberit PE: d=90mm, d1=103.5mm, d1=75mm | | | | 81,00 |
| 310.007.00.1 | Air admittance valve GRB90, for Geberit Silent-db20: d=90mm, d1=99.5mm, d1=75mm | | | | 81,00 |
| 307.006.00.1 | Air admittance valve GRB90, for Geberit Silent-PP and Geberit Silent-Pro: d=90mm, d1=106mm, d1=75mm | | | | 81,00 |
| 359.969.00.1 | Geberit energy retaining valve ERV: d=110mm, di=98-103mm | | | | 378,00 |
| 359.107.00.1 | Geberit Pluvia roof outlet: Maximum discharge rate=12l/s | | | | 117,00 |
| 359.108.00.1 | Geberit Pluvia roof outlet with contact sheet: Maximum discharge rate=12l/s | | | | 186,00 |
| 359.099.00.1 | Geberit Pluvia roof outlet with contact sheet: Maximum discharge rate=25l/s | | | | 518,00 |
| 359.345.00.1 | Geberit Pluvia roof outlet with contact sheet | | | | 777,00 |
| 359.346.00.1 | Geberit Pluvia roof outlet with contact sheet | | | | 777,00 |
| 359.109.00.1 | Geberit Pluvia roof outlet with contact sheet and fastening flange: Maximum discharge rate=12l/s | | | | 262,00 |
| 359.105.00.1 | Geberit Pluvia roof outlet with fastening flange, for roof foils: Maximum discharge rate=12l/s | | | | 250,00 |
| 359.098.00.1 | Geberit Pluvia roof outlet with fastening flange, for roof foils: Maximum discharge rate=25l/s | | | | 475,00 |
| 359.117.00.1 | Geberit Pluvia roof outlet with fastening flange, for roof foils: Maximum discharge rate=9l/s | | | | 255,00 |
| 359.118.00.1 | Geberit Pluvia roof outlet: Maximum discharge rate=9l/s | | | | 137,00 |
| 359.111.00.1 | Geberit Pluvia roof outlet with contact sheet for gutters: Maximum discharge rate=12l/s | | | | 219,00 |
| 359.100.00.1 | Geberit Pluvia roof outlet with contact sheet for gutters: Maximum discharge rate=25l/s | | | | 318,00 |
| 359.034.00.1 | Geberit Pluvia roof outlet for gutters: Maximum discharge rate=19l/s | | | | 230,00 |
| 359.112.00.1 | Geberit Pluvia roof outlet with flange, for gutters: Maximum discharge rate=12l/s | | | | 318,00 |
| 359.113.00.1 | Geberit Pluvia vapour barrier connection: d=56mm, Sealing of connection=CrNi steel 1.4301 | | | | 99,00 |
| 359.102.00.1 | Geberit Pluvia vapour barrier connection: d=90mm, Sealing of connection=CrNi steel 1.4301 | | | | 218,00 |
| 359.114.00.1 | Geberit Pluvia emergency overflow | | | | 111,00 |
| 359.101.00.1 | Geberit Pluvia emergency overflow | | | | 123,00 |
| 358.008.00.1 | Geberit Pluvia emergency overflow | | | | 230,00 |
| 359.635.00.1 | Geberit Pluvia supplementary set, suitable for parking decks | | | | 338,00 |
| 359.504.00.1 | Geberit Pluvia supplementary set, suitable for promenade decks | | | | 185,00 |
| 359.038.00.1 | Geberit roof outlet with contact sheet: d=90mm | | | | 154,00 |
| 359.037.00.1 | Geberit roof outlet with contact sheet: d=110mm | | | | 154,00 |
| 359.013.00.1 | Geberit roof outlet with fastening flange, for roof foils: d=110mm | | | | 159,00 |
| 359.122.00.1 | Geberit Pluvia installation sheet | | | | 64,00 |
| 359.006.25.1 | Installation sheet for Geberit Pluvia roof outlet with fastening flange, for roof foils | | | | 55,00 |
| 359.575.00.1 | Geberit Pluvia contact foil for roof foils: Sealing of connection=PVC (Sarnafil G 410-18) | | | | 91,00 |
| 359.577.00.1 | Geberit Pluvia contact foil for roof foils: Sealing of connection=EPDM (Resistit® Perfekt E) | | | | 91,00 |
| 359.579.00.1 | Geberit Pluvia contact foil for roof foils: Sealing of connection=PVC (Sikaplan 15 G) | | | | 87,00 |
| 359.591.00.1 | Geberit Pluvia contact foil for roof foils: Sealing of connection=FPO-A (Sarnafil TG 66) | | | | 91,00 |
| 360.822.00.1 | Geberit Pluvia connection pipe, bendable: d=40mm | | | | 31,00 |
| 361.822.00.1 | Geberit Pluvia connection pipe, bendable: d=50mm | | | | 35,00 |
| 363.822.00.1 | Geberit Pluvia connection pipe, bendable: d=56mm | | | | 39,00 |
| 364.822.00.1 | Geberit Pluvia connection pipe, bendable: d=63mm | | | | 46,00 |
| 365.822.00.1 | Geberit Pluvia connection pipe, bendable: d=75mm | | | | 55,00 |
| 359.971.00.1 | Geberit Pluvia heater 230 V / 8 W: d=56mm | | | | 185,00 |
| 359.042.00.1 | Geberit heating strip 230 V / 11.2 W | | | | 144,00 |
| 359.119.00.1 | Geberit Pluvia contact sheet, universal: Sealing of connection=CrNi steel 1.4404 | | | | 127,00 |
| 359.125.00.1 | Geberit Pluvia installation frame for solid roofs | | | | 63,00 |
| 359.124.00.1 | Geberit Pluvia gravel ring | | | | 81,00 |
| 359.567.00.1 | Geberit Pluvia gravel ring | | | | 75,00 |
| 359.123.00.1 | Geberit Pluvia thermal insulation: d=56mm | | | | 140,00 |
| 359.126.00.1 | Geberit Pluvia noise reduction insert for roof outlets | | | | 204,00 |
| 359.608.00.1 | Geberit contact foil: Sealing of connection=EPDM (Resistit® Perfekt E) | | | | 149,00 |
| 359.610.00.1 | Geberit contact foil: Sealing of connection=PVC (Sarnafil G 410-18) | | | | 149,00 |
| 359.553.00.1 | Geberit Pluvia loose flange for vapour barrier connection | | | | 59,00 |
| 241.322.00.1 | Geberit fastening flange | | | | 99,00 |
| 242.760.00.1 | Fastening flange for Geberit Pluvia roof outlet | | | | 113,00 |
| 243.735.00.1 | Fastening flange for Geberit Pluvia roof outlet | | | | 110,00 |
| 240.232.00.1 | Set of seals for Geberit Pluvia roof outlet | | | | 10,00 |
| 240.238.00.1 | Geberit function disc | | | | 33,00 |
| 243.732.00.1 | Geberit function disc | | | | 46,00 |
| 240.237.00.1 | Geberit fastening disc for vapour barrier connection: d=56mm | | | | 45,00 |
| 240.236.00.1 | Geberit outlet disc: d=56mm | | | | 24,00 |
| 243.737.00.1 | Geberit outlet disc: d=56mm | | | | 30,00 |
| 240.239.00.1 | Geberit force distribution plate | | | | 154,00 |
| 240.647.00.1 | Punched plate grating for Geberit Pluvia supplementary set, suitable for promenade decks | | | | 136,00 |
| 240.241.00.1 | Grating frame for Geberit Pluvia supplementary set, suitable for parking decks | | | | 105,00 |

| | | | | | |
|--------------|--|--|--|--|--------|
| 359.543.00.1 | Outlet grating with cover, for Geberit Pluvia roof outlet | | | | 236,00 |
| 359.561.00.1 | Outlet grating for Geberit Pluvia roof outlet | | | | 48,00 |
| 243.731.00.1 | Outlet grating for Geberit Pluvia roof outlet | | | | 50,00 |
| 240.231.00.1 | Geberit lip seal and claw strap for fastening disc | | | | 14,00 |
| 243.734.00.1 | Lip seal for Geberit Pluvia emergency overflow and vapour barrier connection 12 litres | | | | 11,00 |
| 240.242.00.1 | Geberit grating frame for Geberit Pluvia supplementary set, suitable for parking decks | | | | 123,00 |
| 240.240.00.1 | Geberit duct pipe | | | | 154,00 |
| 240.296.00.1 | Anticondensation insulation for Geberit Pluvia roof outlet: d=56mm | | | | 25,00 |
| 240.408.00.1 | Flat gasket set for Geberit Pluvia fastening flange for gutters | | | | 72,00 |
| 240.230.00.1 | Flat gasket set for Geberit Pluvia roof outlet | | | | 24,00 |
| 242.610.00.1 | Flange gasket for Geberit Pluvia roof outlet | | | | 42,00 |
| 243.736.00.1 | Set of wing nuts for Geberit Pluvia roof outlet with contact sheet and fastening flange (8 pc.) | | | | 15,00 |
| 242.830.00.1 | Outlet grating for Geberit roof outlet for bitumen | | | | 33,00 |
| 242.448.00.1 | Outlet grating for Geberit roof outlet for roof foils | | | | 38,00 |
| 348.300.00.1 | Geberit fire protection sleeve RS90 Plus EN: d=40-56mm, d1=63mm | | | | 69,00 |
| 348.301.00.1 | Geberit fire protection sleeve RS90 Plus EN: d=63 / 75mm, d1=83mm | | | | 78,00 |
| 348.302.00.1 | Geberit fire protection sleeve RS90 Plus EN: d=90mm, d1=98mm | | | | 82,00 |
| 348.303.00.1 | Geberit fire protection sleeve RS90 Plus EN: d=110mm, d1=118mm | | | | 85,00 |
| 348.304.00.1 | Geberit fire protection sleeve RS90 Plus EN: d=125 / 135mm, d1=141mm | | | | 114,00 |
| 348.305.00.1 | Geberit fire protection sleeve RS90 Plus EN: d=160mm, d1=169mm | | | | 141,00 |
| 348.306.00.1 | Geberit fire protection sleeve RS90 Plus EN: d=200mm, d1=207mm | | | | 164,00 |
| 356.010.00.1 | Geberit sound insulation mat Isol Flex, precut for pipe: d=56 / 63mm | | | | 61,00 |
| 356.011.00.1 | Geberit sound insulation mat Isol Flex, precut for pipe: d=75mm | | | | 68,00 |
| 356.012.00.1 | Geberit sound insulation mat Isol Flex, precut for pipe: d=90mm | | | | 79,00 |
| 356.013.00.1 | Geberit sound insulation mat Isol Flex, precut for pipe: d=110mm | | | | 90,00 |
| 356.014.00.1 | Geberit sound insulation mat Isol Flex, precut for pipe: d=125 / 135mm | | | | 104,00 |
| 356.015.00.1 | Geberit sound insulation mat Isol Flex: L=118cm, B=78cm | | | | 108,00 |
| 305.921.00.1 | Geberit insulation hose made of PE: d=56 / 63mm, di=74mm | | | | 5,00 |
| 306.921.00.1 | Geberit insulation hose made of PE: d=63 / 75mm, di=83mm | | | | 5,00 |
| 308.921.00.1 | Geberit insulation hose made of PE: d=90 / 110mm, di=121mm | | | | 6,00 |
| 310.921.00.1 | Geberit insulation hose made of PE: d=110 / 135mm, di=145mm | | | | 7,00 |
| 300.007.00.2 | Geberit insulation tape made of PE | | | | 8,00 |
| 360.841.00.2 | Geberit pipe bracket with threaded socket G 1/2", adjustable: di=40mm, d1=48mm | | | | 5,00 |
| 361.841.00.2 | Geberit pipe bracket with threaded socket G 1/2", adjustable: di=50mm, d1=58mm | | | | 6,00 |
| 363.841.00.2 | Geberit pipe bracket with threaded socket G 1/2", adjustable: di=56mm, d1=64mm | | | | 6,00 |
| 364.841.00.2 | Geberit pipe bracket with threaded socket G 1/2", adjustable: di=63mm, d1=71mm | | | | 6,00 |
| 365.841.00.2 | Geberit pipe bracket with threaded socket G 1/2", adjustable: di=75mm, d1=83mm | | | | 6,00 |
| 366.841.00.2 | Geberit pipe bracket with threaded socket G 1/2", adjustable: di=90mm, d1=98mm | | | | 7,00 |
| 367.841.00.2 | Geberit pipe bracket with threaded socket G 1/2", adjustable: di=110mm, d1=118mm | | | | 7,00 |
| 368.841.00.2 | Geberit pipe bracket with threaded socket G 1/2", adjustable: di=125mm, d1=133mm | | | | 8,00 |
| 369.841.00.2 | Geberit pipe bracket with threaded socket G 1/2", adjustable: di=160mm, d1=168mm | | | | 9,00 |
| 360.843.00.2 | Geberit pipe bracket with threaded socket M10, adjustable: di=40mm, d1=48mm | | | | 5,00 |
| 361.843.00.2 | Geberit pipe bracket with threaded socket M10, adjustable: di=50mm, d1=58mm | | | | 5,00 |
| 363.843.00.2 | Geberit pipe bracket with threaded socket M10, adjustable: di=56mm, d1=64mm | | | | 5,00 |
| 364.843.00.2 | Geberit pipe bracket with threaded socket M10, adjustable: di=63mm, d1=71mm | | | | 5,00 |
| 365.843.00.2 | Geberit pipe bracket with threaded socket M10, adjustable: di=75mm, d1=83mm | | | | 6,00 |
| 366.843.00.2 | Geberit pipe bracket with threaded socket M10, adjustable: di=90mm, d1=98mm | | | | 6,00 |
| 367.843.00.2 | Geberit pipe bracket with threaded socket M10, adjustable: di=110mm, d1=118mm | | | | 6,00 |
| 368.843.00.2 | Geberit pipe bracket with threaded socket M10, adjustable: di=125mm, d1=133mm | | | | 7,00 |
| 369.843.00.2 | Geberit pipe bracket with threaded socket M10, adjustable: di=160mm, d1=168mm | | | | 8,00 |
| 363.842.00.1 | Geberit pipe bracket with threaded socket G 3/4", adjustable: di=56mm, DN=56, d1=64mm | | | | 9,00 |
| 364.842.00.1 | Geberit pipe bracket with threaded socket G 3/4", adjustable: di=63mm, DN=60, d1=71mm | | | | 9,00 |
| 365.842.00.1 | Geberit pipe bracket with threaded socket G 3/4", adjustable: di=75mm, DN=70, d1=83mm | | | | 9,00 |
| 366.842.00.1 | Geberit pipe bracket with threaded socket G 3/4", adjustable: di=90mm, DN=90, d1=98mm | | | | 10,00 |
| 367.842.00.1 | Geberit pipe bracket with threaded socket G 3/4", adjustable: di=110mm, DN=100, d1=118mm | | | | 10,00 |
| 368.842.00.1 | Geberit pipe bracket with threaded socket G 3/4", adjustable: di=125mm, DN=125, d1=133mm | | | | 10,00 |
| 369.842.00.1 | Geberit pipe bracket with threaded socket G 3/4", adjustable: di=160mm, DN=150, d1=168mm | | | | 12,00 |
| 370.840.00.1 | Geberit pipe bracket with threaded socket G 1": di=200mm, G=1" | | | | 22,00 |
| 371.840.00.1 | Geberit pipe bracket with threaded socket G 1": di=250mm, G=1" | | | | 24,00 |
| 372.840.00.1 | Geberit pipe bracket with threaded socket G 1": di=315mm, G=1" | | | | 25,00 |
| 371.841.00.1 | Geberit pipe bracket with threaded socket G 1 1/4": di=250mm, G=1 1/4" | | | | 31,00 |
| 372.841.00.1 | Geberit pipe bracket with threaded socket G 1 1/4": di=315mm, G=1 1/4" | | | | 35,00 |
| 360.832.00.2 | Geberit pipe bracket with threaded socket M8 / M10: di=40mm | | | | 4,00 |
| 361.832.00.2 | Geberit pipe bracket with threaded socket M8 / M10: di=50mm | | | | 4,00 |
| 363.832.00.2 | Geberit pipe bracket with threaded socket M8 / M10: di=56mm | | | | 4,00 |
| 364.832.00.2 | Geberit pipe bracket with threaded socket M8 / M10: di=63mm | | | | 4,00 |
| 365.832.00.2 | Geberit pipe bracket with threaded socket M8 / M10: di=75mm | | | | 5,00 |
| 366.832.00.2 | Geberit pipe bracket with threaded socket M8 / M10: di=90mm | | | | 5,00 |
| 367.832.00.2 | Geberit pipe bracket with threaded socket M8 / M10: di=110mm | | | | 5,00 |
| 368.832.00.2 | Geberit pipe bracket with threaded socket M8 / M10: di=125mm | | | | 5,00 |
| 369.832.00.2 | Geberit pipe bracket with threaded socket M8 / M10: di=160mm | | | | 7,00 |
| 361.856.00.1 | Geberit pipe bracket with forked legs: di=50mm | | | | 6,00 |
| 363.856.00.1 | Geberit pipe bracket with forked legs: di=56mm | | | | 6,00 |
| 365.856.00.1 | Geberit pipe bracket with forked legs: di=75mm | | | | 6,00 |
| 367.856.00.1 | Geberit pipe bracket with forked legs: di=110mm | | | | 6,00 |
| 315.813.26.1 | Geberit Silent-db20 pipe bracket, insulated, with threaded socket G 1": di=178mm, G=1" | | | | 26,00 |
| 305.812.26.1 | Geberit Silent-db20 pipe bracket, insulated, with threaded socket M10 / G 1/2": di=56mm, G=1/2" | | | | 7,00 |
| 306.812.26.1 | Geberit Silent-db20 pipe bracket, insulated, with threaded socket M10 / G 1/2": di=63mm, G=1/2" | | | | 7,00 |
| 307.812.26.1 | Geberit Silent-db20 pipe bracket, insulated, with threaded socket M10 / G 1/2": di=75mm, G=1/2" | | | | 8,00 |
| 308.812.26.1 | Geberit Silent-db20 pipe bracket, insulated, with threaded socket M10 / G 1/2": di=90mm, G=1/2" | | | | 8,00 |
| 310.812.26.1 | Geberit Silent-db20 pipe bracket, insulated, with threaded socket M10 / G 1/2": di=110mm, G=1/2" | | | | 8,00 |
| 312.812.26.1 | Geberit Silent-db20 pipe bracket, insulated, with threaded socket M10 / G 1/2": di=125mm, G=1/2" | | | | 9,00 |
| 312.813.26.1 | Geberit Silent-db20 pipe bracket, insulated, with threaded socket M10 / G 1/2": di=135mm, G=1/2" | | | | 9,00 |
| 315.812.26.1 | Geberit Silent-db20 pipe bracket, insulated, with threaded socket M10 / G 1/2": di=160mm, G=1/2" | | | | 10,00 |
| 390.298.26.1 | Geberit Silent-PP sliding bracket, insulated, with threaded socket M8 / M10: di=50mm | | | | 6,00 |
| 390.398.26.1 | Geberit Silent-PP sliding bracket, insulated, with threaded socket M8 / M10: di=75mm | | | | 10,00 |
| 390.598.26.1 | Geberit Silent-PP sliding bracket, insulated, with threaded socket M8 / M10: di=110mm | | | | 13,00 |
| 390.099.26.1 | Geberit pipe bracket, insulated, with threaded socket M8 / M10: di=32mm | | | | 3,00 |
| 390.199.26.1 | Geberit pipe bracket, insulated, with threaded socket M8 / M10: di=40mm | | | | 4,00 |
| 390.299.26.1 | Geberit pipe bracket, insulated, with threaded socket M8 / M10: di=50mm | | | | 3,00 |
| 390.399.26.1 | Geberit pipe bracket, insulated, with threaded socket M8 / M10: di=75mm | | | | 6,00 |
| 390.499.26.1 | Geberit pipe bracket, insulated, with threaded socket M8 / M10: di=90mm | | | | 6,00 |
| 390.599.26.1 | Geberit pipe bracket, insulated, with threaded socket M8 / M10: di=110mm | | | | 7,00 |
| 390.699.26.1 | Geberit pipe bracket, insulated, with threaded socket M8 / M10: di=125mm | | | | 10,00 |
| 390.799.26.1 | Geberit pipe bracket, insulated, with threaded socket M8 / M10: di=160mm | | | | 12,00 |
| 393.299.26.1 | Geberit pipe bracket, insulated, with threaded socket M8 / M10: di=50mm | | | | 6,00 |
| 393.399.26.1 | Geberit pipe bracket, insulated, with threaded socket M8 / M10: di=75mm | | | | 7,00 |
| 393.499.26.1 | Geberit pipe bracket, insulated, with threaded socket M8 / M10: di=90mm | | | | 7,00 |
| 393.599.26.1 | Geberit pipe bracket, insulated, with threaded socket M8 / M10: di=110mm | | | | 8,00 |
| 393.699.26.1 | Geberit pipe bracket, insulated, with threaded socket M10 / M12: di=125mm | | | | 10,00 |
| 393.799.26.1 | Geberit pipe bracket, insulated, with threaded socket M10 / M12: di=160mm | | | | 12,00 |
| 362.863.26.1 | Geberit Pluvia support rail: galvanized, L=5m | | | | 9,00 |
| 362.864.26.1 | Geberit Pluvia support rail connection element: galvanized | | | | 8,00 |
| 362.862.26.1 | Geberit Pluvia suspension element: galvanized | | | | 3,00 |
| 362.865.26.1 | Geberit Pluvia tension wedge | | | | 2,00 |
| 360.861.00.1 | Geberit Pluvia pipe bracket: di=40mm, DN=40 | | | | 7,00 |
| 361.861.00.1 | Geberit Pluvia pipe bracket, adjustable: di=50mm, d1=58mm, DN=50 | | | | 8,00 |
| 363.861.00.1 | Geberit Pluvia pipe bracket, adjustable: di=56mm, d1=64mm, DN=56 | | | | 8,00 |
| 364.861.00.1 | Geberit Pluvia pipe bracket, adjustable: di=63mm, d1=71mm, DN=60 | | | | 9,00 |
| 365.861.00.1 | Geberit Pluvia pipe bracket, adjustable: di=75mm, d1=83mm, DN=70 | | | | 9,00 |
| 366.861.00.1 | Geberit Pluvia pipe bracket, adjustable: di=90mm, d1=98mm, DN=90 | | | | 9,00 |
| 367.861.00.1 | Geberit Pluvia pipe bracket, adjustable: di=110mm, d1=118mm, DN=100 | | | | 10,00 |
| 368.861.00.1 | Geberit Pluvia pipe bracket, adjustable: di=125mm, d1=133mm, DN=125 | | | | 10,00 |

| | | | | | |
|--------------|---|--|--|--|----------|
| 369.861.00.1 | Geberit Pluvia pipe bracket, adjustable: di=160mm, di1=168mm, DN=150 | | | | 11,00 |
| 370.861.26.1 | Geberit Pluvia pipe bracket, adjustable, with securing clamp: di=200mm, di1=208mm, DN=200 | | | | 21,00 |
| 363.863.00.1 | Geberit Pluvia support rail: L=5m, B=4cm, H=6cm | | | | 23,00 |
| 363.864.00.1 | Geberit Pluvia connection element: L=16cm, B=4.5cm, H=4cm | | | | 46,00 |
| 363.862.00.1 | Geberit Pluvia suspension element | | | | 4,00 |
| 371.861.00.1 | Geberit Pluvia pipe bracket with electrofusion tape for anchor point | | | | 83,00 |
| 372.861.00.1 | Geberit Pluvia set of pipe brackets with electrofusion tape for anchor point (2 pc.) | | | | 207,00 |
| 371.862.00.1 | Geberit Pluvia pipe bracket with socket M16: di=250mm, B=3cm, L=14.8cm, DN=250 | | | | 38,00 |
| 372.862.00.1 | Geberit Pluvia pipe bracket with socket M16: di=315mm, B=3cm, L=18cm, DN=300 | | | | 45,00 |
| 358.061.00.1 | Geberit Pluvia support set: d=90-200mm, DN=90-200 | | | | 46,00 |
| 358.062.00.1 | Geberit Pluvia support set: d=250-315mm, DN=250-300 | | | | 68,00 |
| 359.145.26.1 | Geberit base plate set, rectangular, two-hole, with threaded socket M10: M=10mm | | | | 19,00 |
| 359.146.26.1 | Geberit base plate set, rectangular, two-hole, with threaded socket G 1/2": G=1/2" | | | | 21,00 |
| 366.740.16.1 | Geberit PE threaded connector with compression joint: d=90mm | | | | 21,00 |
| 362.856.26.1 | Geberit double nipple M10 / G 1/2": M=10mm, G=1/2" | | | | 9,00 |
| 362.846.00.1 | Geberit plastic insert strip for pipe bracket: d=40-160mm | | | | 4,00 |
| 362.828.26.1 | Geberit base plate, rectangular, two-hole, with threaded socket G: G=1" | | | | 7,00 |
| 362.826.26.1 | Geberit base plate, rectangular, two-hole, with threaded socket G: G=1/2" | | | | 6,00 |
| 362.827.26.1 | Geberit base plate, rectangular, two-hole, with threaded socket G: G=3/4" | | | | 7,00 |
| 362.851.26.1 | Geberit base plate, rectangular, two-hole, with threaded socket M10 / G 1/2": G=1/2" | | | | 7,00 |
| 362.848.26.1 | Geberit base plate, rectangular, two-hole, with threaded socket M8 / M10 | | | | 6,00 |
| 362.839.26.1 | Geberit base plate, round, three-hole, with threaded socket G 1/2": G=1/2" | | | | 7,00 |
| 362.837.26.1 | Geberit base plate, round, three-hole, with threaded socket M10 | | | | 5,00 |
| 362.852.26.1 | Geberit threaded pipe: G=1/2", galvanized | | | | 54,00 |
| 362.853.26.1 | Geberit threaded pipe: G=3/4", galvanized | | | | 100,00 |
| 362.854.26.1 | Geberit threaded pipe: G=1", galvanized | | | | 264,00 |
| 362.857.26.1 | Geberit threaded pipe: G=1/2", L=1.15m | | | | 59,00 |
| 362.836.00.1 | Geberit threaded rod: M=10mm, L=50cm | | | | 4,00 |
| 362.834.26.1 | Geberit threaded rod: M=10mm | | | | 9,00 |
| 362.843.26.1 | Geberit connection coupling: M=10mm, G="", L=3.0cm | | | | 3,00 |
| 362.844.26.1 | Geberit connection coupling: M="mm, G=1/2", L=3.4cm | | | | 7,00 |
| 362.835.00.1 | Geberit hanging support: M=10mm, L=16cm | | | | 4,00 |
| 362.833.00.1 | Geberit hanger bolt | | | | 2,90 |
| 360.850.00.1 | Geberit support shell, zinc-plated and coated: di=40mm | | | | 7,00 |
| 361.850.00.1 | Geberit support shell, zinc-plated and coated: di=50mm | | | | 7,00 |
| 363.850.00.1 | Geberit support shell, zinc-plated and coated: di=56mm | | | | 8,00 |
| 364.850.00.1 | Geberit support shell, zinc-plated and coated: di=63mm | | | | 8,00 |
| 365.850.00.1 | Geberit support shell, zinc-plated and coated: di=75mm | | | | 9,00 |
| 366.850.00.1 | Geberit support shell, zinc-plated and coated: di=90mm | | | | 9,00 |
| 367.850.00.1 | Geberit support shell, zinc-plated and coated: di=110mm | | | | 10,00 |
| 368.850.00.1 | Geberit support shell, zinc-plated and coated: di=125mm | | | | 12,00 |
| 369.850.00.1 | Geberit support shell, zinc-plated and coated: di=160mm | | | | 15,00 |
| 370.850.00.1 | Geberit support shell, zinc-plated and coated: di=200mm | | | | 19,00 |
| 371.850.00.1 | Geberit support shell, zinc-plated and coated: di=250mm | | | | 24,00 |
| 372.850.00.1 | Geberit support shell, zinc-plated and coated: di=315mm | | | | 29,00 |
| 359.911.P0.1 | Geberit electrofusion machine ESG 3, 230 V: Plug type=CEE 7/7 | | | | 1489,00 |
| 359.910.P0.1 | Geberit electrofusion machine ESG light, 230 V: Plug type=CEE 7/7 | | | | 1335,00 |
| 359.799.00.1 | Geberit hand-operated plane d40-160: d=40-160mm | | | | 1111,00 |
| 359.046.P2.1 | Geberit electric plane d40-160, 230 V: d=40-160mm, Plug type=CEE 7/17 | | | | 1858,00 |
| 359.082.P2.1 | Geberit electric plane d40-200, 230 V: d=40-200mm, Plug type=CEE 7/17 | | | | 2355,00 |
| 359.641.P0.1 | Geberit welding plate KSS-160, 230 V: d=40-160mm, Plug type=CEE 7/7 | | | | 493,00 |
| 359.665.P0.1 | Geberit welding plate KSS-200, 230 V: d=40-200mm, Plug type=CEE 7/7 | | | | 562,00 |
| 359.662.00.1 | Geberit welding machine Media: d=40-160mm | | | | 3259,00 |
| 356.201.00.1 | Geberit welding machine Universal: d=40-315mm | | | | 5932,00 |
| 358.503.00.1 | Geberit pipe cutter for plastic pipes: d=48-116mm | | | | 204,00 |
| 358.504.00.1 | Geberit pipe cutter for plastic pipes: d=100-168mm | | | | 287,00 |
| 359.860.00.1 | Geberit pipe cutter for plastic pipes: d=200-315mm | | | | 1307,00 |
| 356.118.00.1 | Geberit handheld pipe scraper | | | | 143,00 |
| 359.912.00.1 | Geberit handheld pipe scraper, in case: d=63-160mm | | | | 988,00 |
| 359.915.00.1 | Geberit pipe scraper, in case: d=110mm | | | | 219,00 |
| 359.916.00.1 | Geberit pipe scraper set, in case: d=56, 63, 75, 90, 110mm | | | | 925,00 |
| 359.917.00.1 | Geberit pipe scraper set, in case: d=56, 75, 90, 110mm | | | | 768,00 |
| 359.922.00.1 | Geberit pipe scraper: d=56mm, DN=56 | | | | 167,00 |
| 359.923.00.1 | Geberit pipe scraper: d=63mm, DN=60 | | | | 167,00 |
| 359.924.00.1 | Geberit pipe scraper: d=75mm, DN=70 | | | | 167,00 |
| 359.925.00.1 | Geberit pipe scraper: d=90mm, DN=90 | | | | 167,00 |
| 359.926.00.1 | Geberit pipe scraper: d=110mm, DN=100 | | | | 167,00 |
| 358.501.00.1 | Geberit chamfering tool | | | | 128,00 |
| 359.720.00.1 | Geberit deburring knife | | | | 17,00 |
| 359.832.00.1 | Geberit hand mitre saw: d=32-160mm | | | | 1731,00 |
| 359.048.P0.1 | Geberit PE repair tool 230 V: d=40-160mm, Plug type=CEE 7/7 | | | | 1304,00 |
| 359.930.00.1 | Geberit case for pipe scraper set | | | | 142,00 |
| 356.100.00.1 | Geberit pressure ring: d=200mm | | | | 324,00 |
| 356.116.00.1 | Geberit accessories set for electrofusion with integrated thermal fuse: d=200-315mm | | | | 4380,00 |
| 359.886.00.1 | Geberit welding plate holder for welding plate KSS-160 / KSS-200 | | | | 77,00 |
| 359.684.00.1 | Geberit leather protection case | | | | 62,00 |
| 359.696.00.1 | Geberit leather protection case | | | | 59,00 |
| 359.809.00.1 | Geberit set of tension devices (2 pc.): d=63mm | | | | 433,00 |
| 359.811.00.1 | Geberit set of tension devices (2 pc.): d=56mm | | | | 433,00 |
| 359.812.00.1 | Geberit set of tension devices (2 pc.): d=75mm | | | | 464,00 |
| 359.813.00.1 | Geberit set of tension devices (2 pc.): d=90mm | | | | 493,00 |
| 359.814.00.1 | Geberit set of tension devices (2 pc.): d=110mm | | | | 503,00 |
| 359.816.00.1 | Geberit set of tension devices (2 pc.): d=160mm | | | | 659,00 |
| 359.817.00.1 | Geberit set of tension devices (2 pc.): d=40mm | | | | 432,00 |
| 359.818.00.1 | Geberit set of tension devices (2 pc.): d=50mm | | | | 436,00 |
| 359.819.00.1 | Geberit set of tension devices (2 pc.): d=125mm | | | | 502,00 |
| 359.822.00.1 | Geberit set of tension devices (2 pc.): d=135mm | | | | 635,00 |
| 359.884.00.1 | Geberit set of tension devices d200 (2 pc.): d=200mm | | | | 1065,00 |
| 359.835.00.1 | Geberit set of tension devices (2 pc.): d=250mm | | | | 1705,00 |
| 359.836.00.1 | Geberit set of tension devices (2 pc.): d=315mm | | | | 1813,00 |
| 359.059.00.1 | Geberit set of jaw adapters incl. tension device d110 | | | | 2132,00 |
| 359.691.00.1 | Geberit pipe support prism d200-315, for welding machine Universal: d=200-315mm | | | | 355,00 |
| 357.449.00.1 | Geberit set of pipe supports d200, for welding machine Universal (2 pc.) | | | | 196,00 |
| 357.800.00.1 | Geberit set of pipe supports d50-160, for welding machines Media and Universal (2 pc.): d=50-160mm | | | | 244,00 |
| 359.903.00.1 | Geberit jointing guide: d=32-75mm | | | | 102,00 |
| 359.009.P0.1 | Geberit accessories set for butt welding tools d200-315, Universal: d=200-315mm | | | | 12719,00 |
| 359.663.00.1 | Geberit transport case Media, empty: d=40-160mm | | | | 839,00 |
| 359.683.00.1 | Geberit transport case for KSS-160, empty | | | | 167,00 |
| 359.778.00.1 | Geberit welding plate support for welding machines Media and Universal for welding plate KSS-160 / KSS-200 | | | | 217,00 |
| 242.966.00.1 | Geberit connecting cable for electrofusion coupling, for electrofusion machine ESG 3 and ESG light | | | | 140,00 |
| 242.945.00.1 | Geberit connecting cable for electrofusion coupling with integrated thermal fuse, for electrofusion machine ESG 3 | | | | 81,00 |
| 242.946.00.1 | Geberit set of connecting cables for electrofusion machine ESG 3 | | | | 108,00 |
| 242.947.00.1 | Geberit remote control with cable, for electrofusion machine ESG 3 | | | | 224,00 |
| 242.948.P0.1 | Geberit mains cable 230 V, for electrofusion machine ESG 3: Plug type=CEE 7/7 | | | | 78,00 |
| 242.463.00.1 | Geberit operating lever for welding machine Media | | | | 79,00 |
| 358.729.00.1 | Geberit pipe support, swivelling, for welding machines Media and Universal: d=75-125mm | | | | 127,00 |
| 242.462.00.1 | Geberit pipe support, swivelling, for welding machines Media and Universal: d=135 / 160mm | | | | 59,00 |
| 242.464.00.1 | Geberit turn handle for pipe support prism, for welding machine | | | | 16,00 |
| 242.466.00.1 | Geberit thrust piece for welding plate support, for welding machine | | | | 16,00 |
| 242.828.00.1 | Geberit set of cutting wheels for pipe cutter for plastic pipes: d=48-168mm | | | | 79,00 |
| 357.799.00.1 | Geberit cutting wheel for pipe cutter for plastic pipes d200-315 | | | | 109,00 |
| 240.474.00.1 | Geberit set of planer blades made of HM, for hand-operated plane d40-160 and electric plane d40-200: d=40-160 / 200mm | | | | 127,00 |
| 358.759.00.1 | Geberit planer blade made of HSS, for electric plane d40-160 and electric plane d40-200: d=40-160 / 200mm, Blade=left | | | | 52,00 |

| | | | | | |
|--------------|---|--|--|--|--------|
| 358.760.00.1 | Geberit planer blade made of HSS, for electric plane d40-160 and electric plane d40-200: d=40-160 / 200mm, Blade=right | | | | 52,00 |
| 357.600.00.1 | Geberit planer blade made of HSS, for electric plane d40-160 and electric plane d40-200: d=200mm, Blade=left, ground | | | | 37,00 |
| 357.599.00.1 | Geberit planer blade made of HSS, for electric plane d40-160 and electric plane d40-200: d=200mm, Blade=right, ground | | | | 37,00 |
| 357.751.00.1 | Geberit planer blade for electric plane d200-315 | | | | 101,00 |
| 240.669.00.1 | Geberit planer blade for handheld pipe scraper d56-135 | | | | 117,00 |
| 242.997.00.1 | Geberit scraping knife for pipe scraper | | | | 63,00 |
| 242.647.00.1 | Geberit set of blades for chamfering tool (2 pc.) | | | | 52,00 |
| 244.300.00.1 | Set of sliding segments for Geberit pipe scraper (5 pc.) | | | | 11,00 |
| 244.218.00.1 | Geberit drive shaft for pipe scraper | | | | 69,00 |
| 244.217.00.1 | Geberit button for pipe scraper | | | | 8,00 |
| 220.002.00.1 | Geberit bag for electrofusion machine ESG 40/200 | | | | 148,00 |
| 356.868.00.0 | Geberit support profile for welding machine Universal | | | | 31,00 |
| 905.584.26.1 | Geberit spring pin for welding machine Media | | | | 8,00 |
| 356.954.00.0 | Geberit V-belt for electric plane | | | | 81,00 |
| 984.365.00.1 | Soap Dish Miniature f'WT Acn | | | | 7,00 |
| 601.100.00.1 | Geberit Mepla system pipe, ML, in bars: PE-RT II / Al / PE-RT II, d=16mm, L=5m | | | | 5,00 |
| 602.100.00.1 | Geberit Mepla system pipe, ML, in bars: PE-RT II / Al / PE-RT II, d=20mm, L=5m | | | | 8,00 |
| 603.100.00.1 | Geberit Mepla system pipe, ML, in bars: PE-RT II / Al / PE-RT II, d=26mm, L=5m | | | | 13,00 |
| 603.110.00.1 | Geberit Mepla system pipe, ML, in coils: PE-RT II / Al / PE-RT II, d=26mm, L=50m | | | | 11,00 |
| 603.132.00.1 | Geberit Mepla system pipe, ML, with circular pre-insulation, in coils: PE-RT II / Al / PE-RT II, d=26mm, Insulation=6mm, L=25m | | | | 13,00 |
| 603.135.00.1 | Geberit Mepla system pipe, ML, with circular pre-insulation, in coils: PE-RT II / Al / PE-RT II, d=26mm, Insulation=10mm, L=25m | | | | 14,00 |
| 603.134.00.1 | Geberit Mepla system pipe, ML, with circular pre-insulation, in coils: PE-RT II / Al / PE-RT II, d=26mm, Insulation=6mm, L=25m | | | | 13,00 |
| 604.100.00.1 | Geberit Mepla system pipe, ML, in bars: PE-RT II / Al / PE-RT II, d=32mm, L=5m | | | | 18,00 |
| 605.100.00.1 | Geberit Mepla system pipe, ML, in bars: PE-RT II / Al / PE-RT II, d=40mm, L=5m | | | | 31,00 |
| 606.100.00.1 | Geberit Mepla system pipe, ML, in bars: PE-RT II / Al / PE-RT II, d=50mm, L=5m | | | | 38,00 |
| 607.100.00.1 | Geberit Mepla system pipe, ML, in bars: PE-RT II / Al / PE-RT II, d=63mm, L=5m | | | | 54,00 |
| 608.100.00.1 | Geberit Mepla system pipe, ML, in bars: PE-RT II / Al / PE-RT II, d=75mm, L=5m | | | | 94,00 |
| 601.130.00.1 | Geberit Mepla system pipe, ML, in coils: PE-RT II / Al / PE-RT II, d=16mm, L=50m | | | | 5,00 |
| 601.130.00.2 | Geberit Mepla system pipe, ML, in coils: PE-RT II / Al / PE-RT II, d=16mm, L=100m | | | | 5,00 |
| 601.131.00.2 | Geberit Mepla system pipe, ML, in protective tube, in coils: PE-RT II / Al / PE-RT II, d=16mm, D=2.7cm, L=50m | | | | 5,00 |
| 601.132.00.1 | Geberit Mepla system pipe, ML, with circular pre-insulation, in coils: PE-RT II / Al / PE-RT II, d=16mm, Insulation=6mm, L=50m | | | | 6,00 |
| 601.135.00.1 | Geberit Mepla system pipe, ML, with circular pre-insulation, in coils: PE-RT II / Al / PE-RT II, d=16mm, Insulation=10mm, L=50m | | | | 7,00 |
| 601.134.00.1 | Geberit Mepla system pipe, ML, with circular pre-insulation, in coils: PE-RT II / Al / PE-RT II, d=16mm, Insulation=6mm, L=50m | | | | 6,00 |
| 602.130.00.1 | Geberit Mepla system pipe, ML, in coils: PE-RT II / Al / PE-RT II, d=20mm, L=50m | | | | 6,00 |
| 602.130.00.2 | Geberit Mepla system pipe, ML, in coils: PE-RT II / Al / PE-RT II, d=20mm, L=100m | | | | 6,00 |
| 602.131.00.2 | Geberit Mepla system pipe, ML, in protective tube, in coils: PE-RT II / Al / PE-RT II, d=20mm, D=3.1cm, L=50m | | | | 7,00 |
| 602.132.00.1 | Geberit Mepla system pipe, ML, with circular pre-insulation, in coils: PE-RT II / Al / PE-RT II, d=20mm, Insulation=6mm, L=50m | | | | 8,00 |
| 602.135.00.1 | Geberit Mepla system pipe, ML, with circular pre-insulation, in coils: PE-RT II / Al / PE-RT II, d=20mm, Insulation=10mm, L=50m | | | | 8,00 |
| 602.134.00.1 | Geberit Mepla system pipe, ML, with circular pre-insulation, in coils: PE-RT II / Al / PE-RT II, d=20mm, Insulation=6mm, L=50m | | | | 8,00 |
| 617.020.00.1 | Geberit Volex system pipe, ML, in bars: PE-RT II / Al / PE-RT II, d=16mm, L=5m | | | | 3,00 |
| 617.027.00.1 | Geberit Volex system pipe, ML, in coils: PE-RT II / Al / PE-RT II, d=16mm, L=25m | | | | 3,00 |
| 617.030.00.1 | Geberit Volex system pipe, ML, in coils: PE-RT II / Al / PE-RT II, d=16mm, L=50m | | | | 2,00 |
| 617.040.00.1 | Geberit Volex system pipe, ML, in coils: PE-RT II / Al / PE-RT II, d=16mm, L=100m | | | | 2,00 |
| 617.050.00.1 | Geberit Volex system pipe, ML, in coils: PE-RT II / Al / PE-RT II, d=16mm, L=200m | | | | 2,00 |
| 617.060.00.1 | Geberit Volex system pipe, ML, in protective tube, in coils: PE-RT II / Al / PE-RT II, d=16mm, D=2.5cm, L=50m | | | | 4,00 |
| 617.070.00.1 | Geberit Volex system pipe, ML, in protective tube, in coils: PE-RT II / Al / PE-RT II, d=16mm, D=2.5cm, L=100m | | | | 4,00 |
| 617.080.00.1 | Geberit Volex system pipe, ML, in protective tube, in coils: PE-RT II / Al / PE-RT II, d=16mm, D=2.5cm, L=50m | | | | 4,00 |
| 617.090.00.1 | Geberit Volex system pipe, ML, in protective tube, in coils: PE-RT II / Al / PE-RT II, d=16mm, D=2.5cm, L=100m | | | | 4,00 |
| 617.100.00.1 | Geberit Volex system pipe, ML, with circular pre-insulation, in coils: PE-RT II / Al / PE-RT II, d=16mm, Insulation=6mm, L=50m | | | | 4,00 |
| 617.110.00.1 | Geberit Volex system pipe, ML, with circular pre-insulation, in coils: PE-RT II / Al / PE-RT II, d=16mm, Insulation=10mm, L=50m | | | | 4,00 |
| 617.120.00.1 | Geberit Volex system pipe, ML, with circular pre-insulation, in coils: PE-RT II / Al / PE-RT II, d=16mm, Insulation=13mm, L=50m | | | | 11,00 |
| 617.021.00.1 | Geberit Volex system pipe, ML, in bars: PE-RT II / Al / PE-RT II, d=20mm, L=5m | | | | 4,00 |
| 617.028.00.1 | Geberit Volex system pipe, ML, in coils: PE-RT II / Al / PE-RT II, d=20mm, L=25m | | | | 4,00 |
| 617.031.00.1 | Geberit Volex system pipe, ML, in coils: PE-RT II / Al / PE-RT II, d=20mm, L=50m | | | | 4,00 |
| 617.041.00.1 | Geberit Volex system pipe, ML, in coils: PE-RT II / Al / PE-RT II, d=20mm, L=100m | | | | 3,00 |
| 617.061.00.1 | Geberit Volex system pipe, ML, in protective tube, in coils: PE-RT II / Al / PE-RT II, d=20mm, D=2.8cm, L=50m | | | | 5,00 |
| 617.071.00.1 | Geberit Volex system pipe, ML, in protective tube, in coils: PE-RT II / Al / PE-RT II, d=20mm, D=2.8cm, L=100m | | | | 5,00 |
| 617.081.00.1 | Geberit Volex system pipe, ML, in protective tube, in coils: PE-RT II / Al / PE-RT II, d=20mm, D=2.8cm, L=50m | | | | 5,00 |
| 617.091.00.1 | Geberit Volex system pipe, ML, in protective tube, in coils: PE-RT II / Al / PE-RT II, d=20mm, D=2.8cm, L=100m | | | | 5,00 |
| 617.101.00.1 | Geberit Volex system pipe, ML, with circular pre-insulation, in coils: PE-RT II / Al / PE-RT II, d=20mm, Insulation=6mm, L=50m | | | | 5,00 |
| 617.111.00.1 | Geberit Volex system pipe, ML, with circular pre-insulation, in coils: PE-RT II / Al / PE-RT II, d=20mm, Insulation=10mm, L=50m | | | | 5,00 |
| 617.121.00.1 | Geberit Volex system pipe, ML, with circular pre-insulation, in coils: PE-RT II / Al / PE-RT II, d=20mm, Insulation=13mm, L=50m | | | | 14,00 |
| 617.022.00.1 | Geberit Volex system pipe, ML, in bars: PE-RT II / Al / PE-RT II, d=26mm, L=5m | | | | 6,00 |
| 617.029.00.1 | Geberit Volex system pipe, ML, in coils: PE-RT II / Al / PE-RT II, d=26mm, L=25m | | | | 6,00 |
| 617.032.00.1 | Geberit Volex system pipe, ML, in coils: PE-RT II / Al / PE-RT II, d=26mm, L=50m | | | | 5,00 |
| 617.062.00.1 | Geberit Volex system pipe, ML, in protective tube, in coils: PE-RT II / Al / PE-RT II, d=26mm, D=3.4cm, L=25m | | | | 8,00 |
| 617.082.00.1 | Geberit Volex system pipe, ML, in protective tube, in coils: PE-RT II / Al / PE-RT II, d=26mm, D=3.4cm, L=25m | | | | 8,00 |
| 617.102.00.1 | Geberit Volex system pipe, ML, with circular pre-insulation, in coils: PE-RT II / Al / PE-RT II, d=26mm, Insulation=6mm, L=25m | | | | 8,00 |
| 617.112.00.1 | Geberit Volex system pipe, ML, with circular pre-insulation, in coils: PE-RT II / Al / PE-RT II, d=26mm, Insulation=10mm, L=25m | | | | 8,00 |
| 617.122.00.1 | Geberit Volex system pipe, ML, with circular pre-insulation, in coils: PE-RT II / Al / PE-RT II, d=26mm, Insulation=13mm, L=25m | | | | 18,00 |
| 617.023.00.1 | Geberit Volex system pipe, ML, in bars: PE-RT II / Al / PE-RT II, d=32mm, L=5m | | | | 9,00 |
| 617.033.00.1 | Geberit Volex system pipe, ML, in coils: PE-RT II / Al / PE-RT II, d=32mm, L=25m | | | | 13,00 |
| 617.024.00.1 | Geberit Volex system pipe, ML, in bars: PE-RT II / Al / PE-RT II, d=40mm, L=5m | | | | 16,00 |
| 617.025.00.1 | Geberit Volex system pipe, ML, in bars: PE-RT II / Al / PE-RT II, d=50mm, L=5m | | | | 25,00 |
| 617.026.00.1 | Geberit Volex system pipe, ML, in bars: PE-RT II / Al / PE-RT II, d=63mm, L=5m | | | | 39,00 |
| 617.170.00.1 | Geberit system pipe SL, with EVOH, NPW, in coils: d=16mm, L=120m | | | | 2,00 |
| 617.180.00.1 | Geberit system pipe SL, with EVOH, NPW, in coils: d=16mm, L=240m | | | | 2,00 |
| 617.190.00.1 | Geberit system pipe SL, with EVOH, NPW, in coils: d=16mm, L=600m | | | | 2,00 |
| 617.171.00.1 | Geberit system pipe SL, with EVOH, NPW, in coils: d=20mm, L=120m | | | | 3,00 |
| 617.181.00.1 | Geberit system pipe SL, with EVOH, NPW, in coils: d=20mm, L=240m | | | | 3,00 |
| 601.575.00.5 | Geberit Mepla long coupling: CC499K, d=16mm | | | | 58,00 |
| 601.508.00.5 | Geberit Mepla adapter to Geberit Mappress, with plain end: CC499K, d=16mm, d1=15mm | | | | 12,00 |
| 601.510.00.5 | Geberit Mepla adapter to Geberit Mappress, with plain end, NPW: 1.4401, d=16mm, d1=15mm | | | | 17,00 |
| 601.571.00.5 | Geberit Mepla union: CC499K, d=16mm | | | | 30,00 |
| 601.590.00.5 | Geberit Mepla adapter union with male thread: CC499K, d=16mm, R=1/2", G=3/4" | | | | 28,00 |
| 601.595.00.5 | Geberit Mepla adapter union with female thread: CC499K, d=16mm, Rp=1/2" | | | | 28,00 |
| 601.582.00.5 | Geberit Mepla adapter with union nut: CC499K, d=16mm, di=11mm, G=1/2" | | | | 23,00 |
| 601.583.00.5 | Geberit Mepla adapter with union nut: CC499K, d=16mm, di=17mm, G=3/4" | | | | 23,00 |
| 601.276.00.5 | Geberit Mepla elbow tap connector 90° for concealed cistern: CC499K, d=16mm, Rp=1/2" | | | | 35,00 |
| 602.575.00.5 | Geberit Mepla long coupling: CC499K, d=20mm | | | | 63,00 |
| 602.508.00.5 | Geberit Mepla adapter to Geberit Mappress, with plain end: CC499K, d=20mm, d1=18mm | | | | 15,00 |
| 602.509.00.5 | Geberit Mepla adapter to Geberit Mappress, with plain end: CC499K, d=20mm, d1=22mm | | | | 15,00 |
| 602.510.00.5 | Geberit Mepla adapter to Geberit Mappress, with plain end, NPW: 1.4401, d=20mm, d1=18mm | | | | 22,00 |
| 602.511.00.5 | Geberit Mepla adapter to Geberit Mappress, with plain end, NPW: 1.4401, d=20mm, d1=22mm | | | | 21,00 |
| 602.571.00.5 | Geberit Mepla union: CC499K, d=20mm | | | | 34,00 |
| 602.590.00.5 | Geberit Mepla adapter union with male thread: CC499K, d=20mm, R=1/2", G=3/4" | | | | 29,00 |
| 602.591.00.5 | Geberit Mepla adapter union with male thread: CC499K, d=20mm, R=3/4", G=3/4" | | | | 29,00 |
| 602.595.00.5 | Geberit Mepla adapter union with female thread: CC499K, d=20mm, Rp=1/2" | | | | 29,00 |
| 602.582.00.5 | Geberit Mepla adapter with union nut: CC499K, d=20mm, di=11mm, G=1/2" | | | | 23,00 |
| 602.583.00.5 | Geberit Mepla adapter with union nut: CC499K, d=20mm, di=17mm, G=3/4" | | | | 23,00 |
| 602.584.00.5 | Geberit Mepla adapter with union nut: CC499K, d=20mm, di=21mm, G=1" | | | | 23,00 |
| 602.586.00.5 | Geberit Mepla adapter with union nut: CC499K, d=20mm, di=27mm, G=1 1/4" | | | | 23,00 |
| 602.585.00.5 | Geberit Mepla adapter with union nut: CC499K, d=20mm, di=32mm, G=1 1/2" | | | | 23,00 |
| 602.283.00.1 | Geberit tap connector, straight, with male thread MF 1/2": CC499K, RMF=1/2", Rp=1/2", L=5.7cm | | | | 19,00 |
| 602.285.00.1 | Geberit elbow tap connector 90° with male thread MF 1/2": CC499K, RMF=1/2", Rp=1/2", L=5.7cm | | | | 19,00 |
| 465.034.00.2 | Geberit elbow tap connector 90° set with male thread MF 1/2": CC499K, RMF=1/2", Rp=1/2", L=7.3cm | | | | 33,00 |
| 602.276.00.5 | Geberit Mepla elbow tap connector 90° for concealed cistern: CC499K, d=20mm, Rp=1/2" | | | | 35,00 |
| 603.575.00.5 | Geberit Mepla long coupling: CC499K, d=26mm | | | | 63,00 |
| 603.508.00.5 | Geberit Mepla adapter to Geberit Mappress, with plain end: CC499K, d=26mm, d1=22mm | | | | 19,00 |
| 603.510.00.5 | Geberit Mepla adapter to Geberit Mappress, with plain end, NPW: 1.4401, d=26mm, d1=22mm | | | | 27,00 |
| 603.258.00.5 | Geberit Mepla bend adapter 90° with female thread: CC499K, d=26mm, Rp=1" | | | | 35,00 |
| 603.571.00.5 | Geberit Mepla union: CC499K, d=26mm | | | | 40,00 |
| 603.590.00.5 | Geberit Mepla adapter union with male thread: CC499K, d=26mm, R=3/4", G=1" | | | | 37,00 |

| | | | | |
|--------------|---|--|--|--------|
| 603.595.00.5 | Geberit Mepla adapter union with female thread: CC499K, d=26mm, Rp=3/4" | | | 37,00 |
| 603.582.00.5 | Geberit Mepla adapter with union nut: CC499K, d=26mm, di=11mm, G=1/2" | | | 26,00 |
| 603.583.00.5 | Geberit Mepla adapter with union nut: CC499K, d=26mm, di=17mm, G=3/4" | | | 26,00 |
| 603.584.00.5 | Geberit Mepla adapter with union nut: CC499K, d=26mm, di=21mm, G=1" | | | 26,00 |
| 603.586.00.5 | Geberit Mepla adapter with union nut: CC499K, d=26mm, di=27mm, G=1 1/4" | | | 26,00 |
| 603.585.00.5 | Geberit Mepla adapter with union nut: CC499K, d=26mm, di=32mm, G=1 1/2" | | | 26,00 |
| 604.575.00.5 | Geberit Mepla long coupling: CC499K, d=32mm | | | 78,00 |
| 604.508.00.5 | Geberit Mepla adapter to Geberit Mappress, with plain end: CC499K, d=32mm, d1=28mm | | | 26,00 |
| 604.510.00.5 | Geberit Mepla adapter to Geberit Mappress, with plain end, NPW: 1.4401, d=32mm, d1=28mm | | | 36,00 |
| 604.538.00.5 | Geberit Mepla adapter with male thread: CC499K, d=32mm, R=1 1/4" | | | 27,00 |
| 604.558.00.5 | Geberit Mepla adapter with female thread: CC499K, d=32mm, Rp=1 1/4" | | | 27,00 |
| 604.571.00.5 | Geberit Mepla union: CC499K, d=32mm | | | 52,00 |
| 604.590.00.5 | Geberit Mepla adapter union with male thread: CC499K, d=32mm, R=1", G=1 1/4" | | | 52,00 |
| 604.591.00.5 | Geberit Mepla adapter union with male thread: CC499K, d=32mm, R=1 1/4", G=1 1/4" | | | 52,00 |
| 604.595.00.5 | Geberit Mepla adapter union with female thread: CC499K, d=32mm, Rp=1" | | | 52,00 |
| 604.596.00.5 | Geberit Mepla adapter union with female thread: CC499K, d=32mm, Rp=1 1/4" | | | 52,00 |
| 604.583.00.5 | Geberit Mepla adapter with union nut: CC499K, d=32mm, di=17mm, G=3/4" | | | 37,00 |
| 604.584.00.5 | Geberit Mepla adapter with union nut: CC499K, d=32mm, di=21mm, G=1" | | | 37,00 |
| 604.585.00.5 | Geberit Mepla adapter with union nut: CC499K, d=32mm, di=32mm, G=1 1/2" | | | 37,00 |
| 605.575.00.5 | Geberit Mepla long coupling: CC499K, d=40mm | | | 116,00 |
| 605.360.00.5 | Geberit Mepla T-piece with female thread: CC499K, d=40mm, Rp=1/2", d1=40mm | | | 52,00 |
| 605.363.00.5 | Geberit Mepla T-piece with female thread: CC499K, d=40mm, Rp=1", d1=40mm | | | 52,00 |
| 605.364.00.5 | Geberit Mepla T-piece with female thread: CC499K, d=40mm, Rp=1 1/4", d1=40mm | | | 52,00 |
| 605.508.00.5 | Geberit Mepla adapter to Geberit Mappress, with plain end: CC499K, d=40mm, d1=35mm | | | 37,00 |
| 605.510.00.5 | Geberit Mepla adapter to Geberit Mappress, with plain end, NPW: 1.4401, d=40mm, d1=35mm | | | 53,00 |
| 605.537.00.5 | Geberit Mepla adapter with male thread: CC499K, d=40mm, R=1" | | | 27,00 |
| 605.538.00.5 | Geberit Mepla adapter with male thread: CC499K, d=40mm, R=1 1/4" | | | 27,00 |
| 605.539.00.5 | Geberit Mepla adapter with male thread: CC499K, d=40mm, R=1 1/2" | | | 27,00 |
| 605.557.00.5 | Geberit Mepla adapter with female thread: CC499K, d=40mm, Rp=1" | | | 27,00 |
| 605.558.00.5 | Geberit Mepla adapter with female thread: CC499K, d=40mm, Rp=1 1/4" | | | 27,00 |
| 605.559.00.5 | Geberit Mepla adapter with female thread: CC499K, d=40mm, Rp=1 1/2" | | | 27,00 |
| 605.259.00.5 | Geberit Mepla bend adapter 90° with female thread: CC499K, d=40mm, Rp=1 1/4" | | | 55,00 |
| 605.571.00.5 | Geberit Mepla union: CC499K, d=40mm | | | 65,00 |
| 605.590.00.5 | Geberit Mepla adapter union with male thread: CC499K, d=40mm, R=1 1/4", G=1 1/2" | | | 67,00 |
| 605.591.00.5 | Geberit Mepla adapter union with male thread: CC499K, d=40mm, R=1 1/2", G=1 1/2" | | | 67,00 |
| 605.595.00.5 | Geberit Mepla adapter union with female thread: CC499K, d=40mm, Rp=1 1/4" | | | 67,00 |
| 605.596.00.5 | Geberit Mepla adapter union with female thread: CC499K, d=40mm, Rp=1 1/2" | | | 67,00 |
| 605.589.00.5 | Geberit Mepla adapter with union nut: CC499K, d=40mm, di=27mm, G=1 1/4" | | | 46,00 |
| 605.585.00.5 | Geberit Mepla adapter with union nut: CC499K, d=40mm, di=32mm, G=1 1/2" | | | 46,00 |
| 606.575.00.5 | Geberit Mepla long coupling: CC499K, d=50mm | | | 165,00 |
| 606.361.00.5 | Geberit Mepla T-piece with female thread: CC499K, d=50mm, Rp=1/2", d1=50mm | | | 86,00 |
| 606.363.00.5 | Geberit Mepla T-piece with female thread: CC499K, d=50mm, Rp=1", d1=50mm | | | 86,00 |
| 606.360.00.5 | Geberit Mepla T-piece with female thread: CC499K, d=50mm, Rp=1 1/2", d1=50mm | | | 86,00 |
| 606.508.00.5 | Geberit Mepla adapter to Geberit Mappress, with plain end: CC499K, d=50mm, d1=42mm | | | 74,00 |
| 606.510.00.5 | Geberit Mepla adapter to Geberit Mappress, with plain end, NPW: 1.4401, d=50mm, d1=42mm | | | 103,00 |
| 606.537.00.5 | Geberit Mepla adapter with male thread: CC499K, d=50mm, R=1 1/2" | | | 63,00 |
| 606.540.00.5 | Geberit Mepla adapter with male thread: CC499K, d=50mm, R=2" | | | 63,00 |
| 606.559.00.5 | Geberit Mepla adapter with female thread: CC499K, d=50mm, Rp=1 1/2" | | | 63,00 |
| 606.560.00.5 | Geberit Mepla adapter with female thread: CC499K, d=50mm, Rp=2" | | | 63,00 |
| 606.255.00.5 | Geberit Mepla bend adapter 90° with male thread: CC499K, d=50mm, R=1 1/2" | | | 83,00 |
| 606.256.00.5 | Geberit Mepla bend adapter 90° with female thread: CC499K, d=50mm, Rp=1 1/2" | | | 83,00 |
| 606.571.00.5 | Geberit Mepla union: CC499K, d=50mm | | | 129,00 |
| 606.590.00.5 | Geberit Mepla adapter union with male thread: CC499K, d=50mm, R=1 1/2", G=1 3/4" | | | 128,00 |
| 606.591.00.5 | Geberit Mepla adapter union with male thread: CC499K, d=50mm, R=2", G=2" | | | 128,00 |
| 606.595.00.5 | Geberit Mepla adapter union with female thread: CC499K, d=50mm, Rp=1 1/2" | | | 128,00 |
| 606.596.00.5 | Geberit Mepla adapter union with female thread: CC499K, d=50mm, Rp=2" | | | 128,00 |
| 606.585.00.5 | Geberit Mepla adapter with union nut: CC499K, d=50mm, di=32mm, G=1 1/2" | | | 77,00 |
| 606.580.00.5 | Geberit Mepla adapter with union nut: CC499K, d=50mm, di=36mm, G=1 3/4" | | | 77,00 |
| 606.581.00.5 | Geberit Mepla adapter with union nut: CC499K, d=50mm, di=42mm, G=2" | | | 77,00 |
| 607.360.00.5 | Geberit Mepla T-piece with female thread: CC499K, d=63mm, Rp=1/2", d1=63mm | | | 239,00 |
| 607.363.00.5 | Geberit Mepla T-piece with female thread: CC499K, d=63mm, Rp=1", d1=63mm | | | 239,00 |
| 607.366.00.5 | Geberit Mepla T-piece with female thread: CC499K, d=63mm, Rp=2", d1=63mm | | | 239,00 |
| 607.508.00.5 | Geberit Mepla adapter to Geberit Mappress, with plain end: CC499K, d=63mm, d1=54mm | | | 113,00 |
| 607.510.00.5 | Geberit Mepla adapter to Geberit Mappress, with plain end, NPW: 1.4401, d=63mm, d1=54mm | | | 157,00 |
| 607.539.00.5 | Geberit Mepla adapter with male thread: CC499K, d=63mm, R=2" | | | 96,00 |
| 607.541.00.5 | Geberit Mepla adapter with male thread: CC499K, d=63mm, R=2 1/2" | | | 96,00 |
| 607.560.00.5 | Geberit Mepla adapter with female thread: CC499K, d=63mm, Rp=2" | | | 96,00 |
| 607.561.00.5 | Geberit Mepla adapter with female thread: CC499K, d=63mm, Rp=2 1/2" | | | 96,00 |
| 607.255.00.5 | Geberit Mepla bend adapter 90° with male thread: CC499K, d=63mm, R=2" | | | 177,00 |
| 607.256.00.5 | Geberit Mepla bend adapter 90° with female thread: CC499K, d=63mm, Rp=2" | | | 177,00 |
| 607.571.00.5 | Geberit Mepla union: CC499K, d=63mm | | | 268,00 |
| 607.590.00.5 | Geberit Mepla adapter union with male thread: CC499K, d=63mm, R=2", G=2 3/4" | | | 184,00 |
| 607.591.00.5 | Geberit Mepla adapter union with male thread: CC499K, d=63mm, R=2 1/2", G=2 3/4" | | | 184,00 |
| 607.595.00.5 | Geberit Mepla adapter union with female thread: CC499K, d=63mm, Rp=2" | | | 184,00 |
| 607.581.00.5 | Geberit Mepla adapter with union nut: CC499K, d=63mm, di=42mm, G=2" | | | 118,00 |
| 607.587.00.5 | Geberit Mepla adapter with union nut: CC499K, d=63mm, di=54mm, G=2 1/2" | | | 118,00 |
| 608.363.00.5 | Geberit Mepla T-piece with female thread: CC499K, d=75mm, Rp=1", d1=75mm | | | 366,00 |
| 608.541.00.5 | Geberit Mepla adapter with male thread: CC499K, d=75mm, R=2 1/2" | | | 183,00 |
| 608.561.00.5 | Geberit Mepla adapter with female thread: CC499K, d=75mm, Rp=2 1/2" | | | 183,00 |
| 608.520.00.5 | flanged stub with pressing nipple, for Geberit Mepla loose flanges PN 6 and PN 10/16: CC499K, d=75mm, da=95mm, DN=65 | | | 233,00 |
| 611.362.00.5 | Geberit Mepla T-piece with female thread: CW617N, d=16mm, Rp=1/2", d1=16mm | | | 20,00 |
| 611.535.00.5 | Geberit Mepla adapter with male thread: CW617N, d=16mm, R=1/2" | | | 8,00 |
| 611.555.00.5 | Geberit Mepla adapter with female thread: CW617N, d=16mm, Rp=1/2" | | | 8,00 |
| 611.252.00.5 | Geberit Mepla elbow adapter 90° with male thread: CW617N, d=16mm, R=1/2" | | | 14,00 |
| 611.256.00.5 | Geberit Mepla elbow adapter 90° with female thread: CW617N, d=16mm, Rp=1/2" | | | 14,00 |
| 611.541.00.5 | Geberit Mepla adapter union with clamping ring: CW617N, d=16mm, d1=12mm | | | 17,00 |
| 611.542.00.5 | Geberit Mepla adapter union with clamping ring: CW617N, d=16mm, d1=15mm | | | 17,00 |
| 611.512.24.5 | Geberit Mepla adapter to copper pipe clamping ring union: Product material=Brass / copper, d=16mm, d1=15mm | | | 23,00 |
| 611.289.00.5 | Geberit Mepla elbow tap connector 90°: CW617N, d=16mm, Rp=1/2", L=3.6cm | | | 14,00 |
| 611.293.00.5 | Geberit Mepla elbow tap connector 90°: CW617N, d=16mm, Rp=1/2", L=5.2cm | | | 21,00 |
| 611.296.00.5 | Geberit Mepla elbow tap connector 90°: CW617N, d=16mm, Rp=1/2", L=7.8cm | | | 26,00 |
| 611.297.00.1 | Geberit Mepla elbow tap connector 90° with male thread and soldering socket: CW617N, R=1/2", d=15mm, Rp=1/2", L=5.2cm | | | 14,00 |
| 611.372.00.5 | Geberit Mepla connector T-piece for concealed cistern: CW617N, d=16mm, Rp=1/2", d1=16mm | | | 30,00 |
| 611.623.00.5 | Geberit Mepla connection nipple for manifold, for Euro cone: CW617N, d=16mm, G=3/4" | | | 15,00 |
| 612.360.00.5 | Geberit Mepla T-piece with female thread: CW617N, d=20mm, Rp=1/2", d1=20mm | | | 24,00 |
| 612.535.00.5 | Geberit Mepla adapter with male thread: CW617N, d=20mm, R=1/2" | | | 9,00 |
| 612.536.00.5 | Geberit Mepla adapter with male thread: CW617N, d=20mm, R=3/4" | | | 9,00 |
| 612.555.00.5 | Geberit Mepla adapter with female thread: CW617N, d=20mm, Rp=1/2" | | | 9,00 |
| 612.556.00.5 | Geberit Mepla adapter with female thread: CW617N, d=20mm, Rp=3/4" | | | 9,00 |
| 612.252.00.5 | Geberit Mepla elbow adapter 90° with male thread: CW617N, d=20mm, R=1/2" | | | 16,00 |
| 612.253.00.5 | Geberit Mepla elbow adapter 90° with male thread: CW617N, d=20mm, R=3/4" | | | 16,00 |
| 612.256.00.5 | Geberit Mepla elbow adapter 90° with female thread: CW617N, d=20mm, Rp=1/2" | | | 16,00 |
| 612.257.00.5 | Geberit Mepla elbow adapter 90° with female thread: CW617N, d=20mm, Rp=3/4" | | | 16,00 |
| 612.542.00.5 | Geberit Mepla adapter union with clamping ring: CW617N, d=20mm, d1=15mm | | | 17,00 |
| 612.512.24.5 | Geberit Mepla adapter to copper pipe clamping ring union: Product material=Brass / copper, d=20mm, d1=15mm | | | 26,00 |
| 612.289.00.5 | Geberit Mepla elbow tap connector 90°: CW617N, d=20mm, Rp=1/2", L=3.6cm | | | 15,00 |
| 612.293.00.5 | Geberit Mepla elbow tap connector 90°: CW617N, d=20mm, Rp=1/2", L=5.2cm | | | 23,00 |
| 612.294.00.5 | Geberit Mepla elbow tap connector 90°: CW617N, d=20mm, Rp=3/4", L=5.2cm | | | 23,00 |
| 612.296.00.5 | Geberit Mepla elbow tap connector 90°: CW617N, d=20mm, Rp=1/2", L=7.8cm | | | 26,00 |
| 612.305.00.5 | Geberit Mepla corner elbow connector 90°: CW617N, d=20mm, Rp=1/2", L1=6.5cm | | | 27,00 |
| 612.306.00.5 | Geberit Mepla corner elbow connector 90°: CW617N, d=20mm, Rp=1/2", L1=6.5cm | | | 28,00 |
| 612.301.00.5 | Geberit Mepla T-elbow tap connector 90°, offset: CW617N, d=20mm, Rp=1/2", d1=20mm, L=3.6cm | | | 30,00 |
| 612.302.00.5 | Geberit Mepla T-elbow tap connector 90°, offset: CW617N, d=20mm, Rp=1/2", d1=20mm, L=5.2cm | | | 30,00 |

| | | | | | |
|--------------|---|--|--|--|-------|
| 604.910.00.5 | Geberit Mepla set of O-rings with corrosion barrier washers (2 pc.): d=32mm | | | | 3,00 |
| 605.910.00.5 | Geberit Mepla set of O-rings with corrosion barrier washers (2 pc.): d=40mm | | | | 6,00 |
| 606.910.00.5 | Geberit Mepla set of O-rings with corrosion barrier washers (2 pc.): d=50mm | | | | 9,00 |
| 607.910.00.5 | Geberit Mepla set of O-rings with corrosion barrier washers (2 pc.): d=63mm | | | | 11,00 |
| 608.910.00.5 | Geberit Mepla set of O-rings with corrosion barrier washers (2 pc.): d=75mm | | | | 19,00 |
| 650.531.00.1 | Geberit PushFit adapter with male thread: CC499K, d=16mm, R=1/2" | | | | 12,00 |
| 651.531.00.1 | Geberit PushFit adapter with male thread: CC499K, d=20mm, R=1/2" | | | | 18,00 |
| 650.270.00.1 | Geberit PushFit elbow 90°: PVDF, d=16mm | | | | 11,00 |
| 651.310.00.1 | Geberit PushFit T-piece, equal: PVDF, d=20mm | | | | 19,00 |
| 651.311.00.1 | Geberit PushFit T-piece, reduced: PVDF, d=20mm, d1=16mm, d2=20mm | | | | 20,00 |
| 618.010.00.1 | Geberit Volex coupling: CW617N, d=16mm | | | | 6,00 |
| 618.070.00.1 | Geberit Volex elbow: 90°, CW617N, d=16mm | | | | 6,00 |
| 618.090.00.1 | Geberit Volex T-piece, equal: CW617N, d=16mm | | | | 8,00 |
| 618.220.00.1 | Geberit Volex T-piece with male thread: CW617N, d=16mm, R=1/2", d1=16mm | | | | 10,00 |
| 618.230.00.1 | Geberit Volex T-piece with male thread: CW617N, d=16mm, R=3/4", d1=16mm | | | | 10,00 |
| 618.240.00.1 | Geberit Volex T-piece with female thread: CW617N, d=16mm, Rp=1/2", d1=16mm | | | | 10,00 |
| 618.250.00.1 | Geberit Volex T-piece with female thread: CW617N, d=16mm, Rp=3/4", d1=16mm | | | | 10,00 |
| 618.340.00.1 | Geberit Volex adapter with male thread: CW617N, d=16mm, R=3/8" | | | | 6,00 |
| 618.350.00.1 | Geberit Volex adapter with male thread: CW617N, d=16mm, R=1/2" | | | | 6,00 |
| 618.360.00.1 | Geberit Volex adapter with male thread: CW617N, d=16mm, R=3/4" | | | | 6,00 |
| 618.370.00.1 | Geberit Volex elbow adapter 90° with male thread: CW617N, d=16mm, R=3/8" | | | | 8,00 |
| 618.380.00.1 | Geberit Volex elbow adapter 90° with male thread: CW617N, d=16mm, R=1/2" | | | | 8,00 |
| 618.280.00.1 | Geberit Volex adapter with female thread: CW617N, d=16mm, Rp=1/2" | | | | 6,00 |
| 618.290.00.1 | Geberit Volex adapter with female thread: CW617N, d=16mm, Rp=3/4" | | | | 6,00 |
| 618.390.00.1 | Geberit Volex elbow adapter 90° with female thread: CW617N, d=16mm, Rp=1/2" | | | | 9,00 |
| 618.400.00.1 | Geberit Volex elbow adapter 90° with female thread: CW617N, d=16mm, Rp=1/2" | | | | 8,00 |
| 618.300.00.1 | Geberit Volex adapter to Geberit Mapress, with plain end: CC499K, d=16mm, d1=15mm | | | | 11,00 |
| 618.270.00.1 | Geberit Volex adapter to Geberit Mepla: CW617N, d=16mm, d1=16mm | | | | 11,00 |
| 618.470.00.1 | Geberit Volex adapter with union nut: CW617N, d=16mm, di=8mm, G=3/8" | | | | 8,00 |
| 618.480.00.1 | Geberit Volex adapter with union nut: CW617N, d=16mm, di=13.5mm, G=1/2" | | | | 8,00 |
| 618.490.00.1 | Geberit Volex adapter with union nut: CW617N, d=16mm, di=16.5mm, G=3/4" | | | | 8,00 |
| 618.500.00.1 | Geberit Volex adapter with clamping ring union: CW617N, d=16mm, d1=15mm | | | | 15,00 |
| 618.510.00.1 | Geberit Volex elbow adapter 90° with clamping ring union: CW617N, d=16mm, d1=15mm | | | | 19,00 |
| 618.430.00.1 | Geberit Volex elbow adapter 90° with MeplaFix adapter: CW617N, d=16mm | | | | 14,00 |
| 618.420.00.1 | Geberit Volex adapter with MeplaFix adapter: CW617N, d=16mm | | | | 12,00 |
| 618.890.00.1 | Geberit Volex connection nipple for manifold, for Euro cone: CW617N, d=16mm, G=3/4" | | | | 8,00 |
| 618.600.00.1 | Geberit Volex elbow tap connector 90°: CW617N, d=16mm, Rp=1/2", L1=4cm | | | | 9,00 |
| 618.610.00.1 | Geberit Volex elbow tap connector 90°: CW617N, d=16mm, Rp=1/2", L1=5.3cm | | | | 11,00 |
| 618.620.00.1 | Geberit Volex elbow tap connector 90°: CW617N, d=16mm, Rp=1/2", L1=7.7cm | | | | 12,00 |
| 618.670.00.1 | Geberit Volex corner elbow connector 90°: CW617N, d=16mm, Rp=1/2", L1=6cm | | | | 18,00 |
| 618.640.00.1 | Geberit Volex double elbow tap connector 90°: CW617N, d=16mm, Rp=1/2", d1=16mm, L1=5.6cm | | | | 29,00 |
| 618.700.00.1 | Geberit Volex Mepla T-elbow tap connector 90°, offset: CW617N, d=16mm, Rp=1/2", d1=16mm, L=4.6cm | | | | 15,00 |
| 618.570.00.1 | Geberit Volex elbow tap connector 90° left/right: CW617N, d=16mm, Rp=1/2", Connection=right, L=4.7cm | | | | 18,00 |
| 618.580.00.1 | Geberit Volex elbow tap connector 90° left/right: CW617N, d=16mm, Rp=1/2", Connection=left, L=4.7cm | | | | 18,00 |
| 618.870.00.1 | Geberit Volex elbow tap connector 90° for concealed cistern: CW617N, d=16mm, Rp=1/2" | | | | 25,00 |
| 618.880.00.1 | Geberit Volex elbow tap connector 90° for concealed cistern: CW617N, d=16mm, Rp=1/2" | | | | 32,00 |
| 618.720.00.1 | Geberit Volex set of elbow tap connectors 90°, double: CW617N, d=16mm, Rp=1/2", L=4.6cm, AD=15.3cm | | | | 32,00 |
| 618.730.00.1 | Geberit Volex set of elbow tap connectors 90°, double: CW617N, d=16mm, Rp=1/2", L=5.8cm, AD=15.3cm | | | | 36,00 |
| 618.740.00.1 | Geberit Volex set of elbow tap connectors 90°, double: CW617N, d=16mm, Rp=1/2", L=8.3cm, AD=15.3cm | | | | 39,00 |
| 618.830.00.1 | Geberit Volex set of double elbow tap connectors 90°, double: CW617N, d=16mm, Rp=1/2", d1=16mm, AD=15.3cm | | | | 78,00 |
| 618.810.00.1 | Geberit Volex set of double elbow tap connectors 90°, double: CW617N, d=16mm, Rp=1/2", d1=16mm, L1=5.6cm, AD=15.3cm | | | | 64,00 |
| 618.850.00.1 | Geberit Volex set of double elbow tap connectors 90°, horizontal: CW617N, d=16mm, Rp=1/2", d1=16mm, L1=4.7cm, AD=15.3cm | | | | 36,00 |
| 618.780.00.1 | Geberit Volex set of elbow tap connectors 90°, left/right: CW617N, d=16mm, Rp=1/2", d1=16mm, L=4.8cm, AD=15.3cm | | | | 29,00 |
| 618.560.00.1 | Geberit Volex pipe end plug: CW617N, d=16mm | | | | 5,00 |
| 618.011.00.1 | Geberit Volex coupling: CW617N, d=20mm | | | | 7,00 |
| 618.031.00.1 | Geberit Volex reducer: CW617N, d=20mm, d1=16mm | | | | 7,00 |
| 618.071.00.1 | Geberit Volex elbow: 90°, CW617N, d=20mm | | | | 9,00 |
| 618.091.00.1 | Geberit Volex T-piece, equal: CW617N, d=20mm | | | | 11,00 |
| 618.101.00.1 | Geberit Volex T-piece, reduced: CW617N, d=20mm, d1=16mm, d2=16mm | | | | 11,00 |
| 618.111.00.1 | Geberit Volex T-piece, reduced: CW617N, d=20mm, d1=16mm, d2=20mm | | | | 11,00 |
| 618.121.00.1 | Geberit Volex T-piece, reduced: CW617N, d=16mm, d1=20mm, d2=16mm | | | | 11,00 |
| 618.131.00.1 | Geberit Volex T-piece, reduced: CW617N, d=20mm, d1=20mm, d2=16mm | | | | 11,00 |
| 618.221.00.1 | Geberit Volex T-piece with male thread: CW617N, d=20mm, R=1/2", d1=20mm | | | | 11,00 |
| 618.231.00.1 | Geberit Volex T-piece with male thread: CW617N, d=20mm, R=3/4", d1=20mm | | | | 11,00 |
| 618.241.00.1 | Geberit Volex T-piece with female thread: CW617N, d=20mm, Rp=1/2", d1=20mm | | | | 11,00 |
| 618.251.00.1 | Geberit Volex T-piece with female thread: CW617N, d=20mm, Rp=3/4", d1=20mm | | | | 11,00 |
| 618.341.00.1 | Geberit Volex adapter with male thread: CW617N, d=20mm, R=1/2" | | | | 8,00 |
| 618.351.00.1 | Geberit Volex adapter with male thread: CW617N, d=20mm, R=3/4" | | | | 8,00 |
| 618.371.00.1 | Geberit Volex elbow adapter 90° with male thread: CW617N, d=20mm, R=1/2" | | | | 10,00 |
| 618.381.00.1 | Geberit Volex elbow adapter 90° with male thread: CW617N, d=20mm, R=3/4" | | | | 10,00 |
| 618.281.00.1 | Geberit Volex adapter with female thread: CW617N, d=20mm, Rp=1/2" | | | | 8,00 |
| 618.291.00.1 | Geberit Volex adapter with female thread: CW617N, d=20mm, Rp=3/4" | | | | 8,00 |
| 618.391.00.1 | Geberit Volex elbow adapter 90° with female thread: CW617N, d=20mm, Rp=1/2" | | | | 10,00 |
| 618.401.00.1 | Geberit Volex elbow adapter 90° with female thread: CW617N, d=20mm, Rp=1/2" | | | | 10,00 |
| 618.411.00.1 | Geberit Volex elbow adapter 90° with female thread: CW617N, d=20mm, Rp=3/4" | | | | 10,00 |
| 618.311.00.1 | Geberit Volex adapter to Geberit Mapress, with plain end: CC499K, d=20mm, d1=15mm | | | | 14,00 |
| 618.321.00.1 | Geberit Volex adapter to Geberit Mapress, with plain end: CC499K, d=20mm, d1=18mm | | | | 14,00 |
| 618.331.00.1 | Geberit Volex adapter to Geberit Mapress, with plain end: CC499K, d=20mm, d1=22mm | | | | 14,00 |
| 618.271.00.1 | Geberit Volex adapter to Geberit Mepla: CW617N, d=20mm, d1=20mm | | | | 14,00 |
| 618.471.00.1 | Geberit Volex adapter with union nut: CW617N, d=20mm, di=13.5mm, G=1/2" | | | | 10,00 |
| 618.481.00.1 | Geberit Volex adapter with union nut: CW617N, d=20mm, di=16.5mm, G=3/4" | | | | 10,00 |
| 618.501.00.1 | Geberit Volex adapter with clamping ring union: CW617N, d=20mm, d1=15mm | | | | 17,00 |
| 618.511.00.1 | Geberit Volex elbow adapter 90° with clamping ring union: CW617N, d=20mm, d1=15mm | | | | 21,00 |
| 618.521.00.1 | Geberit Volex elbow adapter 90° with clamping ring union: CW617N, d=20mm, d1=22mm | | | | 22,00 |
| 618.431.00.1 | Geberit Volex elbow adapter 90° with MeplaFix adapter: CW617N, d=20mm | | | | 14,00 |
| 618.421.00.1 | Geberit Volex adapter with MeplaFix adapter: CW617N, d=20mm | | | | 12,00 |
| 618.891.00.1 | Geberit Volex connection nipple for manifold, for Euro cone: CW617N, d=20mm, G=3/4" | | | | 10,00 |
| 618.601.00.1 | Geberit Volex elbow tap connector 90°: CW617N, d=20mm, Rp=1/2", L1=4cm | | | | 10,00 |
| 618.611.00.1 | Geberit Volex elbow tap connector 90°: CW617N, d=20mm, Rp=1/2", L1=5.3cm | | | | 12,00 |
| 618.621.00.1 | Geberit Volex elbow tap connector 90°: CW617N, d=20mm, Rp=1/2", L1=7.7cm | | | | 13,00 |
| 618.631.00.1 | Geberit Volex elbow tap connector 90°: CW617N, d=20mm, Rp=3/4", L1=5.7cm | | | | 14,00 |
| 618.691.00.1 | Geberit Volex corner elbow connector 90°: CW617N, d=20mm, Rp=1/2", L1=6cm | | | | 22,00 |
| 618.661.00.1 | Geberit Volex double elbow tap connector 90°: CW617N, d=20mm, Rp=1/2", d1=20mm, L1=5.6cm | | | | 32,00 |
| 618.701.00.1 | Geberit Volex Mepla T-elbow tap connector 90°, offset: CW617N, d=20mm, Rp=1/2", d1=20mm, L=4.6cm | | | | 18,00 |
| 618.571.00.1 | Geberit Volex elbow tap connector 90° left/right: CW617N, d=20mm, Rp=1/2", Connection=right, L=4.7cm | | | | 18,00 |
| 618.581.00.1 | Geberit Volex elbow tap connector 90° left/right: CW617N, d=20mm, Rp=1/2", Connection=left, L=4.7cm | | | | 18,00 |
| 618.721.00.1 | Geberit Volex set of elbow tap connectors 90°, double: CW617N, d=20mm, Rp=1/2", L=4.6cm, AD=15.3cm | | | | 32,00 |
| 618.731.00.1 | Geberit Volex set of elbow tap connectors 90°, double: CW617N, d=20mm, Rp=1/2", L=5.8cm, AD=15.3cm | | | | 36,00 |
| 618.741.00.1 | Geberit Volex set of elbow tap connectors 90°, double: CW617N, d=20mm, Rp=1/2", L=8.3cm, AD=15.3cm | | | | 39,00 |
| 618.831.00.1 | Geberit Volex set of double elbow tap connectors 90°, double: CW617N, d=20mm, Rp=1/2", d1=20mm, AD=15.3cm | | | | 78,00 |
| 618.811.00.1 | Geberit Volex set of double elbow tap connectors 90°, double: CW617N, d=20mm, Rp=1/2", d1=20mm, L1=5.6cm, AD=15.3cm | | | | 64,00 |
| 618.851.00.1 | Geberit Volex set of double elbow tap connectors 90°, horizontal: CW617N, d=20mm, Rp=1/2", d1=20mm, L1=4.7cm, AD=15.3cm | | | | 43,00 |
| 618.781.00.1 | Geberit Volex set of elbow tap connectors 90°, left/right: CW617N, d=20mm, Rp=1/2", d1=20mm, L=4.8cm, AD=15.3cm | | | | 36,00 |
| 618.561.00.1 | Geberit Volex pipe end plug: CW617N, d=20mm | | | | 6,00 |
| 618.012.00.1 | Geberit Volex coupling: CW617N, d=26mm | | | | 11,00 |
| 618.032.00.1 | Geberit Volex reducer: CW617N, d=26mm, d1=16mm | | | | 9,00 |
| 618.043.00.1 | Geberit Volex reducer: CW617N, d=26mm, d1=20mm | | | | 9,00 |
| 618.082.00.1 | Geberit Volex elbow: 45°, CW617N, d=26mm | | | | 13,00 |
| 618.072.00.1 | Geberit Volex elbow: 90°, CW617N, d=26mm | | | | 13,00 |
| 618.092.00.1 | Geberit Volex T-piece, equal: CW617N, d=26mm | | | | 18,00 |
| 618.102.00.1 | Geberit Volex T-piece, reduced: CW617N, d=26mm, d1=16mm, d2=26mm | | | | 18,00 |
| 618.112.00.1 | Geberit Volex T-piece, reduced: CW617N, d=26mm, d1=20mm, d2=26mm | | | | 18,00 |
| 618.122.00.1 | Geberit Volex T-piece, reduced: CW617N, d=26mm, d1=26mm, d2=20mm | | | | 18,00 |

| | | | | | |
|--------------|---|--|--|--|--------|
| 618.132.00.1 | Geberit Volex T-piece, reduced: CW617N, d=26mm, d1=26mm, d2=16mm | | | | 18,00 |
| 618.141.00.1 | Geberit Volex T-piece, reduced: CW617N, d=26mm, d1=20mm, d2=20mm | | | | 18,00 |
| 618.142.00.1 | Geberit Volex T-piece, reduced: CW617N, d=26mm, d1=26mm, d2=20mm | | | | 18,00 |
| 618.152.00.1 | Geberit Volex T-piece, reduced: CW617N, d=26mm, d1=16mm, d2=20mm | | | | 18,00 |
| 618.162.00.1 | Geberit Volex T-piece, reduced: CW617N, d=26mm, d1=20mm, d2=16mm | | | | 18,00 |
| 618.222.00.1 | Geberit Volex T-piece with male thread: CW617N, d=26mm, R=3/4", d1=26mm | | | | 15,00 |
| 618.242.00.1 | Geberit Volex T-piece with female thread: CW617N, d=26mm, Rp=1/2", d1=20mm | | | | 15,00 |
| 618.252.00.1 | Geberit Volex T-piece with female thread: CW617N, d=26mm, Rp=1/2", d1=26mm | | | | 15,00 |
| 618.262.00.1 | Geberit Volex T-piece with female thread: CW617N, d=26mm, Rp=3/4", d1=26mm | | | | 15,00 |
| 618.342.00.1 | Geberit Volex adapter with male thread: CW617N, d=26mm, R=3/4" | | | | 11,00 |
| 618.352.00.1 | Geberit Volex adapter with male thread: CW617N, d=26mm, R=1" | | | | 11,00 |
| 618.372.00.1 | Geberit Volex elbow adapter 90° with male thread: CW617N, d=26mm, R=3/4" | | | | 16,00 |
| 618.382.00.1 | Geberit Volex elbow adapter 90° with male thread: CW617N, d=26mm, R=1" | | | | 16,00 |
| 618.282.00.1 | Geberit Volex adapter with female thread: CW617N, d=26mm, Rp=3/4" | | | | 11,00 |
| 618.292.00.1 | Geberit Volex adapter with female thread: CW617N, d=26mm, Rp=1" | | | | 11,00 |
| 618.402.00.1 | Geberit Volex elbow adapter 90° with female thread: CW617N, d=26mm, Rp=3/4" | | | | 16,00 |
| 618.412.00.1 | Geberit Volex elbow adapter 90° with female thread: CW617N, d=26mm, Rp=1" | | | | 16,00 |
| 618.302.00.1 | Geberit Volex adapter to Geberit Mapress, with plain end: CC499K, d=26mm, d1=22mm | | | | 18,00 |
| 618.272.00.1 | Geberit Volex adapter to Geberit Mepla: CW617N, d=26mm, d1=26mm | | | | 18,00 |
| 618.472.00.1 | Geberit Volex adapter with union nut: CW617N, d=26mm, di=16.5mm, G=3/4" | | | | 15,00 |
| 618.482.00.1 | Geberit Volex adapter with union nut: CW617N, d=26mm, di=22mm, G=1" | | | | 15,00 |
| 618.502.00.1 | Geberit Volex adapter with clamping ring union: CW617N, d=26mm, d1=22mm | | | | 18,00 |
| 618.512.00.1 | Geberit Volex elbow adapter 90° with clamping ring union: CW617N, d=26mm, d1=22mm | | | | 23,00 |
| 618.602.00.1 | Geberit Volex elbow tap connector 90°: CW617N, d=26mm, Rp=3/4", L1=5.7cm | | | | 15,00 |
| 618.562.00.1 | Geberit Volex pipe end plug: CW617N, d=26mm | | | | 9,00 |
| 618.013.00.1 | Geberit Volex coupling: CW617N, d=32mm | | | | 18,00 |
| 618.053.00.1 | Geberit Volex reducer: CW617N, d=32mm, d1=16mm | | | | 15,00 |
| 618.063.00.1 | Geberit Volex reducer: CW617N, d=32mm, d1=20mm | | | | 15,00 |
| 618.034.00.1 | Geberit Volex reducer: CW617N, d=32mm, d1=26mm | | | | 15,00 |
| 618.083.00.1 | Geberit Volex elbow: 45°, CW617N, d=32mm | | | | 20,00 |
| 618.073.00.1 | Geberit Volex elbow: 90°, CW617N, d=32mm | | | | 20,00 |
| 618.093.00.1 | Geberit Volex T-piece, equal: CW617N, d=32mm | | | | 25,00 |
| 618.103.00.1 | Geberit Volex T-piece, reduced: CW617N, d=32mm, d1=20mm, d2=20mm | | | | 25,00 |
| 618.113.00.1 | Geberit Volex T-piece, reduced: CW617N, d=32mm, d1=26mm, d2=20mm | | | | 25,00 |
| 618.123.00.1 | Geberit Volex T-piece, reduced: CW617N, d=32mm, d1=26mm, d2=26mm | | | | 25,00 |
| 618.133.00.1 | Geberit Volex T-piece, reduced: CW617N, d=32mm, d1=16mm, d2=32mm | | | | 25,00 |
| 618.143.00.1 | Geberit Volex T-piece, reduced: CW617N, d=32mm, d1=20mm, d2=26mm | | | | 25,00 |
| 618.153.00.1 | Geberit Volex T-piece, reduced: CW617N, d=32mm, d1=20mm, d2=32mm | | | | 25,00 |
| 618.163.00.1 | Geberit Volex T-piece, reduced: CW617N, d=32mm, d1=26mm, d2=32mm | | | | 25,00 |
| 618.173.00.1 | Geberit Volex T-piece, reduced: CW617N, d=20mm, d1=32mm, d2=20mm | | | | 25,00 |
| 618.183.00.1 | Geberit Volex T-piece, reduced: CW617N, d=26mm, d1=32mm, d2=26mm | | | | 25,00 |
| 618.193.00.1 | Geberit Volex T-piece, reduced: CW617N, d=32mm, d1=32mm, d2=16mm | | | | 25,00 |
| 618.203.00.1 | Geberit Volex T-piece, reduced: CW617N, d=32mm, d1=32mm, d2=20mm | | | | 25,00 |
| 618.213.00.1 | Geberit Volex T-piece, reduced: CW617N, d=32mm, d1=32mm, d2=26mm | | | | 25,00 |
| 618.243.00.1 | Geberit Volex T-piece with female thread: CW617N, d=32mm, Rp=3/4", d1=32mm | | | | 25,00 |
| 618.253.00.1 | Geberit Volex T-piece with female thread: CW617N, d=32mm, Rp=1", d1=32mm | | | | 25,00 |
| 618.343.00.1 | Geberit Volex adapter with male thread: CW617N, d=32mm, R=1" | | | | 18,00 |
| 618.353.00.1 | Geberit Volex adapter with male thread: CW617N, d=32mm, R=1 1/4" | | | | 25,00 |
| 618.373.00.1 | Geberit Volex elbow adapter 90° with male thread: CW617N, d=32mm, R=1" | | | | 22,00 |
| 618.283.00.1 | Geberit Volex adapter with female thread: CW617N, d=32mm, Rp=1" | | | | 18,00 |
| 618.403.00.1 | Geberit Volex elbow adapter 90° with female thread: CW617N, d=32mm, Rp=1" | | | | 22,00 |
| 618.303.00.1 | Geberit Volex adapter to Geberit Mapress, with plain end: CC499K, d=32mm, d1=28mm | | | | 24,00 |
| 618.273.00.1 | Geberit Volex adapter to Geberit Mepla: CW617N, d=32mm, d1=32mm | | | | 24,00 |
| 618.473.00.1 | Geberit Volex adapter with union nut: CW617N, d=32mm, di=22mm, G=1" | | | | 25,00 |
| 618.483.00.1 | Geberit Volex adapter with union nut: CW617N, d=32mm, di=30mm, G=1 1/4" | | | | 25,00 |
| 618.563.00.1 | Geberit Volex pipe end plug: CW617N, d=32mm | | | | 13,00 |
| 618.014.00.1 | Geberit Volex coupling: CW617N, d=40mm | | | | 36,00 |
| 618.044.00.1 | Geberit Volex reducer: CW617N, d=40mm, d1=20mm | | | | 32,00 |
| 618.054.00.1 | Geberit Volex reducer: CW617N, d=40mm, d1=26mm | | | | 32,00 |
| 618.064.00.1 | Geberit Volex reducer: CW617N, d=40mm, d1=32mm | | | | 32,00 |
| 618.084.00.1 | Geberit Volex elbow: 45°, CW617N, d=40mm | | | | 39,00 |
| 618.074.00.1 | Geberit Volex elbow: 90°, CW617N, d=40mm | | | | 39,00 |
| 618.094.00.1 | Geberit Volex T-piece, equal: CW617N, d=40mm | | | | 50,00 |
| 618.104.00.1 | Geberit Volex T-piece, reduced: CW617N, d=40mm, d1=26mm, d2=26mm | | | | 50,00 |
| 618.114.00.1 | Geberit Volex T-piece, reduced: CW617N, d=40mm, d1=32mm, d2=32mm | | | | 50,00 |
| 618.124.00.1 | Geberit Volex T-piece, reduced: CW617N, d=40mm, d1=20mm, d2=40mm | | | | 50,00 |
| 618.134.00.1 | Geberit Volex T-piece, reduced: CW617N, d=40mm, d1=26mm, d2=40mm | | | | 50,00 |
| 618.144.00.1 | Geberit Volex T-piece, reduced: CW617N, d=40mm, d1=32mm, d2=40mm | | | | 50,00 |
| 618.154.00.1 | Geberit Volex T-piece, reduced: CW617N, d=32mm, d1=40mm, d2=32mm | | | | 50,00 |
| 618.164.00.1 | Geberit Volex T-piece, reduced: CW617N, d=40mm, d1=40mm, d2=26mm | | | | 50,00 |
| 618.174.00.1 | Geberit Volex T-piece, reduced: CW617N, d=40mm, d1=40mm, d2=32mm | | | | 50,00 |
| 618.244.00.1 | Geberit Volex T-piece with female thread: CW617N, d=40mm, Rp=3/4", d1=40mm | | | | 46,00 |
| 618.254.00.1 | Geberit Volex T-piece with female thread: CW617N, d=40mm, Rp=1", d1=40mm | | | | 46,00 |
| 618.344.00.1 | Geberit Volex adapter with male thread: CW617N, d=40mm, R=1 1/4" | | | | 32,00 |
| 618.374.00.1 | Geberit Volex elbow adapter 90° with male thread: CW617N, d=40mm, R=1 1/4" | | | | 43,00 |
| 618.404.00.1 | Geberit Volex elbow adapter 90° with female thread: CW617N, d=40mm, Rp=1 1/4" | | | | 43,00 |
| 618.304.00.1 | Geberit Volex adapter to Geberit Mapress, with plain end: CC499K, d=40mm, d1=35mm | | | | 35,00 |
| 618.274.00.1 | Geberit Volex adapter to Geberit Mepla: CW617N, d=40mm, d1=40mm | | | | 35,00 |
| 618.474.00.1 | Geberit Volex adapter with union nut: CW617N, d=40mm, di=25.4mm, G=1 1/2" | | | | 57,00 |
| 618.015.00.1 | Geberit Volex coupling: CW617N, d=50mm | | | | 54,00 |
| 618.035.00.1 | Geberit Volex reducer: CW617N, d=50mm, d1=26mm | | | | 43,00 |
| 618.045.00.1 | Geberit Volex reducer: CW617N, d=50mm, d1=32mm | | | | 43,00 |
| 618.055.00.1 | Geberit Volex reducer: CW617N, d=50mm, d1=40mm | | | | 43,00 |
| 618.085.00.1 | Geberit Volex elbow: 45°, CW617N, d=50mm | | | | 61,00 |
| 618.075.00.1 | Geberit Volex elbow: 90°, CW617N, d=50mm | | | | 61,00 |
| 618.095.00.1 | Geberit Volex T-piece, equal: CW617N, d=50mm | | | | 89,00 |
| 618.105.00.1 | Geberit Volex T-piece, reduced: CW617N, d=50mm, d1=40mm, d2=40mm | | | | 89,00 |
| 618.115.00.1 | Geberit Volex T-piece, reduced: CW617N, d=50mm, d1=20mm, d2=50mm | | | | 89,00 |
| 618.125.00.1 | Geberit Volex T-piece, reduced: CW617N, d=50mm, d1=26mm, d2=50mm | | | | 89,00 |
| 618.135.00.1 | Geberit Volex T-piece, reduced: CW617N, d=50mm, d1=32mm, d2=50mm | | | | 89,00 |
| 618.145.00.1 | Geberit Volex T-piece, reduced: CW617N, d=50mm, d1=40mm, d2=50mm | | | | 89,00 |
| 618.155.00.1 | Geberit Volex T-piece, reduced: CW617N, d=40mm, d1=50mm, d2=40mm | | | | 89,00 |
| 618.165.00.1 | Geberit Volex T-piece, reduced: CW617N, d=50mm, d1=50mm, d2=32mm | | | | 89,00 |
| 618.175.00.1 | Geberit Volex T-piece, reduced: CW617N, d=50mm, d1=50mm, d2=40mm | | | | 89,00 |
| 618.264.00.1 | Geberit Volex T-piece with female thread: CW617N, d=50mm, Rp=3/4", d1=50mm | | | | 78,00 |
| 618.245.00.1 | Geberit Volex T-piece with female thread: CW617N, d=50mm, Rp=1", d1=50mm | | | | 78,00 |
| 618.255.00.1 | Geberit Volex T-piece with female thread: CW617N, d=50mm, Rp=1 1/4", d1=50mm | | | | 78,00 |
| 618.265.00.1 | Geberit Volex T-piece with female thread: CW617N, d=50mm, Rp=1 1/2", d1=50mm | | | | 78,00 |
| 618.345.00.1 | Geberit Volex adapter with male thread: CW617N, d=50mm, R=1 1/2" | | | | 54,00 |
| 618.375.00.1 | Geberit Volex elbow adapter 90° with male thread: CW617N, d=50mm, R=1 1/2" | | | | 64,00 |
| 618.405.00.1 | Geberit Volex elbow adapter 90° with female thread: CW617N, d=50mm, Rp=1 1/2" | | | | 64,00 |
| 618.305.00.1 | Geberit Volex adapter to Geberit Mapress, with plain end: CC499K, d=50mm, d1=42mm | | | | 69,00 |
| 618.275.00.1 | Geberit Volex adapter to Geberit Mepla: CW617N, d=50mm, d1=50mm | | | | 69,00 |
| 618.475.00.1 | Geberit Volex adapter with union nut: CW617N, d=50mm, di=32mm, G=1 3/4" | | | | 82,00 |
| 618.016.00.1 | Geberit Volex coupling: CW617N, d=63mm | | | | 89,00 |
| 618.036.00.1 | Geberit Volex reducer: CW617N, d=63mm, d1=40mm | | | | 71,00 |
| 618.046.00.1 | Geberit Volex reducer: CW617N, d=63mm, d1=50mm | | | | 71,00 |
| 618.086.00.1 | Geberit Volex elbow: 45°, CW617N, d=63mm | | | | 96,00 |
| 618.076.00.1 | Geberit Volex elbow: 90°, CW617N, d=63mm | | | | 96,00 |
| 618.096.00.1 | Geberit Volex T-piece, equal: CW617N, d=63mm | | | | 177,00 |
| 618.106.00.1 | Geberit Volex T-piece, reduced: CW617N, d=63mm, d1=50mm, d2=50mm | | | | 177,00 |
| 618.116.00.1 | Geberit Volex T-piece, reduced: CW617N, d=63mm, d1=26mm, d2=63mm | | | | 177,00 |
| 618.126.00.1 | Geberit Volex T-piece, reduced: CW617N, d=63mm, d1=32mm, d2=63mm | | | | 177,00 |

| | | | | | |
|--------------|---|--|--|--|---------|
| 618.136.00.1 | Geberit Volex T-piece, reduced: CW617N, d=63mm, d1=40mm, d2=63mm | | | | 177,00 |
| 618.146.00.1 | Geberit Volex T-piece, reduced: CW617N, d=63mm, d1=50mm, d2=63mm | | | | 177,00 |
| 618.156.00.1 | Geberit Volex T-piece, reduced: CW617N, d=50mm, d1=63mm, d2=50mm | | | | 177,00 |
| 618.166.00.1 | Geberit Volex T-piece, reduced: CW617N, d=63mm, d1=63mm, d2=50mm | | | | 177,00 |
| 618.246.00.1 | Geberit Volex T-piece with female thread: CW617N, d=63mm, Rp=1", d1=63mm | | | | 142,00 |
| 618.256.00.1 | Geberit Volex T-piece with female thread: CW617N, d=63mm, Rp=1 1/4", d1=63mm | | | | 142,00 |
| 618.266.00.1 | Geberit Volex T-piece with female thread: CW617N, d=63mm, Rp=2", d1=63mm | | | | 142,00 |
| 618.346.00.1 | Geberit Volex adapter with male thread: CW617N, d=63mm, R=2" | | | | 85,00 |
| 618.376.00.1 | Geberit Volex elbow adapter 90° with male thread: CW617N, d=63mm, R=2" | | | | 107,00 |
| 618.406.00.1 | Geberit Volex elbow adapter 90° with female thread: CW617N, d=63mm, Rp=2" | | | | 107,00 |
| 618.306.00.1 | Geberit Volex adapter to Geberit Mappress, with plain end: CC499K, d=63mm, d1=54mm | | | | 105,00 |
| 618.276.00.1 | Geberit Volex adapter to Geberit Mepla: CW617N, d=63mm, d1=63mm | | | | 105,00 |
| 618.476.00.1 | Geberit Volex adapter with union nut: CW617N, d=63mm, di=43mm, G=2" | | | | 107,00 |
| 618.930.00.1 | Geberit Volex adapter with screw connection to single-layer pipes: CW617N, d=16mm, d1=16mm, PN=6bar | | | | 23,00 |
| 617.290.00.1 | Geberit Volex union connector set (2 pc.): CW617N, d=16mm, G=3/4", PN=6bar | | | | 5,00 |
| 618.530.21.1 | Geberit Volex metal pipe connector: Product material=Brass / copper, d=16mm, d1=15mm, bright chrome-plated | | | | 11,00 |
| 617.300.21.1 | Geberit Volex metal pipe connector bend 90°: Product material=Brass / copper, d=16mm, d1=15mm, L1=16.6cm, bright chrome-plated | | | | 15,00 |
| 617.310.21.1 | Geberit Volex metal pipe connector bend 90°: Product material=Brass / copper, d=16mm, d1=15mm, L1=34.6cm, bright chrome-plated | | | | 22,00 |
| 617.320.21.1 | Geberit Volex metal pipe connector bend 90°: Product material=Brass / copper, d=16mm, d1=15mm, L1=109.6cm, bright chrome-plated | | | | 43,00 |
| 617.330.21.1 | Geberit Volex metal pipe connector T-piece: Product material=Brass / copper, d=16mm, d1=15mm, L1=29cm, bright chrome-plated | | | | 25,00 |
| 617.200.00.1 | Geberit Volex T-piece crossing: CW617N, d=16mm, d1=16mm, d2=16mm | | | | 54,00 |
| 618.931.00.1 | Geberit Volex adapter with screw connection to single-layer pipes: CW617N, d=20mm, d1=20mm, PN=6bar | | | | 26,00 |
| 617.291.00.1 | Geberit Volex union connector set (2 pc.): CW617N, d=20mm, G=3/4", PN=6bar | | | | 5,00 |
| 618.531.21.1 | Geberit Volex metal pipe connector: Product material=Brass / copper, d=20mm, d1=15mm, bright chrome-plated | | | | 15,00 |
| 618.541.21.1 | Geberit Volex metal pipe connector: Product material=Brass / copper, d=20mm, d1=18mm, bright chrome-plated | | | | 15,00 |
| 618.551.21.1 | Geberit Volex metal pipe connector: Product material=Brass / copper, d=20mm, d1=22mm, bright chrome-plated | | | | 15,00 |
| 617.301.21.1 | Geberit Volex metal pipe connector bend 90°: Product material=Brass / copper, d=20mm, d1=15mm, L1=16.6cm, bright chrome-plated | | | | 15,00 |
| 617.311.21.1 | Geberit Volex metal pipe connector bend 90°: Product material=Brass / copper, d=20mm, d1=15mm, L1=34.6cm, bright chrome-plated | | | | 22,00 |
| 617.321.21.1 | Geberit Volex metal pipe connector bend 90°: Product material=Brass / copper, d=20mm, d1=15mm, L1=109.6cm, bright chrome-plated | | | | 43,00 |
| 617.331.21.1 | Geberit Volex metal pipe connector T-piece: Product material=Brass / copper, d=20mm, d1=15mm, L1=29cm, bright chrome-plated | | | | 25,00 |
| 617.250.00.1 | Insulation box for Geberit Volex T-piece crossing: EPS | | | | 9,00 |
| 617.201.00.1 | Geberit Volex T-piece crossing: CW617N, d=20mm, d1=16mm, d2=20mm | | | | 54,00 |
| 617.211.00.1 | Geberit Volex T-piece crossing: CW617N, d=16mm, d1=20mm, d2=16mm | | | | 54,00 |
| 617.221.00.1 | Geberit Volex T-piece crossing: CW617N, d=20mm, d1=16mm, d2=16mm | | | | 54,00 |
| 617.231.00.1 | Geberit Volex T-piece crossing: CW617N, d=20mm, d1=20mm, d2=20mm | | | | 54,00 |
| 617.241.00.1 | Geberit Volex T-piece crossing: CW617N, d=16mm, d1=20mm, d2=20mm | | | | 54,00 |
| 618.532.21.1 | Geberit Volex metal pipe connector: Product material=Brass / copper, d=26mm, d1=22mm, bright chrome-plated | | | | 18,00 |
| 618.533.21.1 | Geberit Volex metal pipe connector: Product material=Brass / copper, d=32mm, d1=28mm, bright chrome-plated | | | | 23,00 |
| 611.061.00.2 | Geberit Mepla ball valve with actuator lever: CW617N, d=16mm, PN=10bar | | | | 41,00 |
| 601.020.00.2 | Geberit Mepla ball valve with actuator lever: CC499K, d=16mm, PN=10bar | | | | 68,00 |
| 611.021.21.2 | Geberit Mepla concealed ball valve with cover collar: CW617N, d=16mm, PN=10bar | | | | 39,00 |
| 611.011.21.2 | Geberit Mepla concealed ball valve with turn handle: CW617N, d=16mm, PN=10bar | | | | 54,00 |
| 612.061.00.2 | Geberit Mepla ball valve with actuator lever: CW617N, d=20mm, PN=10bar | | | | 41,00 |
| 602.020.00.2 | Geberit Mepla ball valve with actuator lever: CC499K, d=20mm, PN=10bar | | | | 76,00 |
| 612.021.21.2 | Geberit Mepla concealed ball valve with cover collar: CW617N, d=20mm, PN=10bar | | | | 40,00 |
| 612.011.21.2 | Geberit Mepla concealed ball valve with turn handle: CW617N, d=20mm, PN=10bar | | | | 55,00 |
| 613.061.00.2 | Geberit Mepla ball valve with actuator lever: CW617N, d=26mm, PN=10bar | | | | 45,00 |
| 603.020.00.2 | Geberit Mepla ball valve with actuator lever: CC499K, d=26mm, PN=10bar | | | | 91,00 |
| 613.021.21.2 | Geberit Mepla concealed ball valve with cover collar: CW617N, d=26mm, PN=10bar | | | | 43,00 |
| 613.011.21.2 | Geberit Mepla concealed ball valve with turn handle: CW617N, d=26mm, PN=10bar | | | | 60,00 |
| 614.061.00.2 | Geberit Mepla ball valve with actuator lever: CW617N, d=32mm, PN=10bar | | | | 57,00 |
| 604.020.00.2 | Geberit Mepla ball valve with actuator lever: CC499K, d=32mm, PN=10bar | | | | 125,00 |
| 605.020.00.2 | Geberit Mepla ball valve with actuator lever: CC499K, d=40mm, PN=10bar | | | | 181,00 |
| 606.020.00.2 | Geberit Mepla ball valve with actuator lever: CC499K, d=50mm, PN=10bar | | | | 264,00 |
| 94952 | Geberit Mappress Stainless Steel ball valve with actuator lever: d=15mm, PN=10bar | | | | 102,00 |
| 94922 | Geberit Mappress ball valve, NPW, with actuator lever: CW617N, d=15mm, PN=16bar | | | | 25,00 |
| 92100 | Geberit Mappress Stainless Steel ball valve with actuator lever, flanged: d=15mm, PN=40bar | | | | 118,00 |
| 92120 | Geberit Mappress CuNiFe ball valve with actuator lever, flanged: d=15mm, PN=13bar | | | | 266,00 |
| 92140 | Geberit Mappress Stainless Steel non-return valve, flanged: d=15mm, PN=40bar | | | | 207,00 |
| 92150 | Geberit Mappress CuNiFe non-return valve, flanged: d=15mm, PN=13bar | | | | 456,00 |
| 94953 | Geberit Mappress Stainless Steel ball valve with actuator lever: d=18mm, PN=10bar | | | | 110,00 |
| 94923 | Geberit Mappress ball valve, NPW, with actuator lever: CW617N, d=18mm, PN=16bar | | | | 27,00 |
| 92101 | Geberit Mappress Stainless Steel ball valve with actuator lever, flanged: d=18mm, PN=40bar | | | | 128,00 |
| 94954 | Geberit Mappress Stainless Steel ball valve with actuator lever: d=22mm, PN=10bar | | | | 130,00 |
| 94924 | Geberit Mappress ball valve, NPW, with actuator lever: CW617N, d=22mm, PN=16bar | | | | 35,00 |
| 92102 | Geberit Mappress Stainless Steel ball valve with actuator lever, flanged: d=22mm, PN=40bar | | | | 166,00 |
| 92122 | Geberit Mappress CuNiFe ball valve with actuator lever, flanged: d=22mm, PN=13bar | | | | 372,00 |
| 92142 | Geberit Mappress Stainless Steel non-return valve, flanged: d=22mm, PN=40bar | | | | 260,00 |
| 92152 | Geberit Mappress CuNiFe non-return valve, flanged: d=22mm, PN=13bar | | | | 573,00 |
| 94955 | Geberit Mappress Stainless Steel ball valve with actuator lever: d=28mm, PN=10bar | | | | 155,00 |
| 94925 | Geberit Mappress ball valve, NPW, with actuator lever: CW617N, d=28mm, PN=16bar | | | | 55,00 |
| 92103 | Geberit Mappress Stainless Steel ball valve with actuator lever, flanged: d=28mm, PN=16bar | | | | 213,00 |
| 92123 | Geberit Mappress CuNiFe ball valve with actuator lever, flanged: d=28mm, PN=13bar | | | | 393,00 |
| 92143 | Geberit Mappress Stainless Steel non-return valve, flanged: d=28mm, PN=16bar | | | | 313,00 |
| 92153 | Geberit Mappress CuNiFe non-return valve, flanged: d=28mm, PN=13bar | | | | 703,00 |
| 94956 | Geberit Mappress Stainless Steel ball valve with actuator lever: d=35mm, PN=10bar | | | | 195,00 |
| 94926 | Geberit Mappress ball valve, NPW, with actuator lever: CW617N, d=35mm, PN=16bar | | | | 69,00 |
| 92104 | Geberit Mappress Stainless Steel ball valve with actuator lever, flanged: d=35mm, PN=16bar | | | | 260,00 |
| 92124 | Geberit Mappress CuNiFe ball valve with actuator lever, flanged: d=35mm, PN=13bar | | | | 478,00 |
| 92144 | Geberit Mappress Stainless Steel non-return valve, flanged: d=35mm, PN=16bar | | | | 385,00 |
| 92154 | Geberit Mappress CuNiFe non-return valve, flanged: d=35mm, PN=13bar | | | | 726,00 |
| 94957 | Geberit Mappress Stainless Steel ball valve with actuator lever: d=42mm, PN=10bar | | | | 236,00 |
| 94927 | Geberit Mappress ball valve, NPW, with actuator lever: CW617N, d=42mm, PN=16bar | | | | 102,00 |
| 92105 | Geberit Mappress Stainless Steel ball valve with actuator lever, flanged: d=42mm, PN=16bar | | | | 354,00 |
| 92125 | Geberit Mappress CuNiFe ball valve with actuator lever, flanged: d=42mm, PN=13bar | | | | 597,00 |
| 92145 | Geberit Mappress Stainless Steel non-return valve, flanged: d=42mm, PN=16bar | | | | 457,00 |
| 92155 | Geberit Mappress CuNiFe non-return valve, flanged: d=42mm, PN=13bar | | | | 771,00 |
| 94958 | Geberit Mappress Stainless Steel ball valve with actuator lever: d=54mm, PN=10bar | | | | 284,00 |
| 94928 | Geberit Mappress ball valve, NPW, with actuator lever: CW617N, d=54mm, PN=16bar | | | | 137,00 |
| 92106 | Geberit Mappress Stainless Steel ball valve with actuator lever, flanged: d=54mm, PN=16bar | | | | 472,00 |
| 92126 | Geberit Mappress CuNiFe ball valve with actuator lever, flanged: d=54mm, PN=13bar | | | | 796,00 |
| 92146 | Geberit Mappress Stainless Steel non-return valve, flanged: d=54mm, PN=16bar | | | | 707,00 |
| 92156 | Geberit Mappress CuNiFe non-return valve, flanged: d=54mm, PN=13bar | | | | 1170,00 |
| 92107 | Geberit Mappress Stainless Steel ball valve with actuator lever, flanged: d=76.1mm, PN=16bar | | | | 897,00 |
| 92127 | Geberit Mappress CuNiFe ball valve with actuator lever, flanged: d=76.1mm, PN=10bar | | | | 1260,00 |
| 92147 | Geberit Mappress Stainless Steel non-return valve, flanged: d=76.1mm, PN=16bar | | | | 1250,00 |
| 92157 | Geberit Mappress CuNiFe non-return valve, flanged: d=76.1mm, PN=10bar | | | | 1724,00 |
| 92108 | Geberit Mappress Stainless Steel ball valve with actuator lever, flanged: d=88.9mm, PN=16bar | | | | 1322,00 |
| 92128 | Geberit Mappress CuNiFe ball valve with actuator lever, flanged: d=88.9mm, PN=10bar | | | | 1856,00 |
| 92148 | Geberit Mappress Stainless Steel non-return valve, flanged: d=88.9mm, PN=16bar | | | | 1851,00 |
| 92158 | Geberit Mappress CuNiFe non-return valve, flanged: d=88.9mm, PN=10bar | | | | 2552,00 |
| 92109 | Geberit Mappress Stainless Steel ball valve with actuator lever, flanged: d=108mm, PN=16bar | | | | 2266,00 |
| 92129 | Geberit Mappress CuNiFe ball valve with actuator lever, flanged: d=108mm, PN=10bar | | | | 3181,00 |
| 92149 | Geberit Mappress Stainless Steel non-return valve, flanged: d=108mm, PN=16bar | | | | 2548,00 |
| 92159 | Geberit Mappress CuNiFe non-return valve, flanged: d=108mm, PN=10bar | | | | 3513,00 |
| 241.314.00.1 | Geberit spindle extension set for ball valve: DNV=8 / 12 / 15 / 20 | | | | 10,00 |
| 94935 | Geberit spindle extension set for ball valve, NPW: DNV=15 | | | | 12,00 |
| 94936 | Geberit spindle extension set for ball valve, NPW: DNV=20 / 25 / 32 | | | | 12,00 |
| 94937 | Geberit spindle extension set for ball valve, NPW: DNV=40 | | | | 10,00 |
| 94938 | Geberit spindle extension set for ball valve, NPW: DNV=50 | | | | 12,00 |
| 612.060.00.1 | Geberit spindle extension set for concealed ball valve: DNV=8 / 12 / 15 / 20 | | | | 10,00 |
| 618.920.00.1 | Set of O-rings for Geberit Volex fittings (2 pc.): EPDM, d=16mm | | | | 1,00 |
| 618.921.00.1 | Set of O-rings for Geberit Volex fittings (2 pc.): EPDM, d=20mm | | | | 1,00 |

| | | | | | |
|--------------|---|--|--|--|---------|
| 618.922.00.1 | Set of O-rings for Geberit Volex fittings (2 pc.): EPDM, d=26mm | | | | 1,00 |
| 618.923.00.1 | Set of O-rings for Geberit Volex fittings (2 pc.): EPDM, d=32mm | | | | 1,00 |
| 618.924.00.1 | Set of O-rings for Geberit Volex fittings (2 pc.): EPDM, d=40mm | | | | 1,00 |
| 618.925.00.1 | Set of O-rings for Geberit Volex fittings (2 pc.): EPDM, d=50mm | | | | 2,00 |
| 618.926.00.1 | Set of O-rings for Geberit Volex fittings (2 pc.): EPDM, d=63mm | | | | 2,00 |
| 618.910.00.1 | Pressing sleeve for Geberit Volex fittings: 1.4301, d=16mm | | | | 5,00 |
| 618.911.00.1 | Pressing sleeve for Geberit Volex fittings: 1.4301, d=20mm | | | | 5,00 |
| 618.912.00.1 | Pressing sleeve for Geberit Volex fittings: 1.4301, d=26mm | | | | 7,00 |
| 618.913.00.1 | Pressing sleeve for Geberit Volex fittings: 1.4301, d=32mm | | | | 8,00 |
| 618.914.00.1 | Pressing sleeve for Geberit Volex fittings: 1.4301, d=40mm | | | | 16,00 |
| 618.915.00.1 | Pressing sleeve for Geberit Volex fittings: 1.4301, d=50mm | | | | 21,00 |
| 618.916.00.1 | Pressing sleeve for Geberit Volex fittings: 1.4301, d=63mm | | | | 29,00 |
| 617.500.00.1 | Geberit Volex ball valve with actuator lever: CW617N, d=16mm, PN=10bar | | | | 38,00 |
| 617.501.00.1 | Geberit Volex ball valve with actuator lever: CW617N, d=20mm, PN=10bar | | | | 39,00 |
| 617.502.00.1 | Geberit Volex ball valve with actuator lever: CW617N, d=26mm, PN=10bar | | | | 42,00 |
| 617.503.00.1 | Geberit Volex ball valve with actuator lever: CW617N, d=32mm, PN=10bar | | | | 54,00 |
| 617.504.00.1 | Geberit Volex ball valve with actuator lever: CW617N, d=40mm, PN=10bar | | | | 102,00 |
| 617.505.00.1 | Geberit Volex ball valve with actuator lever: CW617N, d=50mm, PN=10bar | | | | 153,00 |
| 601.851.26.1 | Geberit pipe bracket, insulated, with threaded socket M8 / M10: 1.0215, di=15-19mm, galvanized | | | | 3,00 |
| 601.852.26.1 | Geberit pipe bracket, insulated, with threaded socket M8 / M10: 1.0215, di=20-24mm, galvanized | | | | 3,00 |
| 601.853.26.1 | Geberit pipe bracket, insulated, with threaded socket M8 / M10: 1.0215, di=25-30mm, galvanized | | | | 3,00 |
| 601.854.26.1 | Geberit pipe bracket, insulated, with threaded socket M8 / M10: 1.0215, di=32-37mm, galvanized | | | | 3,00 |
| 601.855.26.1 | Geberit pipe bracket, insulated, with threaded socket M8 / M10: 1.0215, di=40-46mm, galvanized | | | | 4,00 |
| 601.856.26.1 | Geberit pipe bracket, insulated, with threaded socket M8 / M10: 1.0215, di=48-53mm, galvanized | | | | 4,00 |
| 601.857.26.1 | Geberit pipe bracket, insulated, with threaded socket M8 / M10: 1.0215, di=54-58mm, galvanized | | | | 4,00 |
| 601.858.26.1 | Geberit pipe bracket, insulated, with threaded socket M8 / M10: 1.0215, di=63-67mm, galvanized | | | | 6,00 |
| 601.859.26.1 | Geberit pipe bracket, insulated, with threaded socket M8 / M10: 1.0215, di=74-80mm, galvanized | | | | 6,00 |
| 601.860.26.1 | Geberit pipe bracket, insulated, with threaded socket M8 / M10: 1.0215, di=83-91mm, galvanized | | | | 6,00 |
| 601.861.26.1 | Geberit pipe bracket, insulated, with threaded socket M8 / M10: 1.0215, di=108-114mm, galvanized | | | | 7,00 |
| 603.702.00.1 | Geberit pipe bracket lining shell: PP-C, di=25mm, da=32mm | | | | 12,00 |
| 604.702.00.1 | Geberit pipe bracket lining shell: PP-C, di=32mm, da=40mm | | | | 4,00 |
| 605.702.00.1 | Geberit pipe bracket lining shell: PP-C, di=40mm, da=50mm | | | | 5,00 |
| 606.702.00.1 | Geberit pipe bracket lining shell: PP-C, di=50mm, da=63mm | | | | 6,00 |
| 607.702.00.1 | Geberit pipe bracket lining shell: PP-C, di=63mm, da=75mm | | | | 9,00 |
| 608.702.00.1 | Geberit pipe bracket lining shell: PP-C, di=75mm, da=90mm | | | | 33,00 |
| 601.736.00.1 | Geberit mounting plate, straight, single: 1.0215 | | | | 9,00 |
| 601.738.00.1 | Geberit mounting plate, straight, double, connecting distance 10 cm or 12 cm: 1.0215, AD=12cm, AD1=10cm | | | | 11,00 |
| 601.737.00.1 | Geberit mounting plate, straight, double, connecting distance 7.3 cm or 15.3 cm: 1.0215, AD=15.3cm, AD1=7.3cm | | | | 11,00 |
| 601.733.00.1 | Geberit mounting plate, offset, single: 1.0215 | | | | 9,00 |
| 601.731.00.1 | Geberit mounting plate, offset, double, connecting distance 10 cm or 12 cm: 1.0215, AD=12cm, AD1=10cm | | | | 11,00 |
| 601.732.00.1 | Geberit mounting plate, offset, double, connecting distance 7.3 cm or 15.3 cm: 1.0215, AD=15.3cm, AD1=7.3cm | | | | 11,00 |
| 90282 | Fastening for Geberit Mapress elbow adapter 90° | | | | 10,00 |
| 601.811.00.1 | Geberit Mepla sleeve: EPDM, di=16mm, da=19mm | | | | 4,00 |
| 602.811.00.1 | Geberit Mepla sleeve: EPDM, di=20mm, da=23mm | | | | 5,00 |
| 603.811.00.1 | Geberit Mepla sleeve: EPDM, di=26mm, da=29mm | | | | 5,00 |
| 616.208.00.1 | Geberit temperature sensor with male thread, for sanitary flush concealed cistern: G=1/2" | | | | 204,00 |
| 691.017.P1.1 | Geberit pressing tool ACO 103plus [1], in case: Nominal voltage / mains frequency=230 V / 50-60 Hz, Plug type=CEE 7/16, Power consumption=55W | | | | 2791,00 |
| 691.218.P1.2 | Geberit pressing tool ACO 203plus [2], in case: Nominal voltage / mains frequency=230 V / 50-60 Hz, Plug type=CEE 7/16, Power consumption=90W | | | | 3661,00 |
| 690.512.00.2 | Geberit pressing tool ACO 203plus [2]: Nominal voltage / mains frequency=18 V DC, Power consumption=450W | | | | 2468,00 |
| 691.214.P2.1 | Geberit pressing tool ECO 203 [2], in case: Nominal voltage / mains frequency=230 V / 50-60 Hz, Plug type=CEE 7/17, Power consumption=450W | | | | 2877,00 |
| 690.511.P2.1 | Geberit pressing tool ECO 203 [2]: Nominal voltage / mains frequency=230 V / 50-60 Hz, Plug type=CEE 7/17, Power consumption=450W | | | | 2358,00 |
| 691.113.P2.1 | Geberit pressing tool EP 203 [2], in case: Nominal voltage / mains frequency=230 V / 50-60 Hz, Plug type=CEE 7/17, Power consumption=450W | | | | 2565,00 |
| 690.514.00.2 | Geberit pressing tool ACO 203Xplus [2] / [2XL]: Nominal voltage / mains frequency=18 V DC, Power consumption=450W | | | | 3310,00 |
| 690.486.00.4 | Geberit Mepla installation tool, in case: d=16 / 20 / 26mm | | | | 1242,00 |
| 690.475.00.1 | Geberit Mepla hand-operated pressing pliers: d=16mm | | | | 271,00 |
| 690.476.00.1 | Geberit Mepla hand-operated pressing pliers: d=20mm | | | | 279,00 |
| 690.474.00.1 | Geberit Mepla hand-operated pressing pliers: d=26mm | | | | 347,00 |
| 690.182.00.1 | Geberit Mepla set of pressing jaws [1]: d=16 / 20 / 26 / 32 / 40mm | | | | 1508,00 |
| 690.140.00.1 | Geberit Mepla pressing jaw [1]: d=16mm | | | | 268,00 |
| 690.141.00.1 | Geberit Mepla pressing jaw [1]: d=20mm | | | | 268,00 |
| 690.142.00.1 | Geberit Mepla pressing jaw [1]: d=26mm | | | | 268,00 |
| 690.143.00.1 | Geberit Mepla pressing jaw [1]: d=32mm | | | | 268,00 |
| 690.144.00.1 | Geberit Mepla pressing jaw [1]: d=40mm | | | | 268,00 |
| 690.240.00.1 | Geberit Mepla pressing jaw [2]: d=16mm | | | | 292,00 |
| 690.241.00.1 | Geberit Mepla pressing jaw [2]: d=20mm | | | | 312,00 |
| 690.242.00.1 | Geberit Mepla pressing jaw [2]: d=26mm | | | | 333,00 |
| 690.243.00.1 | Geberit Mepla pressing jaw [2]: d=32mm | | | | 370,00 |
| 690.244.00.1 | Geberit Mepla pressing jaw [2]: d=40mm | | | | 410,00 |
| 690.245.00.1 | Geberit Mepla pressing jaw [2]: d=50mm | | | | 475,00 |
| 690.170.00.1 | Geberit Volex set of pressing jaws [1]: d=16 / 20 / 26mm | | | | 950,00 |
| 690.171.00.1 | Geberit Volex set of pressing jaws [1]: d=16 / 20 / 26 / 32mm | | | | 1269,00 |
| 690.160.00.1 | Geberit Volex pressing jaw [1]: d=16mm | | | | 306,00 |
| 690.161.00.1 | Geberit Volex pressing jaw [1]: d=20mm | | | | 306,00 |
| 690.162.00.1 | Geberit Volex pressing jaw [1]: d=26mm | | | | 306,00 |
| 690.163.00.1 | Geberit Volex pressing jaw [1]: d=32mm | | | | 306,00 |
| 690.271.00.1 | Geberit Volex set of pressing jaws [2]: d=16 / 20 / 26 / 32mm | | | | 1474,00 |
| 690.272.00.1 | Geberit Volex set of pressing jaws [2]: d=16 / 20 / 26 / 32 / 40mm | | | | 1881,00 |
| 690.260.00.1 | Geberit Volex pressing jaw [2]: d=16mm | | | | 292,00 |
| 690.261.00.1 | Geberit Volex pressing jaw [2]: d=20mm | | | | 312,00 |
| 690.262.00.1 | Geberit Volex pressing jaw [2]: d=26mm | | | | 333,00 |
| 690.263.00.1 | Geberit Volex pressing jaw [2]: d=32mm | | | | 370,00 |
| 690.264.00.1 | Geberit Volex pressing jaw [2]: d=40mm | | | | 410,00 |
| 690.469.00.1 | Geberit Volex pressing collar [2], in case: d=50mm | | | | 2326,00 |
| 691.175.00.1 | Geberit Volex pressing collar [2]: d=50mm | | | | 1356,00 |
| 691.176.00.1 | Geberit Volex pressing collar [2]: d=63mm | | | | 1502,00 |
| 690.190.00.1 | Geberit Mapress set of pressing jaws [1]: d=12 / 15 / 18 / 22 / 28 / 35mm | | | | 1628,00 |
| 690.191.00.1 | Geberit Mapress set of pressing jaws [1]: d=15 / 18 / 22 / 28mm | | | | 1137,00 |
| 690.195.00.1 | Geberit Mapress set of pressing jaws [1]: d=12 / 15 / 22 / 28 / 35mm | | | | 1452,00 |
| 690.122.00.1 | Geberit Mapress pressing jaw [1]: d=15mm | | | | 304,00 |
| 690.123.00.1 | Geberit Mapress pressing jaw [1]: d=18mm | | | | 304,00 |
| 690.124.00.1 | Geberit Mapress pressing jaw [1]: d=22mm | | | | 304,00 |
| 690.125.00.1 | Geberit Mapress pressing jaw [1]: d=28mm | | | | 304,00 |
| 690.126.00.1 | Geberit Mapress pressing jaw [1]: d=35mm | | | | 304,00 |
| 690.230.00.1 | Geberit Mapress set of pressing jaws [2]: d=12 / 15 / 18 / 22 / 28 / 35mm | | | | 2054,00 |
| 690.232.00.1 | Geberit Mapress set of pressing jaws [2]: d=15 / 18 / 22 / 28 / 35mm | | | | 1760,00 |
| 690.222.00.1 | Geberit Mapress pressing jaw [2]: d=15mm | | | | 364,00 |
| 690.223.00.1 | Geberit Mapress pressing jaw [2]: d=18mm | | | | 364,00 |
| 690.224.00.1 | Geberit Mapress pressing jaw [2]: d=22mm | | | | 364,00 |
| 690.225.00.1 | Geberit Mapress pressing jaw [2]: d=28mm | | | | 364,00 |
| 690.226.00.1 | Geberit Mapress pressing jaw [2]: d=35mm | | | | 364,00 |
| 691.296.00.2 | Geberit Mapress pressing collars [2], in case: d=42 / 54mm | | | | 3256,00 |
| 691.203.00.1 | Geberit adapter jaw ZB 203A [2] | | | | 476,00 |
| 691.181.00.1 | Geberit Mapress pressing collar [2] / [3]: d=35mm | | | | 2534,00 |
| 691.182.00.1 | Geberit Mapress pressing collar [2] / [3]: d=42mm | | | | 1347,00 |
| 691.183.00.1 | Geberit Mapress pressing collar [2] / [3]: d=54mm | | | | 1347,00 |
| 691.188.00.1 | Geberit Mapress pressing collars [2XL], in case: d=76.1 / 88.9mm | | | | 4339,00 |
| 691.189.00.1 | Geberit Mapress pressing collar [2XL], in case: d=108mm | | | | 3650,00 |
| 650.921.00.2 | Geberit pliers: d=14-26mm | | | | 199,00 |
| 690.134.00.1 | Geberit Mepla pliers: d=16 / 20 / 26mm | | | | 167,00 |
| 690.112.00.1 | Geberit pipe cutter ML: d=16-50mm | | | | 109,00 |
| 690.115.00.1 | Geberit pipe cutter ML: d=32-75mm | | | | 206,00 |
| 690.212.00.1 | Geberit Mepla deburring and calibration tool: d=16 / 20 / 26mm | | | | 75,00 |
| 690.211.00.1 | Geberit Mepla deburring and calibration tool: d=16 / 20 / 26 / 32 / 40 / 50mm | | | | 106,00 |

| | | | | | |
|--------------|--|--|--|--|---------|
| 690.214.00.1 | Geberit deburring tool: d=63 / 75mm | | | | 30,00 |
| 690.412.00.3 | Geberit handheld bending tool, hydraulic, in case: d=16 / 20 / 26 / 32mm | | | | 790,00 |
| 691.621.00.1 | Geberit Volex pipe working tool, in case: d=16 / 20 / 26mm | | | | 635,00 |
| 690.601.00.1 | Geberit Volex deburring and calibration tool: d=16 / 20 / 26mm | | | | 72,00 |
| 690.602.00.1 | Geberit Volex deburring and calibration tool: d=16 / 20 / 26 / 32 / 40 / 50mm | | | | 119,00 |
| 690.620.00.1 | Geberit Volex deburring and calibration attachments, in case: d=16 / 20 / 26 / 32mm | | | | 407,00 |
| 690.610.00.1 | Geberit Volex deburring and calibration attachment: d=16mm | | | | 75,00 |
| 690.611.00.1 | Geberit Volex deburring and calibration attachment: d=20mm | | | | 78,00 |
| 690.614.00.1 | Geberit Volex deburring and calibration attachment: d=40mm | | | | 122,00 |
| 690.615.00.1 | Geberit Volex deburring and calibration attachment: d=50mm | | | | 204,00 |
| 690.616.00.1 | Geberit Volex deburring and calibration attachment: d=63mm | | | | 272,00 |
| 690.619.00.1 | Geberit handle for deburring and calibration attachments: d=16-63mm | | | | 102,00 |
| 91087 | Geberit Mappress pipe cutter R: d=12-35mm | | | | 81,00 |
| 91088 | Geberit Mappress pipe cutter R: d=12-54mm | | | | 155,00 |
| 90357 | Geberit Mappress pipe deburrer: d=12-35mm | | | | 43,00 |
| 90363 | Geberit Mappress pipe deburrer: d=12-54mm | | | | 87,00 |
| 691.000.P2.3 | Geberit Mappress electric pipe deburrer RE 1, in case: Plug type=CEE 7/17 | | | | 1433,00 |
| 90371 | Geberit Mappress stripping tool: d=12mm | | | | 86,00 |
| 90372 | Geberit Mappress stripping tool: d=15mm | | | | 89,00 |
| 90373 | Geberit Mappress stripping tool: d=18mm | | | | 88,00 |
| 90374 | Geberit Mappress stripping tool: d=22mm | | | | 88,00 |
| 90375 | Geberit Mappress stripping tool: d=28mm | | | | 89,00 |
| 90376 | Geberit Mappress stripping tool: d=35 / 42 / 54mm | | | | 92,00 |
| 690.800.00.1 | Geberit tacker | | | | 451,00 |
| 601.485.00.1 | Geberit Mepla pressure test plug for pipe end: Product material=Brass, d=16mm, Rp=1/2" | | | | 25,00 |
| 602.485.00.1 | Geberit Mepla pressure test plug for pipe end: Product material=Brass, d=20mm, Rp=1/2" | | | | 30,00 |
| 603.485.00.1 | Geberit Mepla pressure test plug for pipe end: Product material=Brass, d=26mm, Rp=1/2" | | | | 33,00 |
| 604.485.00.1 | Geberit Mepla pressure test plug for pipe end: Product material=Brass, d=32mm, Rp=1/2" | | | | 37,00 |
| 605.485.00.1 | Geberit Mepla pressure test plug for pipe end: Product material=Brass, d=40mm, Rp=1/2" | | | | 82,00 |
| 606.485.00.1 | Geberit Mepla pressure test plug for pipe end: Product material=Brass, d=50mm, Rp=1/2" | | | | 116,00 |
| 607.485.00.1 | Geberit Mepla pressure test plug for pipe end: Product material=Brass, d=63mm, Rp=1/2" | | | | 194,00 |
| 690.491.00.1 | Geberit Mepla PowerTest | | | | 7,00 |
| 690.630.26.1 | Geberit Volex pressure test plug for pipe end: d=16mm | | | | 41,00 |
| 690.632.26.1 | Geberit Volex pressure test plug for pipe end: d=26mm | | | | 44,00 |
| 690.633.26.1 | Geberit Volex pressure test plug for pipe end: d=32mm | | | | 60,00 |
| 90351 | Geberit Mappress insertion distance template with marker pen: d=12-108mm | | | | 17,00 |
| 90563 | Geberit Mappress assembly clamp MH 1: d=54-108mm | | | | 611,00 |
| 90922 | Geberit Mappress pressure test plug for fitting: d=15mm | | | | 102,00 |
| 90923 | Geberit Mappress pressure test plug for fitting: d=18mm | | | | 102,00 |
| 90924 | Geberit Mappress pressure test plug for fitting: d=22mm | | | | 102,00 |
| 90925 | Geberit Mappress pressure test plug for fitting: d=28mm | | | | 129,00 |
| 90926 | Geberit Mappress pressure test plug for fitting: d=35mm | | | | 135,00 |
| 90927 | Geberit Mappress pressure test plug for fitting: d=42mm | | | | 185,00 |
| 90928 | Geberit Mappress pressure test plug for fitting: d=54mm | | | | 241,00 |
| 90929 | Geberit Mappress pressure test plug for fitting: d=76.1mm | | | | 463,00 |
| 90930 | Geberit Mappress pressure test plug for fitting: d=88.9mm | | | | 659,00 |
| 90931 | Geberit Mappress pressure test plug for fitting: d=108mm | | | | 1260,00 |
| 691.141.00.1 | Geberit universal case with three compartments: ABS | | | | 112,00 |
| 90000 | BRUNOX® Turbo-Spray®: Content=120ml | | | | 45,00 |
| 691.137.00.1 | Geberit case for pressing jaws [2], [3], with insert 10C-II: ABS | | | | 117,00 |
| 690.936.00.1 | Geberit cutting wheel set for pliers: d=14-26mm | | | | 80,00 |
| 690.111.00.1 | Geberit set of cutting wheels for pipe cutter ML: d=16-75mm | | | | 91,00 |
| 691.144.00.1 | Case for Geberit Mepla hand-operated pressing tool: ABS, d=16 / 20 / 26mm | | | | 111,00 |
| 691.133.00.1 | Case for Geberit Mepla pressing collars [2]: ABS, d=63 / 75mm | | | | 113,00 |
| 691.143.00.1 | Geberit case for handheld bending tool, hydraulic: ABS, d=16 / 20 / 26 / 32mm | | | | 111,00 |
| 91092 | Set of cutting wheels for Geberit Mappress pipe cutter R: d=12-54mm | | | | 54,00 |
| 90365 | Milling cutter for Geberit Mappress electric pipe deburrer RE 1: d=15-108mm | | | | 355,00 |
| 90391 | Blade for Geberit Mappress stripping tool: d=12 / 15 / 18mm | | | | 9,00 |
| 90394 | Blade for Geberit Mappress stripping tool: d=22 / 28mm | | | | 21,00 |
| 90396 | Blade for Geberit Mappress stripping tool: d=35 / 42 / 54mm | | | | 9,00 |
| 90642 | Geberit Mappress pressing jaw [3]: d=15mm | | | | 627,00 |
| 90643 | Geberit Mappress pressing jaw [3]: d=18mm | | | | 627,00 |
| 90644 | Geberit Mappress pressing jaw [3]: d=22mm | | | | 627,00 |
| 90645 | Geberit Mappress pressing jaw [3]: d=28mm | | | | 627,00 |
| 90646 | Geberit Mappress pressing jaw [3]: d=35mm | | | | 627,00 |
| 90648 | Geberit Mappress adapter jaw ZB 303 [3]: d=35 / 42 / 54 / 66.7mm | | | | 724,00 |
| 90795 | Geberit Mappress adapter jaw ZB 323 [3]: d=76.1 / 88.9 / 108mm | | | | 1574,00 |
| 91090 | Cutting wheel set for Geberit Mappress pipe cutter: d=12-42mm | | | | 70,00 |
| 91091 | Cutting wheel set for Geberit Mappress pipe cutter: d=12-54mm | | | | 62,00 |
| 691.138.00.1 | Case for Geberit Mappress pressing jaws [2], [3]: ABS, d=42 / 54 / 66.7mm | | | | 119,00 |
| 691.139.00.1 | Case for Geberit Mappress pressing collars [3]: ABS, d=76.1 / 88.9mm | | | | 114,00 |
| 691.140.00.1 | Case for Geberit Mappress pressing collar [3]: ABS, d=108mm | | | | 114,00 |
| 691.142.00.1 | Case for Geberit Mappress electric pipe deburrer RE 1: ABS, d=15-108mm | | | | 221,00 |
| 242.614.P1.1 | Geberit battery charger 12 V: Nominal voltage / mains frequency=220-240 V / 50/60 Hz, Plug type=CEE 7/16, Power consumption=55W | | | | 274,00 |
| 690.598.P1.1 | Geberit battery charger 18 V: Nominal voltage / mains frequency=220-240 V / 50/60 Hz, Plug type=CEE 7/16, Power consumption=90W | | | | 312,00 |
| 241.543.00.1 | Geberit NiMH battery, 9.6 V: Battery capacity=3Ah | | | | 296,00 |
| 690.597.00.5 | Geberit NiMH battery, 14.4 V: Battery capacity=3Ah | | | | 264,00 |
| 241.541.P1.1 | Geberit battery charger 9.6 V: Nominal voltage / mains frequency=220-240 V / 50-60 Hz, Plug type=CEE 7/16, Power consumption=60W | | | | 254,00 |
| 690.591.P1.1 | Geberit battery charger 12 V / 14.4 V: Nominal voltage / mains frequency=220-240 V / 50-60 Hz, Plug type=CEE 7/16, Power consumption=70W | | | | 175,00 |
| 691.134.00.1 | Geberit case for pressing tools [1], battery operation, with insert 10A-IV: ABS | | | | 111,00 |
| 691.135.00.1 | Geberit case for pressing tools [2], [3], mains operation, with insert 20B-IV: ABS | | | | 171,00 |
| 691.136.00.1 | Geberit case for pressing tools [2], [3], battery operation, with insert 20A-V: ABS | | | | 170,00 |
| 23715 | Geberit Mappress loose flange PN 10/16: 1.0215, DN=25 | | | | 63,00 |
| 23716 | Geberit Mappress loose flange PN 10/16: 1.0215, DN=32 | | | | 72,00 |
| 23717 | Geberit Mappress loose flange PN 10/16: 1.0215, DN=40 | | | | 79,00 |
| 23718 | Geberit Mappress loose flange PN 10/16: 1.0215, DN=50 | | | | 86,00 |
| 23719 | Geberit Mappress loose flange PN 10/16: 1.0215, DN=65 | | | | 100,00 |
| 23720 | Geberit Mappress loose flange PN 10/16: 1.0215, DN=80 | | | | 124,00 |
| 23721 | Geberit Mappress loose flange PN 10/16: 1.0215, DN=100 | | | | 164,00 |
| 39012 | Geberit Mappress Stainless Steel system pipe, CrNiMo, large bundle: d=12mm, L=6m | | | | 11,00 |
| 39201 | Geberit Mappress Stainless Steel system pipe, CrNiMo, small bundle: d=12mm, L=6m | | | | 11,00 |
| 39002 | Geberit Mappress Stainless Steel system pipe, CrNiMo, large bundle: d=15mm, L=6m | | | | 11,00 |
| 39202 | Geberit Mappress Stainless Steel system pipe, CrNiMo, small bundle: d=15mm, L=6m | | | | 11,00 |
| 39003 | Geberit Mappress Stainless Steel system pipe, CrNiMo, large bundle: d=18mm, L=6m | | | | 14,00 |
| 39203 | Geberit Mappress Stainless Steel system pipe, CrNiMo, small bundle: d=18mm, L=6m | | | | 14,00 |
| 39004 | Geberit Mappress Stainless Steel system pipe, CrNiMo, large bundle: d=22mm, L=6m | | | | 19,00 |
| 39204 | Geberit Mappress Stainless Steel system pipe, CrNiMo, small bundle: d=22mm, L=6m | | | | 19,00 |
| 39005 | Geberit Mappress Stainless Steel system pipe, CrNiMo, large bundle: d=28mm, L=6m | | | | 22,00 |
| 39205 | Geberit Mappress Stainless Steel system pipe, CrNiMo, small bundle: d=28mm, L=6m | | | | 23,00 |
| 39006 | Geberit Mappress Stainless Steel system pipe, CrNiMo, large bundle: d=35mm, L=6m | | | | 33,00 |
| 39206 | Geberit Mappress Stainless Steel system pipe, CrNiMo, small bundle: d=35mm, L=6m | | | | 34,00 |
| 39007 | Geberit Mappress Stainless Steel system pipe, CrNiMo, large bundle: d=42mm, L=6m | | | | 40,00 |
| 39207 | Geberit Mappress Stainless Steel system pipe, CrNiMo, small bundle: d=42mm, L=6m | | | | 40,00 |
| 39008 | Geberit Mappress Stainless Steel system pipe, CrNiMo, large bundle: d=54mm, L=6m | | | | 51,00 |
| 39208 | Geberit Mappress Stainless Steel system pipe, CrNiMo, small bundle: d=54mm, L=6m | | | | 51,00 |
| 39009 | Geberit Mappress Stainless Steel system pipe, CrNiMo, large bundle: d=76.1mm, L=6m | | | | 105,00 |
| 39209 | Geberit Mappress Stainless Steel system pipe, CrNiMo, small bundle: d=76.1mm, L=6m | | | | 108,00 |
| 39010 | Geberit Mappress Stainless Steel system pipe, CrNiMo, large bundle: d=88.9mm, L=6m | | | | 120,00 |
| 39210 | Geberit Mappress Stainless Steel system pipe, CrNiMo, small bundle: d=88.9mm, L=6m | | | | 122,00 |
| 39011 | Geberit Mappress Stainless Steel system pipe, CrNiMo, large bundle: d=108mm, L=6m | | | | 154,00 |
| 39211 | Geberit Mappress Stainless Steel system pipe, CrNiMo, small bundle: d=108mm, L=6m | | | | 156,00 |
| 39041 | Geberit Mappress Stainless Steel system pipe, CrMoTi, large bundle: d=12mm, L=6m | | | | 9,00 |
| 39241 | Geberit Mappress Stainless Steel system pipe, CrMoTi, small bundle: d=12mm, L=6m | | | | 9,00 |

| | | | | | |
|-------|---|--|--|--|--------|
| 39042 | Geberit Mapress Stainless Steel system pipe, CrMoTi, large bundle: d=15mm, L=6m | | | | 9,00 |
| 39242 | Geberit Mapress Stainless Steel system pipe, CrMoTi, small bundle: d=15mm, L=6m | | | | 9,00 |
| 39043 | Geberit Mapress Stainless Steel system pipe, CrMoTi, large bundle: d=18mm, L=6m | | | | 11,00 |
| 39243 | Geberit Mapress Stainless Steel system pipe, CrMoTi, small bundle: d=18mm, L=6m | | | | 11,00 |
| 39044 | Geberit Mapress Stainless Steel system pipe, CrMoTi, large bundle: d=22mm, L=6m | | | | 15,00 |
| 39244 | Geberit Mapress Stainless Steel system pipe, CrMoTi, small bundle: d=22mm, L=6m | | | | 15,00 |
| 39045 | Geberit Mapress Stainless Steel system pipe, CrMoTi, large bundle: d=28mm, L=6m | | | | 19,00 |
| 39245 | Geberit Mapress Stainless Steel system pipe, CrMoTi, small bundle: d=28mm, L=6m | | | | 19,00 |
| 39046 | Geberit Mapress Stainless Steel system pipe, CrMoTi, large bundle: d=35mm, L=6m | | | | 27,00 |
| 39246 | Geberit Mapress Stainless Steel system pipe, CrMoTi, small bundle: d=35mm, L=6m | | | | 27,00 |
| 39047 | Geberit Mapress Stainless Steel system pipe, CrMoTi, large bundle: d=42mm, L=6m | | | | 33,00 |
| 39247 | Geberit Mapress Stainless Steel system pipe, CrMoTi, small bundle: d=42mm, L=6m | | | | 33,00 |
| 39048 | Geberit Mapress Stainless Steel system pipe, CrMoTi, large bundle: d=54mm, L=6m | | | | 43,00 |
| 39248 | Geberit Mapress Stainless Steel system pipe, CrMoTi, small bundle: d=54mm, L=6m | | | | 42,00 |
| 33001 | Geberit Mapress Stainless Steel coupling: d=12mm | | | | 12,00 |
| 30601 | Geberit Mapress Stainless Steel bend: 45°, d=12mm | | | | 14,00 |
| 30101 | Geberit Mapress Stainless Steel bend: 90°, d=12mm | | | | 14,00 |
| 30701 | Geberit Mapress Stainless Steel bend with plain end: 45°, d=12mm | | | | 14,00 |
| 30301 | Geberit Mapress Stainless Steel bend with plain end: 90°, d=12mm | | | | 14,00 |
| 33008 | Geberit Mapress Stainless Steel T-piece, equal: d=12mm | | | | 21,00 |
| 31303 | Geberit Mapress Stainless Steel T-piece with female thread: d=12mm, Rp=3/8", d1=12mm | | | | 27,00 |
| 33017 | Geberit Mapress Stainless Steel adapter with male thread: d=12mm, R=3/8" | | | | 20,00 |
| 33009 | Geberit Mapress Stainless Steel adapter with male thread: d=12mm, R=1/2" | | | | 20,00 |
| 33010 | Geberit Mapress Stainless Steel adapter with female thread: d=12mm, Rp=1/2" | | | | 20,00 |
| 33013 | Geberit Mapress Stainless Steel elbow tap connector 90°: d=12mm, Rp=1/2", L1=4.3cm | | | | 31,00 |
| 32002 | Geberit Mapress Stainless Steel coupling: d=15mm | | | | 11,00 |
| 32102 | Geberit Mapress Stainless Steel slip coupling: d=15mm | | | | 18,00 |
| 33002 | Geberit Mapress Stainless Steel reducer with plain end: d=15mm, d1=12mm | | | | 13,00 |
| 36101 | Geberit Mapress Stainless Steel bend: 15°, d=15mm | | | | 15,00 |
| 36121 | Geberit Mapress Stainless Steel bend: 30°, d=15mm | | | | 15,00 |
| 30602 | Geberit Mapress Stainless Steel bend: 45°, d=15mm | | | | 15,00 |
| 36161 | Geberit Mapress Stainless Steel bend: 60°, d=15mm | | | | 15,00 |
| 30102 | Geberit Mapress Stainless Steel bend: 90°, d=15mm | | | | 15,00 |
| 36111 | Geberit Mapress Stainless Steel bend with plain end: 15°, d=15mm | | | | 15,00 |
| 36131 | Geberit Mapress Stainless Steel bend with plain end: 30°, d=15mm | | | | 15,00 |
| 30702 | Geberit Mapress Stainless Steel bend with plain end: 45°, d=15mm | | | | 15,00 |
| 36171 | Geberit Mapress Stainless Steel bend with plain end: 60°, d=15mm | | | | 15,00 |
| 30302 | Geberit Mapress Stainless Steel bend with plain end: 90°, d=15mm | | | | 15,00 |
| 31002 | Geberit Mapress Stainless Steel T-piece, equal: d=15mm | | | | 24,00 |
| 33005 | Geberit Mapress Stainless Steel T-piece, reduced: d=15mm, d1=12mm, d2=15mm | | | | 24,00 |
| 31454 | Geberit Mapress Stainless Steel T-piece with male thread: d=15mm, R=1/2", d1=15mm | | | | 27,00 |
| 31304 | Geberit Mapress Stainless Steel T-piece with female thread: d=15mm, Rp=1/2", d1=15mm | | | | 27,00 |
| 32412 | Geberit Mapress Stainless Steel adapter with weld-on and plain end: d=15mm, d1=17.2mm | | | | 34,00 |
| 31726 | Geberit Mapress Stainless Steel adapter with male thread: d=15mm, R=3/8" | | | | 20,00 |
| 31703 | Geberit Mapress Stainless Steel adapter with male thread: d=15mm, R=1/2" | | | | 20,00 |
| 31714 | Geberit Mapress Stainless Steel adapter with male thread: d=15mm, R=3/4" | | | | 20,00 |
| 31932 | Geberit Mapress Stainless Steel adapter with male thread and plain end: d=15mm, R=1/2" | | | | 20,00 |
| 31802 | Geberit Mapress Stainless Steel adapter with female thread: d=15mm, Rp=1/2" | | | | 20,00 |
| 31823 | Geberit Mapress Stainless Steel adapter with female thread: d=15mm, Rp=3/4" | | | | 20,00 |
| 90932 | Geberit Mapress Stainless Steel adapter with female thread and plain end, long: d=15mm, Rp=1/2" | | | | 20,00 |
| 33833 | Geberit Mapress Stainless Steel elbow adapter 90° with male thread: d=15mm, R=1/2" | | | | 28,00 |
| 33803 | Geberit Mapress Stainless Steel elbow adapter 90° with female thread: d=15mm, Rp=1/2" | | | | 28,00 |
| 33203 | Geberit Mapress Stainless Steel elbow adapter 90° with female thread and plain end: d=15mm, Rp=1/2" | | | | 28,00 |
| 35320 | Geberit Mapress Stainless Steel union: d=15mm | | | | 68,00 |
| 35390 | Geberit Mapress Stainless Steel union with union nut made of CrNi steel: d=15mm | | | | 80,00 |
| 35330 | Geberit Mapress Stainless Steel adapter union with male thread: d=15mm, R=1/2" | | | | 34,00 |
| 35331 | Geberit Mapress Stainless Steel adapter union with male thread: d=15mm, R=3/4" | | | | 34,00 |
| 35360 | Geberit Mapress Stainless Steel adapter union with male thread, union nut made of CrNi steel: d=15mm, R=1/2" | | | | 45,00 |
| 35361 | Geberit Mapress Stainless Steel adapter union with male thread, union nut made of CrNi steel: d=15mm, R=3/4" | | | | 45,00 |
| 35400 | Geberit Mapress Stainless Steel adapter union with male thread and plain end: d=15mm, R=1/2" | | | | 45,00 |
| 35300 | Geberit Mapress Stainless Steel adapter union with female thread: d=15mm, Rp=1/2" | | | | 34,00 |
| 35301 | Geberit Mapress Stainless Steel adapter union with female thread: d=15mm, Rp=3/4" | | | | 37,00 |
| 35350 | Geberit Mapress Stainless Steel adapter union with female thread, union nut made of CrNi steel: d=15mm, Rp=1/2" | | | | 45,00 |
| 35357 | Geberit Mapress Stainless Steel adapter union with female thread, union nut made of CrNi steel: d=15mm, Rp=3/4" | | | | 45,00 |
| 35380 | Geberit Mapress Stainless Steel adapter union with female thread and plain end: d=15mm, Rp=1/2" | | | | 45,00 |
| 35042 | Geberit Mapress Stainless Steel adapter with union nut: d=15mm, di=10mm, G=1/2" | | | | 24,00 |
| 35032 | Geberit Mapress Stainless Steel adapter with union nut: d=15mm, di=13mm, G=3/4" | | | | 24,00 |
| 35072 | Geberit Mapress Stainless Steel adapter with union nut: d=15mm, di=26mm, G=1 1/4" | | | | 24,00 |
| 35132 | Geberit Mapress Stainless Steel adapter with union nut made of CrNi steel: d=15mm, di=13mm, G=3/4" | | | | 31,00 |
| 33732 | Geberit Mapress Stainless Steel flange PN 10/16, with pressing socket: d=15mm, DN=15 / 12 | | | | 81,00 |
| 33932 | Geberit Mapress Stainless Steel axial expansion fitting with pressing sockets: d=15mm | | | | 162,00 |
| 33212 | Geberit Mapress Stainless Steel cap: d=15mm | | | | 15,00 |
| 33403 | Geberit Mapress Stainless Steel elbow tap connector 90°: d=15mm, Rp=1/2", L1=4.3cm | | | | 34,00 |
| 33423 | Geberit Mapress Stainless Steel T-elbow tap connector 90°, offset: d=15mm, Rp=1/2", L1=6.5cm | | | | 34,00 |
| 33503 | Geberit Mapress Stainless Steel corner elbow 90°: d=15mm, Rp=1/2", d1=15mm, L1=4.3cm | | | | 53,00 |
| 32003 | Geberit Mapress Stainless Steel coupling: d=18mm | | | | 11,00 |
| 32103 | Geberit Mapress Stainless Steel slip coupling: d=18mm | | | | 18,00 |
| 33003 | Geberit Mapress Stainless Steel reducer with plain end: d=18mm, d1=12mm | | | | 11,00 |
| 32303 | Geberit Mapress Stainless Steel reducer with plain end: d=18mm, d1=15mm | | | | 11,00 |
| 30603 | Geberit Mapress Stainless Steel bend: 45°, d=18mm | | | | 17,00 |
| 30103 | Geberit Mapress Stainless Steel bend: 90°, d=18mm | | | | 17,00 |
| 30703 | Geberit Mapress Stainless Steel bend with plain end: 45°, d=18mm | | | | 17,00 |
| 30303 | Geberit Mapress Stainless Steel bend with plain end: 90°, d=18mm | | | | 17,00 |
| 31003 | Geberit Mapress Stainless Steel T-piece, equal: d=18mm | | | | 25,00 |
| 33006 | Geberit Mapress Stainless Steel T-piece, reduced: d=18mm, d1=12mm, d2=18mm | | | | 25,00 |
| 31208 | Geberit Mapress Stainless Steel T-piece, reduced: d=18mm, d1=15mm, d2=15mm | | | | 25,00 |
| 31204 | Geberit Mapress Stainless Steel T-piece, reduced: d=18mm, d1=15mm, d2=18mm | | | | 25,00 |
| 31455 | Geberit Mapress Stainless Steel T-piece with male thread: d=18mm, R=1/2", d1=18mm | | | | 27,00 |
| 31305 | Geberit Mapress Stainless Steel T-piece with female thread: d=18mm, Rp=1/2", d1=18mm | | | | 27,00 |
| 31306 | Geberit Mapress Stainless Steel T-piece with female thread: d=18mm, Rp=3/4", d1=18mm | | | | 27,00 |
| 32413 | Geberit Mapress Stainless Steel adapter with weld-on and plain end: d=18mm, d1=21.3mm | | | | 34,00 |
| 31704 | Geberit Mapress Stainless Steel adapter with male thread: d=18mm, R=1/2" | | | | 22,00 |
| 31705 | Geberit Mapress Stainless Steel adapter with male thread: d=18mm, R=3/4" | | | | 22,00 |
| 31732 | Geberit Mapress Stainless Steel adapter with male thread G: d=18mm, G=3/4" | | | | 43,00 |
| 31933 | Geberit Mapress Stainless Steel adapter with male thread and plain end: d=18mm, R=1/2" | | | | 22,00 |
| 31803 | Geberit Mapress Stainless Steel adapter with female thread: d=18mm, Rp=1/2" | | | | 22,00 |
| 31804 | Geberit Mapress Stainless Steel adapter with female thread: d=18mm, Rp=3/4" | | | | 22,00 |
| 90933 | Geberit Mapress Stainless Steel adapter with female thread and plain end, long: d=18mm, Rp=1/2" | | | | 22,00 |
| 90934 | Geberit Mapress Stainless Steel adapter with female thread and plain end, long: d=18mm, Rp=3/4" | | | | 22,00 |
| 33834 | Geberit Mapress Stainless Steel elbow adapter 90° with male thread: d=18mm, R=1/2" | | | | 30,00 |
| 33804 | Geberit Mapress Stainless Steel elbow adapter 90° with female thread: d=18mm, Rp=1/2" | | | | 30,00 |
| 35321 | Geberit Mapress Stainless Steel union: d=18mm | | | | 77,00 |
| 35391 | Geberit Mapress Stainless Steel union with union nut made of CrNi steel: d=18mm | | | | 91,00 |
| 35332 | Geberit Mapress Stainless Steel adapter union with male thread: d=18mm, R=1/2" | | | | 39,00 |
| 35333 | Geberit Mapress Stainless Steel adapter union with male thread: d=18mm, R=3/4" | | | | 39,00 |
| 35362 | Geberit Mapress Stainless Steel adapter union with male thread, union nut made of CrNi steel: d=18mm, R=1/2" | | | | 50,00 |
| 35363 | Geberit Mapress Stainless Steel adapter union with male thread, union nut made of CrNi steel: d=18mm, R=3/4" | | | | 50,00 |
| 35402 | Geberit Mapress Stainless Steel adapter union with male thread and plain end: d=18mm, R=1/2" | | | | 50,00 |
| 35302 | Geberit Mapress Stainless Steel adapter union with female thread: d=18mm, Rp=1/2" | | | | 39,00 |
| 35303 | Geberit Mapress Stainless Steel adapter union with female thread: d=18mm, Rp=3/4" | | | | 39,00 |
| 35351 | Geberit Mapress Stainless Steel adapter union with female thread, union nut made of CrNi steel: d=18mm, Rp=1/2" | | | | 50,00 |
| 35358 | Geberit Mapress Stainless Steel adapter union with female thread, union nut made of CrNi steel: d=18mm, Rp=3/4" | | | | 50,00 |
| 35382 | Geberit Mapress Stainless Steel adapter union with female thread and plain end: d=18mm, Rp=1/2" | | | | 50,00 |

| | | | | | |
|-------|---|--|--|--|--------|
| 35033 | Geberit Mapress Stainless Steel adapter with union nut: d=18mm, di=13mm, di=13mm, G=3/4" | | | | 30,00 |
| 33733 | Geberit Mapress Stainless Steel flange PN 10/16, with pressing socket: d=18mm, DN=15 | | | | 83,00 |
| 33933 | Geberit Mapress Stainless Steel axial expansion fitting with pressing sockets: d=18mm | | | | 171,00 |
| 33213 | Geberit Mapress Stainless Steel cap: d=18mm | | | | 18,00 |
| 33405 | Geberit Mapress Stainless Steel elbow tap connector 90°: d=18mm, Rp=1/2", L1=4.3cm | | | | 37,00 |
| 33425 | Geberit Mapress Stainless Steel T-elbow tap connector 90°, offset: d=18mm, Rp=1/2", L1=6.5cm | | | | 37,00 |
| 32004 | Geberit Mapress Stainless Steel coupling: d=22mm | | | | 13,00 |
| 32104 | Geberit Mapress Stainless Steel slip coupling: d=22mm | | | | 21,00 |
| 33004 | Geberit Mapress Stainless Steel reducer with plain end: d=22mm, d1=12mm | | | | 13,00 |
| 32305 | Geberit Mapress Stainless Steel reducer with plain end: d=22mm, d1=15mm | | | | 13,00 |
| 32306 | Geberit Mapress Stainless Steel reducer with plain end: d=22mm, d1=18mm | | | | 13,00 |
| 36103 | Geberit Mapress Stainless Steel bend: 15°, d=22mm | | | | 21,00 |
| 36123 | Geberit Mapress Stainless Steel bend: 30°, d=22mm | | | | 21,00 |
| 30604 | Geberit Mapress Stainless Steel bend: 45°, d=22mm | | | | 21,00 |
| 36163 | Geberit Mapress Stainless Steel bend: 60°, d=22mm | | | | 21,00 |
| 30104 | Geberit Mapress Stainless Steel bend: 90°, d=22mm | | | | 21,00 |
| 36113 | Geberit Mapress Stainless Steel bend with plain end: 15°, d=22mm | | | | 21,00 |
| 36133 | Geberit Mapress Stainless Steel bend with plain end: 30°, d=22mm | | | | 21,00 |
| 30704 | Geberit Mapress Stainless Steel bend with plain end: 45°, d=22mm | | | | 21,00 |
| 36173 | Geberit Mapress Stainless Steel bend with plain end: 60°, d=22mm | | | | 21,00 |
| 30304 | Geberit Mapress Stainless Steel bend with plain end: 90°, d=22mm | | | | 21,00 |
| 31004 | Geberit Mapress Stainless Steel T-piece, equal: d=22mm | | | | 27,00 |
| 33007 | Geberit Mapress Stainless Steel T-piece, reduced: d=22mm, d1=12mm, d2=22mm | | | | 27,00 |
| 31227 | Geberit Mapress Stainless Steel T-piece, reduced: d=22mm, d1=15mm, d2=18mm | | | | 27,00 |
| 31206 | Geberit Mapress Stainless Steel T-piece, reduced: d=22mm, d1=15mm, d2=22mm | | | | 27,00 |
| 31228 | Geberit Mapress Stainless Steel T-piece, reduced: d=22mm, d1=18mm, d2=18mm | | | | 27,00 |
| 31207 | Geberit Mapress Stainless Steel T-piece, reduced: d=22mm, d1=18mm, d2=22mm | | | | 27,00 |
| 31458 | Geberit Mapress Stainless Steel T-piece with male thread: d=22mm, R=3/4", d1=22mm | | | | 29,00 |
| 31307 | Geberit Mapress Stainless Steel T-piece with female thread: d=22mm, Rp=1/2", d1=22mm | | | | 29,00 |
| 31308 | Geberit Mapress Stainless Steel T-piece with female thread: d=22mm, Rp=3/4", d1=22mm | | | | 29,00 |
| 32414 | Geberit Mapress Stainless Steel adapter with weld-on and plain end: d=22mm, d1=26.9mm | | | | 35,00 |
| 31715 | Geberit Mapress Stainless Steel adapter with male thread: d=22mm, R=1/2" | | | | 27,00 |
| 31707 | Geberit Mapress Stainless Steel adapter with male thread: d=22mm, R=3/4" | | | | 27,00 |
| 31716 | Geberit Mapress Stainless Steel adapter with male thread: d=22mm, R=1" | | | | 27,00 |
| 31733 | Geberit Mapress Stainless Steel adapter with male thread G: d=22mm, G=1" | | | | 58,00 |
| 31936 | Geberit Mapress Stainless Steel adapter with male thread and plain end: d=22mm, R=3/4" | | | | 27,00 |
| 31805 | Geberit Mapress Stainless Steel adapter with female thread: d=22mm, Rp=1/2" | | | | 27,00 |
| 31806 | Geberit Mapress Stainless Steel adapter with female thread: d=22mm, Rp=3/4" | | | | 27,00 |
| 31824 | Geberit Mapress Stainless Steel adapter with female thread: d=22mm, Rp=1" | | | | 27,00 |
| 33846 | Geberit Mapress Stainless Steel adapter with female thread and plain end: d=22mm, Rp=1/2" | | | | 27,00 |
| 90935 | Geberit Mapress Stainless Steel adapter with female thread and plain end, long: d=22mm, Rp=1/2" | | | | 27,00 |
| 90936 | Geberit Mapress Stainless Steel adapter with female thread and plain end, long: d=22mm, Rp=3/4" | | | | 27,00 |
| 33835 | Geberit Mapress Stainless Steel elbow adapter 90° with male thread: d=22mm, R=3/4" | | | | 38,00 |
| 33805 | Geberit Mapress Stainless Steel elbow adapter 90° with female thread: d=22mm, Rp=3/4" | | | | 38,00 |
| 35322 | Geberit Mapress Stainless Steel union: d=22mm | | | | 95,00 |
| 35392 | Geberit Mapress Stainless Steel union with union nut made of CrNi steel: d=22mm | | | | 112,00 |
| 35334 | Geberit Mapress Stainless Steel adapter union with male thread: d=22mm, R=1/2" | | | | 40,00 |
| 35335 | Geberit Mapress Stainless Steel adapter union with male thread: d=22mm, R=3/4" | | | | 40,00 |
| 35336 | Geberit Mapress Stainless Steel adapter union with male thread: d=22mm, R=1" | | | | 40,00 |
| 35364 | Geberit Mapress Stainless Steel adapter union with male thread, union nut made of CrNi steel: d=22mm, R=1/2" | | | | 52,00 |
| 35365 | Geberit Mapress Stainless Steel adapter union with male thread, union nut made of CrNi steel: d=22mm, R=3/4" | | | | 52,00 |
| 35366 | Geberit Mapress Stainless Steel adapter union with male thread, union nut made of CrNi steel: d=22mm, R=1" | | | | 52,00 |
| 35405 | Geberit Mapress Stainless Steel adapter union with male thread and plain end: d=22mm, R=3/4" | | | | 52,00 |
| 35304 | Geberit Mapress Stainless Steel adapter union with female thread: d=22mm, Rp=3/4" | | | | 40,00 |
| 35305 | Geberit Mapress Stainless Steel adapter union with female thread: d=22mm, Rp=1" | | | | 40,00 |
| 35352 | Geberit Mapress Stainless Steel adapter union with female thread, union nut made of CrNi steel: d=22mm, Rp=3/4" | | | | 52,00 |
| 35359 | Geberit Mapress Stainless Steel adapter union with female thread, union nut made of CrNi steel: d=22mm, Rp=1" | | | | 52,00 |
| 35384 | Geberit Mapress Stainless Steel adapter union with female thread and plain end: d=22mm, Rp=3/4" | | | | 52,00 |
| 35034 | Geberit Mapress Stainless Steel adapter with union nut: d=22mm, di=20mm, di=20mm, G=1" | | | | 34,00 |
| 35044 | Geberit Mapress Stainless Steel adapter with union nut: d=22mm, di=26mm, di=26mm, G=1 1/4" | | | | 34,00 |
| 35045 | Geberit Mapress Stainless Steel adapter with union nut: d=22mm, di=32mm, di=32mm, G=1 1/2" | | | | 34,00 |
| 35134 | Geberit Mapress Stainless Steel adapter with union nut made of CrNi steel: d=22mm, di=20mm, di=20mm, G=1" | | | | 40,00 |
| 33734 | Geberit Mapress Stainless Steel flange PN 10/16, with pressing socket: d=22mm, DN=20 | | | | 98,00 |
| 36141 | Geberit Mapress Stainless Steel flanged stub with plain end, for loose flange PN 10/16: d=22mm, DN=20, da=27mm | | | | 98,00 |
| 33934 | Geberit Mapress Stainless Steel axial expansion fitting with pressing sockets: d=22mm | | | | 197,00 |
| 33214 | Geberit Mapress Stainless Steel cap: d=22mm | | | | 19,00 |
| 33407 | Geberit Mapress Stainless Steel elbow tap connector 90°: d=22mm, Rp=3/4", L1=5.1cm | | | | 48,00 |
| 33427 | Geberit Mapress Stainless Steel T-elbow tap connector 90°, offset: d=22mm, Rp=3/4", L1=6.5cm | | | | 48,00 |
| 32005 | Geberit Mapress Stainless Steel coupling: d=28mm | | | | 15,00 |
| 32105 | Geberit Mapress Stainless Steel slip coupling: d=28mm | | | | 24,00 |
| 32307 | Geberit Mapress Stainless Steel reducer with plain end: d=28mm, d1=15mm | | | | 14,00 |
| 32308 | Geberit Mapress Stainless Steel reducer with plain end: d=28mm, d1=18mm | | | | 14,00 |
| 32309 | Geberit Mapress Stainless Steel reducer with plain end: d=28mm, d1=22mm | | | | 14,00 |
| 36104 | Geberit Mapress Stainless Steel bend: 15°, d=28mm | | | | 26,00 |
| 36124 | Geberit Mapress Stainless Steel bend: 30°, d=28mm | | | | 26,00 |
| 30605 | Geberit Mapress Stainless Steel bend: 45°, d=28mm | | | | 26,00 |
| 36164 | Geberit Mapress Stainless Steel bend: 60°, d=28mm | | | | 26,00 |
| 30105 | Geberit Mapress Stainless Steel bend: 90°, d=28mm | | | | 26,00 |
| 36114 | Geberit Mapress Stainless Steel bend with plain end: 15°, d=28mm | | | | 26,00 |
| 36134 | Geberit Mapress Stainless Steel bend with plain end: 30°, d=28mm | | | | 26,00 |
| 30705 | Geberit Mapress Stainless Steel bend with plain end: 45°, d=28mm | | | | 26,00 |
| 36174 | Geberit Mapress Stainless Steel bend with plain end: 60°, d=28mm | | | | 26,00 |
| 30305 | Geberit Mapress Stainless Steel bend with plain end: 90°, d=28mm | | | | 26,00 |
| 31005 | Geberit Mapress Stainless Steel T-piece, equal: d=28mm | | | | 32,00 |
| 31209 | Geberit Mapress Stainless Steel T-piece, reduced: d=28mm, d1=15mm, d2=28mm | | | | 32,00 |
| 31210 | Geberit Mapress Stainless Steel T-piece, reduced: d=28mm, d1=18mm, d2=28mm | | | | 32,00 |
| 31234 | Geberit Mapress Stainless Steel T-piece, reduced: d=28mm, d1=22mm, d2=22mm | | | | 32,00 |
| 31211 | Geberit Mapress Stainless Steel T-piece, reduced: d=28mm, d1=22mm, d2=28mm | | | | 32,00 |
| 31461 | Geberit Mapress Stainless Steel T-piece with male thread: d=28mm, R=1", d1=28mm | | | | 40,00 |
| 31309 | Geberit Mapress Stainless Steel T-piece with female thread: d=28mm, Rp=1/2", d1=28mm | | | | 33,00 |
| 31310 | Geberit Mapress Stainless Steel T-piece with female thread: d=28mm, Rp=3/4", d1=28mm | | | | 33,00 |
| 31311 | Geberit Mapress Stainless Steel T-piece with female thread: d=28mm, Rp=1", d1=28mm | | | | 33,00 |
| 32415 | Geberit Mapress Stainless Steel adapter with weld-on and plain end: d=28mm, d1=33.7mm | | | | 37,00 |
| 31717 | Geberit Mapress Stainless Steel adapter with male thread: d=28mm, R=3/4" | | | | 37,00 |
| 31708 | Geberit Mapress Stainless Steel adapter with male thread: d=28mm, R=1" | | | | 37,00 |
| 31718 | Geberit Mapress Stainless Steel adapter with male thread: d=28mm, R=1 1/4" | | | | 37,00 |
| 31734 | Geberit Mapress Stainless Steel adapter with male thread G: d=28mm, G=1 1/4" | | | | 103,00 |
| 31937 | Geberit Mapress Stainless Steel adapter with male thread and plain end: d=28mm, R=1" | | | | 37,00 |
| 31807 | Geberit Mapress Stainless Steel adapter with female thread: d=28mm, Rp=1/2" | | | | 37,00 |
| 31819 | Geberit Mapress Stainless Steel adapter with female thread: d=28mm, Rp=3/4" | | | | 37,00 |
| 31809 | Geberit Mapress Stainless Steel adapter with female thread: d=28mm, Rp=1" | | | | 37,00 |
| 31825 | Geberit Mapress Stainless Steel adapter with female thread: d=28mm, Rp=1 1/4" | | | | 37,00 |
| 33848 | Geberit Mapress Stainless Steel adapter with female thread and plain end: d=28mm, Rp=1/2" | | | | 35,00 |
| 33836 | Geberit Mapress Stainless Steel elbow adapter 90° with male thread: d=28mm, R=1" | | | | 49,00 |
| 33806 | Geberit Mapress Stainless Steel elbow adapter 90° with female thread: d=28mm, Rp=1" | | | | 49,00 |
| 35323 | Geberit Mapress Stainless Steel union: d=28mm | | | | 146,00 |
| 35393 | Geberit Mapress Stainless Steel union with union nut made of CrNi steel: d=28mm | | | | 171,00 |
| 35337 | Geberit Mapress Stainless Steel adapter union with male thread: d=28mm, R=1" | | | | 59,00 |
| 35367 | Geberit Mapress Stainless Steel adapter union with male thread, union nut made of CrNi steel: d=28mm, R=1" | | | | 74,00 |
| 35407 | Geberit Mapress Stainless Steel adapter union with male thread and plain end: d=28mm, R=1" | | | | 74,00 |
| 35306 | Geberit Mapress Stainless Steel adapter union with female thread: d=28mm, Rp=1" | | | | 59,00 |
| 35353 | Geberit Mapress Stainless Steel adapter union with female thread, union nut made of CrNi steel: d=28mm, Rp=1" | | | | 74,00 |
| 35386 | Geberit Mapress Stainless Steel adapter union with female thread and plain end: d=28mm, Rp=1" | | | | 74,00 |

| | | | |
|-------|--|--|--------|
| 35046 | Geberit Mappress Stainless Steel adapter with union nut: d=28mm, di=20mm, di=20mm, G=1" | | 45,00 |
| 35035 | Geberit Mappress Stainless Steel adapter with union nut: d=28mm, di=26mm, di=26mm, G=1 1/4" | | 45,00 |
| 35047 | Geberit Mappress Stainless Steel adapter with union nut: d=28mm, di=32mm, di=32mm, G=1 1/2" | | 45,00 |
| 35075 | Geberit Mappress Stainless Steel adapter with union nut made of CrNi steel: d=28mm, di=32mm, di=32mm, G=1 1/2" | | 88,00 |
| 33735 | Geberit Mappress Stainless Steel flange PN 10/16, with pressing socket: d=28mm, DN=25 | | 119,00 |
| 36150 | Geberit Mappress Stainless Steel flanged stub with plain end, for loose flange PN 6: d=28mm, DN=25, da=32mm | | 104,00 |
| 36142 | Geberit Mappress Stainless Steel flanged stub with plain end, for loose flange PN 10/16: d=28mm, DN=25, da=32mm | | 119,00 |
| 33935 | Geberit Mappress Stainless Steel axial expansion fitting with pressing sockets: d=28mm | | 213,00 |
| 33215 | Geberit Mappress Stainless Steel cap: d=28mm | | 22,00 |
| 32006 | Geberit Mappress Stainless Steel coupling: d=35mm | | 19,00 |
| 32106 | Geberit Mappress Stainless Steel slip coupling: d=35mm | | 27,00 |
| 32310 | Geberit Mappress Stainless Steel reducer with plain end: d=35mm, d1=15mm | | 22,00 |
| 32311 | Geberit Mappress Stainless Steel reducer with plain end: d=35mm, d1=18mm | | 22,00 |
| 32312 | Geberit Mappress Stainless Steel reducer with plain end: d=35mm, d1=22mm | | 22,00 |
| 32313 | Geberit Mappress Stainless Steel reducer with plain end: d=35mm, d1=28mm | | 22,00 |
| 36105 | Geberit Mappress Stainless Steel bend: 15°, d=35mm | | 35,00 |
| 36125 | Geberit Mappress Stainless Steel bend: 30°, d=35mm | | 35,00 |
| 32606 | Geberit Mappress Stainless Steel bend: 45°, d=35mm | | 35,00 |
| 36165 | Geberit Mappress Stainless Steel bend: 60°, d=35mm | | 35,00 |
| 31106 | Geberit Mappress Stainless Steel bend: 90°, d=35mm | | 35,00 |
| 36115 | Geberit Mappress Stainless Steel bend with plain end: 15°, d=35mm | | 35,00 |
| 36135 | Geberit Mappress Stainless Steel bend with plain end: 30°, d=35mm | | 35,00 |
| 32706 | Geberit Mappress Stainless Steel bend with plain end: 45°, d=35mm | | 35,00 |
| 36175 | Geberit Mappress Stainless Steel bend with plain end: 60°, d=35mm | | 35,00 |
| 33306 | Geberit Mappress Stainless Steel bend with plain end: 90°, d=35mm | | 35,00 |
| 31006 | Geberit Mappress Stainless Steel T-piece, equal: d=35mm | | 40,00 |
| 31212 | Geberit Mappress Stainless Steel T-piece, reduced: d=35mm, d1=15mm, d2=35mm | | 40,00 |
| 31213 | Geberit Mappress Stainless Steel T-piece, reduced: d=35mm, d1=18mm, d2=35mm | | 40,00 |
| 31235 | Geberit Mappress Stainless Steel T-piece, reduced: d=35mm, d1=22mm, d2=28mm | | 40,00 |
| 31214 | Geberit Mappress Stainless Steel T-piece, reduced: d=35mm, d1=22mm, d2=35mm | | 40,00 |
| 31242 | Geberit Mappress Stainless Steel T-piece, reduced: d=35mm, d1=28mm, d2=28mm | | 40,00 |
| 31215 | Geberit Mappress Stainless Steel T-piece, reduced: d=35mm, d1=28mm, d2=35mm | | 40,00 |
| 31464 | Geberit Mappress Stainless Steel T-piece with male thread: d=35mm, Rp=1/4", d1=35mm | | 48,00 |
| 31312 | Geberit Mappress Stainless Steel T-piece with female thread: d=35mm, Rp=1/2", d1=35mm | | 39,00 |
| 31313 | Geberit Mappress Stainless Steel T-piece with female thread: d=35mm, Rp=3/4", d1=35mm | | 39,00 |
| 32416 | Geberit Mappress Stainless Steel adapter with weld-on and plain end: d=35mm, d1=42.4mm | | 39,00 |
| 31719 | Geberit Mappress Stainless Steel adapter with male thread: d=35mm, R=1" | | 61,00 |
| 31709 | Geberit Mappress Stainless Steel adapter with male thread: d=35mm, R=1 1/4" | | 61,00 |
| 31720 | Geberit Mappress Stainless Steel adapter with male thread: d=35mm, R=1 1/2" | | 61,00 |
| 31735 | Geberit Mappress Stainless Steel adapter with male thread G: d=35mm, G=1 1/2" | | 106,00 |
| 31938 | Geberit Mappress Stainless Steel adapter with male thread and plain end: d=35mm, R=1 1/4" | | 61,00 |
| 31820 | Geberit Mappress Stainless Steel adapter with female thread: d=35mm, Rp=1" | | 61,00 |
| 31811 | Geberit Mappress Stainless Steel adapter with female thread: d=35mm, Rp=1 1/4" | | 61,00 |
| 31826 | Geberit Mappress Stainless Steel adapter with female thread: d=35mm, Rp=1 1/2" | | 61,00 |
| 33837 | Geberit Mappress Stainless Steel elbow adapter 90° with male thread: d=35mm, R=1 1/4" | | 69,00 |
| 33807 | Geberit Mappress Stainless Steel elbow adapter 90° with female thread: d=35mm, Rp=1 1/4" | | 69,00 |
| 35324 | Geberit Mappress Stainless Steel union: d=35mm | | 152,00 |
| 35394 | Geberit Mappress Stainless Steel union with union nut made of CrNi steel: d=35mm | | 179,00 |
| 35338 | Geberit Mappress Stainless Steel adapter union with male thread: d=35mm, R=1 1/4" | | 74,00 |
| 35368 | Geberit Mappress Stainless Steel adapter union with male thread, union nut made of CrNi steel: d=35mm, R=1 1/4" | | 98,00 |
| 35408 | Geberit Mappress Stainless Steel adapter union with male thread and plain end: d=35mm, R=1 1/4" | | 98,00 |
| 35307 | Geberit Mappress Stainless Steel adapter union with female thread: d=35mm, Rp=1 1/4" | | 74,00 |
| 35354 | Geberit Mappress Stainless Steel adapter union with female thread, union nut made of CrNi steel: d=35mm, Rp=1 1/4" | | 98,00 |
| 35387 | Geberit Mappress Stainless Steel adapter union with female thread and plain end: d=35mm, Rp=1 1/4" | | 98,00 |
| 35036 | Geberit Mappress Stainless Steel adapter with union nut: d=35mm, di=32mm, di=32mm, G=1 1/2" | | 51,00 |
| 33736 | Geberit Mappress Stainless Steel flange PN 10/16, with pressing socket: d=35mm, DN=32 | | 171,00 |
| 36151 | Geberit Mappress Stainless Steel flanged stub with plain end, for loose flange PN 6: d=35mm, DN=32, da=40mm | | 149,00 |
| 36143 | Geberit Mappress Stainless Steel flanged stub with plain end, for loose flange PN 10/16: d=35mm, DN=32, da=40mm | | 171,00 |
| 33936 | Geberit Mappress Stainless Steel axial expansion fitting with pressing sockets: d=35mm | | 239,00 |
| 33216 | Geberit Mappress Stainless Steel cap: d=35mm | | 31,00 |
| 32007 | Geberit Mappress Stainless Steel coupling: d=42mm | | 25,00 |
| 32107 | Geberit Mappress Stainless Steel slip coupling: d=42mm | | 31,00 |
| 32314 | Geberit Mappress Stainless Steel reducer with plain end: d=42mm, d1=15mm | | 29,00 |
| 32315 | Geberit Mappress Stainless Steel reducer with plain end: d=42mm, d1=18mm | | 29,00 |
| 32316 | Geberit Mappress Stainless Steel reducer with plain end: d=42mm, d1=22mm | | 29,00 |
| 32317 | Geberit Mappress Stainless Steel reducer with plain end: d=42mm, d1=28mm | | 29,00 |
| 32318 | Geberit Mappress Stainless Steel reducer with plain end: d=42mm, d1=35mm | | 29,00 |
| 36106 | Geberit Mappress Stainless Steel bend: 15°, d=42mm | | 55,00 |
| 36126 | Geberit Mappress Stainless Steel bend: 30°, d=42mm | | 55,00 |
| 32607 | Geberit Mappress Stainless Steel bend: 45°, d=42mm | | 55,00 |
| 36166 | Geberit Mappress Stainless Steel bend: 60°, d=42mm | | 55,00 |
| 31107 | Geberit Mappress Stainless Steel bend: 90°, d=42mm | | 55,00 |
| 36116 | Geberit Mappress Stainless Steel bend with plain end: 15°, d=42mm | | 55,00 |
| 36136 | Geberit Mappress Stainless Steel bend with plain end: 30°, d=42mm | | 55,00 |
| 32707 | Geberit Mappress Stainless Steel bend with plain end: 45°, d=42mm | | 55,00 |
| 36176 | Geberit Mappress Stainless Steel bend with plain end: 60°, d=42mm | | 55,00 |
| 33307 | Geberit Mappress Stainless Steel bend with plain end: 90°, d=42mm | | 55,00 |
| 31007 | Geberit Mappress Stainless Steel T-piece, equal: d=42mm | | 57,00 |
| 31216 | Geberit Mappress Stainless Steel T-piece, reduced: d=42mm, d1=15mm, d2=42mm | | 57,00 |
| 31217 | Geberit Mappress Stainless Steel T-piece, reduced: d=42mm, d1=18mm, d2=42mm | | 57,00 |
| 31243 | Geberit Mappress Stainless Steel T-piece, reduced: d=42mm, d1=22mm, d2=35mm | | 57,00 |
| 31218 | Geberit Mappress Stainless Steel T-piece, reduced: d=42mm, d1=22mm, d2=42mm | | 57,00 |
| 31251 | Geberit Mappress Stainless Steel T-piece, reduced: d=42mm, d1=28mm, d2=35mm | | 57,00 |
| 31219 | Geberit Mappress Stainless Steel T-piece, reduced: d=42mm, d1=28mm, d2=42mm | | 57,00 |
| 31220 | Geberit Mappress Stainless Steel T-piece, reduced: d=42mm, d1=35mm, d2=42mm | | 57,00 |
| 31316 | Geberit Mappress Stainless Steel T-piece with female thread: d=42mm, Rp=1/2", d1=42mm | | 48,00 |
| 31317 | Geberit Mappress Stainless Steel T-piece with female thread: d=42mm, Rp=3/4", d1=42mm | | 48,00 |
| 32417 | Geberit Mappress Stainless Steel adapter with weld-on and plain end: d=42mm, d1=48.3mm | | 41,00 |
| 31721 | Geberit Mappress Stainless Steel adapter with male thread: d=42mm, R=1 1/4" | | 79,00 |
| 31710 | Geberit Mappress Stainless Steel adapter with male thread: d=42mm, R=1 1/2" | | 79,00 |
| 31939 | Geberit Mappress Stainless Steel adapter with male thread and plain end: d=42mm, R=1 1/2" | | 79,00 |
| 31821 | Geberit Mappress Stainless Steel adapter with female thread: d=42mm, Rp=1 1/4" | | 79,00 |
| 31814 | Geberit Mappress Stainless Steel adapter with female thread: d=42mm, Rp=1 1/2" | | 79,00 |
| 33838 | Geberit Mappress Stainless Steel elbow adapter 90° with male thread: d=42mm, R=1 1/2" | | 121,00 |
| 35325 | Geberit Mappress Stainless Steel union: d=42mm | | 219,00 |
| 35395 | Geberit Mappress Stainless Steel union with union nut made of CrNi steel: d=42mm | | 257,00 |
| 35339 | Geberit Mappress Stainless Steel adapter union with male thread: d=42mm, R=1 1/2" | | 105,00 |
| 35369 | Geberit Mappress Stainless Steel adapter union with male thread, union nut made of CrNi steel: d=42mm, R=1 1/2" | | 126,00 |
| 35409 | Geberit Mappress Stainless Steel adapter union with male thread and plain end: d=42mm, R=1 1/2" | | 126,00 |
| 35308 | Geberit Mappress Stainless Steel adapter union with female thread: d=42mm, Rp=1 1/2" | | 93,00 |
| 35355 | Geberit Mappress Stainless Steel adapter union with female thread, union nut made of CrNi steel: d=42mm, Rp=1 1/2" | | 126,00 |
| 35388 | Geberit Mappress Stainless Steel adapter union with female thread and plain end: d=42mm, Rp=1 1/2" | | 126,00 |
| 35037 | Geberit Mappress Stainless Steel adapter with union nut: d=42mm, di=39mm, di=39mm, G=1 3/4" | | 68,00 |
| 33737 | Geberit Mappress Stainless Steel flange PN 10/16, with pressing socket: d=42mm, DN=40 | | 200,00 |
| 36152 | Geberit Mappress Stainless Steel flanged stub with plain end, for loose flange PN 6: d=42mm, DN=40, da=47mm | | 174,00 |
| 36144 | Geberit Mappress Stainless Steel flanged stub with plain end, for loose flange PN 10/16: d=42mm, DN=40, da=47mm | | 200,00 |
| 33937 | Geberit Mappress Stainless Steel axial expansion fitting with pressing sockets: d=42mm | | 429,00 |
| 33217 | Geberit Mappress Stainless Steel cap: d=42mm | | 65,00 |
| 32008 | Geberit Mappress Stainless Steel coupling: d=54mm | | 30,00 |
| 32108 | Geberit Mappress Stainless Steel slip coupling: d=54mm | | 40,00 |
| 32319 | Geberit Mappress Stainless Steel reducer with plain end: d=54mm, d1=15mm | | 41,00 |
| 32320 | Geberit Mappress Stainless Steel reducer with plain end: d=54mm, d1=18mm | | 41,00 |
| 32321 | Geberit Mappress Stainless Steel reducer with plain end: d=54mm, d1=22mm | | 41,00 |

| | | | | | | | |
|-------|--|--|--|--|--|--|--------|
| 32322 | Geberit Mapress Stainless Steel reducer with plain end: d=54mm, d1=28mm | | | | | | 41,00 |
| 32323 | Geberit Mapress Stainless Steel reducer with plain end: d=54mm, d1=35mm | | | | | | 41,00 |
| 32324 | Geberit Mapress Stainless Steel reducer with plain end: d=54mm, d1=42mm | | | | | | 41,00 |
| 36107 | Geberit Mapress Stainless Steel bend: 15°, d=54mm | | | | | | 73,00 |
| 36127 | Geberit Mapress Stainless Steel bend: 30°, d=54mm | | | | | | 73,00 |
| 32608 | Geberit Mapress Stainless Steel bend: 45°, d=54mm | | | | | | 73,00 |
| 36167 | Geberit Mapress Stainless Steel bend: 60°, d=54mm | | | | | | 73,00 |
| 31108 | Geberit Mapress Stainless Steel bend: 90°, d=54mm | | | | | | 73,00 |
| 36117 | Geberit Mapress Stainless Steel bend with plain end: 15°, d=54mm | | | | | | 73,00 |
| 36137 | Geberit Mapress Stainless Steel bend with plain end: 30°, d=54mm | | | | | | 73,00 |
| 32708 | Geberit Mapress Stainless Steel bend with plain end: 45°, d=54mm | | | | | | 73,00 |
| 36177 | Geberit Mapress Stainless Steel bend with plain end: 60°, d=54mm | | | | | | 73,00 |
| 33308 | Geberit Mapress Stainless Steel bend with plain end: 90°, d=54mm | | | | | | 73,00 |
| 31008 | Geberit Mapress Stainless Steel T-piece, equal: d=54mm | | | | | | 66,00 |
| 31221 | Geberit Mapress Stainless Steel T-piece, reduced: d=54mm, d1=15mm, d2=54mm | | | | | | 66,00 |
| 31222 | Geberit Mapress Stainless Steel T-piece, reduced: d=54mm, d1=18mm, d2=54mm | | | | | | 66,00 |
| 31223 | Geberit Mapress Stainless Steel T-piece, reduced: d=54mm, d1=22mm, d2=54mm | | | | | | 66,00 |
| 31224 | Geberit Mapress Stainless Steel T-piece, reduced: d=54mm, d1=28mm, d2=54mm | | | | | | 66,00 |
| 31225 | Geberit Mapress Stainless Steel T-piece, reduced: d=54mm, d1=35mm, d2=54mm | | | | | | 66,00 |
| 31226 | Geberit Mapress Stainless Steel T-piece, reduced: d=54mm, d1=42mm, d2=54mm | | | | | | 66,00 |
| 31320 | Geberit Mapress Stainless Steel T-piece with female thread: d=54mm, Rp=1/2", d1=54mm | | | | | | 57,00 |
| 31321 | Geberit Mapress Stainless Steel T-piece with female thread: d=54mm, Rp=3/4", d1=54mm | | | | | | 57,00 |
| 31324 | Geberit Mapress Stainless Steel T-piece with female thread: d=54mm, Rp=2", d1=54mm | | | | | | 57,00 |
| 32418 | Geberit Mapress Stainless Steel adapter with weld-on and plain end: d=54mm, d1=60.3mm | | | | | | 45,00 |
| 32419 | Geberit Mapress Stainless Steel adapter with weld-on and plain end: d=76.1mm, d1=76.1mm | | | | | | 59,00 |
| 31722 | Geberit Mapress Stainless Steel adapter with male thread: d=54mm, R=1 1/2" | | | | | | 88,00 |
| 31711 | Geberit Mapress Stainless Steel adapter with male thread: d=54mm, R=2" | | | | | | 88,00 |
| 31940 | Geberit Mapress Stainless Steel adapter with male thread and plain end: d=54mm, R=2" | | | | | | 88,00 |
| 31822 | Geberit Mapress Stainless Steel adapter with female thread: d=54mm, Rp=1 1/2" | | | | | | 88,00 |
| 31818 | Geberit Mapress Stainless Steel adapter with female thread: d=54mm, Rp=2" | | | | | | 88,00 |
| 33839 | Geberit Mapress Stainless Steel elbow adapter 90° with male thread: d=54mm, R=2" | | | | | | 155,00 |
| 35326 | Geberit Mapress Stainless Steel union: d=54mm | | | | | | 363,00 |
| 35396 | Geberit Mapress Stainless Steel union with union nut made of CrNi steel: d=54mm | | | | | | 427,00 |
| 35340 | Geberit Mapress Stainless Steel adapter union with male thread: d=54mm, R=2" | | | | | | 187,00 |
| 35370 | Geberit Mapress Stainless Steel adapter union with male thread, union nut made of CrNi steel: d=54mm, R=2" | | | | | | 235,00 |
| 35410 | Geberit Mapress Stainless Steel adapter union with male thread and plain end: d=54mm, R=2" | | | | | | 235,00 |
| 35309 | Geberit Mapress Stainless Steel adapter union with female thread: d=54mm, Rp=2" | | | | | | 172,00 |
| 35356 | Geberit Mapress Stainless Steel adapter union with female thread, union nut made of CrNi steel: d=54mm, Rp=2" | | | | | | 235,00 |
| 35389 | Geberit Mapress Stainless Steel adapter union with female thread and plain end: d=54mm, Rp=2" | | | | | | 226,00 |
| 35038 | Geberit Mapress Stainless Steel adapter with union nut: d=54mm, di=51mm, d1=51mm, G=2 3/8" | | | | | | 92,00 |
| 33738 | Geberit Mapress Stainless Steel flange PN 10/16, with pressing socket: d=54mm, DN=50 | | | | | | 247,00 |
| 33748 | Geberit Mapress Stainless Steel flange PN 10/16, with plain end: d=54mm, DN=50 | | | | | | 191,00 |
| 36153 | Geberit Mapress Stainless Steel flanged stub with plain end, for loose flange PN 6: d=54mm, DN=50, da=59mm | | | | | | 215,00 |
| 36145 | Geberit Mapress Stainless Steel flanged stub with plain end, for loose flange PN 10/16: d=54mm, DN=50, da=59mm | | | | | | 247,00 |
| 33938 | Geberit Mapress Stainless Steel axial expansion fitting with pressing sockets: d=54mm | | | | | | 466,00 |
| 33218 | Geberit Mapress Stainless Steel cap: d=54mm | | | | | | 73,00 |
| 32009 | Geberit Mapress Stainless Steel coupling: d=76.1mm | | | | | | 143,00 |
| 32109 | Geberit Mapress Stainless Steel slip coupling: d=76.1mm | | | | | | 216,00 |
| 32331 | Geberit Mapress Stainless Steel reducer with plain end: d=76.1mm, d1=54mm | | | | | | 125,00 |
| 36108 | Geberit Mapress Stainless Steel bend: 15°, d=76.1mm | | | | | | 214,00 |
| 36128 | Geberit Mapress Stainless Steel bend: 30°, d=76.1mm | | | | | | 214,00 |
| 32609 | Geberit Mapress Stainless Steel bend: 45°, d=76.1mm | | | | | | 214,00 |
| 36168 | Geberit Mapress Stainless Steel bend: 60°, d=76.1mm | | | | | | 214,00 |
| 31109 | Geberit Mapress Stainless Steel bend: 90°, d=76.1mm | | | | | | 214,00 |
| 36118 | Geberit Mapress Stainless Steel bend with plain end: 15°, d=76.1mm | | | | | | 214,00 |
| 36138 | Geberit Mapress Stainless Steel bend with plain end: 30°, d=76.1mm | | | | | | 214,00 |
| 32709 | Geberit Mapress Stainless Steel bend with plain end: 45°, d=76.1mm | | | | | | 214,00 |
| 36178 | Geberit Mapress Stainless Steel bend with plain end: 60°, d=76.1mm | | | | | | 214,00 |
| 33309 | Geberit Mapress Stainless Steel bend with plain end: 90°, d=76.1mm | | | | | | 214,00 |
| 31009 | Geberit Mapress Stainless Steel T-piece, equal: d=76.1mm | | | | | | 342,00 |
| 31229 | Geberit Mapress Stainless Steel T-piece, reduced: d=76.1mm, d1=22mm, d2=76.1mm | | | | | | 342,00 |
| 31230 | Geberit Mapress Stainless Steel T-piece, reduced: d=76.1mm, d1=28mm, d2=76.1mm | | | | | | 342,00 |
| 31231 | Geberit Mapress Stainless Steel T-piece, reduced: d=76.1mm, d1=35mm, d2=76.1mm | | | | | | 342,00 |
| 31232 | Geberit Mapress Stainless Steel T-piece, reduced: d=76.1mm, d1=42mm, d2=76.1mm | | | | | | 342,00 |
| 31233 | Geberit Mapress Stainless Steel T-piece, reduced: d=76.1mm, d1=54mm, d2=76.1mm | | | | | | 342,00 |
| 31326 | Geberit Mapress Stainless Steel T-piece with female thread: d=76.1mm, Rp=3/4", d1=76.1mm | | | | | | 332,00 |
| 31329 | Geberit Mapress Stainless Steel T-piece with female thread: d=76.1mm, Rp=2", d1=76.1mm | | | | | | 332,00 |
| 31713 | Geberit Mapress Stainless Steel adapter with male thread: d=76.1mm, R=2 1/2" | | | | | | 400,00 |
| 35039 | Geberit Mapress Stainless Steel adapter with union nut: d=76.1mm, di=73mm, d1=73mm, G=3" | | | | | | 361,00 |
| 33739 | Geberit Mapress Stainless Steel flange PN 10/16, with pressing socket: d=76.1mm, DN=65 | | | | | | 389,00 |
| 36154 | Geberit Mapress Stainless Steel flanged stub with plain end, for loose flange PN 6: d=76.1mm, DN=65, da=78mm | | | | | | 339,00 |
| 36146 | Geberit Mapress Stainless Steel flanged stub with plain end, for loose flange PN 10/16: d=76.1mm, DN=65, da=78mm | | | | | | 389,00 |
| 33939 | Geberit Mapress Stainless Steel axial expansion fitting with pressing sockets: d=76.1mm | | | | | | 578,00 |
| 33219 | Geberit Mapress Stainless Steel cap: d=76.1mm | | | | | | 88,00 |
| 32010 | Geberit Mapress Stainless Steel coupling: d=88.9mm | | | | | | 166,00 |
| 32110 | Geberit Mapress Stainless Steel slip coupling: d=88.9mm | | | | | | 245,00 |
| 32338 | Geberit Mapress Stainless Steel reducer with plain end: d=88.9mm, d1=54mm | | | | | | 135,00 |
| 32339 | Geberit Mapress Stainless Steel reducer with plain end: d=88.9mm, d1=76.1mm | | | | | | 135,00 |
| 36109 | Geberit Mapress Stainless Steel bend: 15°, d=88.9mm | | | | | | 257,00 |
| 36129 | Geberit Mapress Stainless Steel bend: 30°, d=88.9mm | | | | | | 257,00 |
| 32610 | Geberit Mapress Stainless Steel bend: 45°, d=88.9mm | | | | | | 257,00 |
| 36169 | Geberit Mapress Stainless Steel bend: 60°, d=88.9mm | | | | | | 257,00 |
| 31110 | Geberit Mapress Stainless Steel bend: 90°, d=88.9mm | | | | | | 257,00 |
| 36119 | Geberit Mapress Stainless Steel bend with plain end: 15°, d=88.9mm | | | | | | 257,00 |
| 36139 | Geberit Mapress Stainless Steel bend with plain end: 30°, d=88.9mm | | | | | | 257,00 |
| 32710 | Geberit Mapress Stainless Steel bend with plain end: 45°, d=88.9mm | | | | | | 257,00 |
| 36179 | Geberit Mapress Stainless Steel bend with plain end: 60°, d=88.9mm | | | | | | 257,00 |
| 33310 | Geberit Mapress Stainless Steel bend with plain end: 90°, d=88.9mm | | | | | | 257,00 |
| 31010 | Geberit Mapress Stainless Steel T-piece, equal: d=88.9mm | | | | | | 356,00 |
| 31236 | Geberit Mapress Stainless Steel T-piece, reduced: d=88.9mm, d1=22mm, d2=88.9mm | | | | | | 356,00 |
| 31237 | Geberit Mapress Stainless Steel T-piece, reduced: d=88.9mm, d1=28mm, d2=88.9mm | | | | | | 356,00 |
| 31238 | Geberit Mapress Stainless Steel T-piece, reduced: d=88.9mm, d1=35mm, d2=88.9mm | | | | | | 356,00 |
| 31239 | Geberit Mapress Stainless Steel T-piece, reduced: d=88.9mm, d1=42mm, d2=88.9mm | | | | | | 356,00 |
| 31240 | Geberit Mapress Stainless Steel T-piece, reduced: d=88.9mm, d1=54mm, d2=88.9mm | | | | | | 356,00 |
| 31241 | Geberit Mapress Stainless Steel T-piece, reduced: d=88.9mm, d1=76.1mm, d2=88.9mm | | | | | | 356,00 |
| 31331 | Geberit Mapress Stainless Steel T-piece with female thread: d=88.9mm, Rp=3/4", d1=88.9mm | | | | | | 361,00 |
| 31334 | Geberit Mapress Stainless Steel T-piece with female thread: d=88.9mm, Rp=2", d1=88.9mm | | | | | | 361,00 |
| 32420 | Geberit Mapress Stainless Steel adapter with weld-on and plain end: d=88.9mm, d1=88.9mm | | | | | | 61,00 |
| 31724 | Geberit Mapress Stainless Steel adapter with male thread: d=88.9mm, R=3" | | | | | | 598,00 |
| 35040 | Geberit Mapress Stainless Steel adapter with union nut: d=88.9mm, di=84mm, d1=84mm, G=3 1/2" | | | | | | 465,00 |
| 33740 | Geberit Mapress Stainless Steel flange PN 10/16, with pressing socket: d=88.9mm, DN=80 | | | | | | 456,00 |
| 33749 | Geberit Mapress Stainless Steel flange PN 10/16, with plain end: d=76.1mm, DN=65 | | | | | | 301,00 |
| 33750 | Geberit Mapress Stainless Steel flange PN 10/16, with plain end: d=88.9mm, DN=80 | | | | | | 352,00 |
| 36155 | Geberit Mapress Stainless Steel flanged stub with plain end, for loose flange PN 6: d=88.9mm, DN=80, da=91mm | | | | | | 396,00 |
| 36147 | Geberit Mapress Stainless Steel flanged stub with plain end, for loose flange PN 10/16: d=88.9mm, DN=80, da=91mm | | | | | | 456,00 |
| 33940 | Geberit Mapress Stainless Steel axial expansion fitting with pressing sockets: d=88.9mm | | | | | | 683,00 |
| 33220 | Geberit Mapress Stainless Steel cap: d=88.9mm | | | | | | 98,00 |
| 32011 | Geberit Mapress Stainless Steel coupling: d=108mm | | | | | | 214,00 |
| 32111 | Geberit Mapress Stainless Steel slip coupling: d=108mm | | | | | | 294,00 |
| 32345 | Geberit Mapress Stainless Steel reducer with plain end: d=108mm, d1=54mm | | | | | | 142,00 |
| 32346 | Geberit Mapress Stainless Steel reducer with plain end: d=108mm, d1=76.1mm | | | | | | 142,00 |
| 32348 | Geberit Mapress Stainless Steel reducer with plain end: d=108mm, d1=88.9mm | | | | | | 142,00 |
| 36110 | Geberit Mapress Stainless Steel bend: 15°, d=108mm | | | | | | 351,00 |

| | | | | | |
|-------|---|--|--|--|---------|
| 36130 | Geberit Mapress Stainless Steel bend: 30°, d=108mm | | | | 351,00 |
| 32611 | Geberit Mapress Stainless Steel bend: 45°, d=108mm | | | | 351,00 |
| 36170 | Geberit Mapress Stainless Steel bend: 60°, d=108mm | | | | 351,00 |
| 31111 | Geberit Mapress Stainless Steel bend: 90°, d=108mm | | | | 351,00 |
| 36120 | Geberit Mapress Stainless Steel bend with plain end: 15°, d=108mm | | | | 351,00 |
| 36140 | Geberit Mapress Stainless Steel bend with plain end: 30°, d=108mm | | | | 351,00 |
| 32711 | Geberit Mapress Stainless Steel bend with plain end: 45°, d=108mm | | | | 351,00 |
| 36180 | Geberit Mapress Stainless Steel bend with plain end: 60°, d=108mm | | | | 351,00 |
| 33311 | Geberit Mapress Stainless Steel bend with plain end: 90°, d=108mm | | | | 351,00 |
| 31011 | Geberit Mapress Stainless Steel T-piece, equal: d=108mm | | | | 439,00 |
| 31244 | Geberit Mapress Stainless Steel T-piece, reduced: d=108mm, d1=22mm, d2=108mm | | | | 439,00 |
| 31245 | Geberit Mapress Stainless Steel T-piece, reduced: d=108mm, d1=28mm, d2=108mm | | | | 439,00 |
| 31246 | Geberit Mapress Stainless Steel T-piece, reduced: d=108mm, d1=35mm, d2=108mm | | | | 439,00 |
| 31247 | Geberit Mapress Stainless Steel T-piece, reduced: d=108mm, d1=42mm, d2=108mm | | | | 439,00 |
| 31248 | Geberit Mapress Stainless Steel T-piece, reduced: d=108mm, d1=54mm, d2=108mm | | | | 439,00 |
| 31249 | Geberit Mapress Stainless Steel T-piece, reduced: d=108mm, d1=76.1mm, d2=108mm | | | | 439,00 |
| 31250 | Geberit Mapress Stainless Steel T-piece, reduced: d=108mm, d1=88.9mm, d2=108mm | | | | 439,00 |
| 31336 | Geberit Mapress Stainless Steel T-piece with female thread: d=108mm, Rp=3/4", d1=108mm | | | | 434,00 |
| 31339 | Geberit Mapress Stainless Steel T-piece with female thread: d=108mm, Rp=2", d1=108mm | | | | 434,00 |
| 33741 | Geberit Mapress Stainless Steel flange PN 10/16, with pressing socket: d=108mm, DN=100 | | | | 546,00 |
| 33752 | Geberit Mapress Stainless Steel flange PN 10/16, with plain end: d=108mm, DN=100 | | | | 422,00 |
| 36156 | Geberit Mapress Stainless Steel flanged stub with plain end, for loose flange PN 6: d=108mm, DN=100, da=110mm | | | | 475,00 |
| 36148 | Geberit Mapress Stainless Steel flanged stub with plain end, for loose flange PN 10/16: d=108mm, DN=100, da=110mm | | | | 546,00 |
| 33941 | Geberit Mapress Stainless Steel axial expansion fitting with pressing sockets: d=108mm | | | | 1387,00 |
| 33221 | Geberit Mapress Stainless Steel cap: d=108mm | | | | 109,00 |
| 32050 | Geberit Mapress Stainless Steel pipe nipple: d=15mm | | | | 5,00 |
| 32051 | Geberit Mapress Stainless Steel pipe nipple: d=18mm | | | | 5,00 |
| 32052 | Geberit Mapress Stainless Steel pipe nipple: d=22mm | | | | 6,00 |
| 32053 | Geberit Mapress Stainless Steel pipe nipple: d=28mm | | | | 7,00 |
| 32054 | Geberit Mapress Stainless Steel pipe nipple: d=35mm | | | | 9,00 |
| 32055 | Geberit Mapress Stainless Steel pipe nipple: d=42mm | | | | 12,00 |
| 32056 | Geberit Mapress Stainless Steel pipe nipple: d=54mm | | | | 15,00 |
| 32057 | Geberit Mapress Stainless Steel pipe nipple: d=76.1mm | | | | 62,00 |
| 32058 | Geberit Mapress Stainless Steel pipe nipple: d=88.9mm | | | | 72,00 |
| 32059 | Geberit Mapress Stainless Steel pipe nipple: d=108mm | | | | 101,00 |
| 30892 | Geberit Mapress Stainless Steel bend with plain ends: 15°, d=15mm | | | | 17,00 |
| 30893 | Geberit Mapress Stainless Steel bend with plain ends: 15°, d=18mm | | | | 19,00 |
| 30894 | Geberit Mapress Stainless Steel bend with plain ends: 15°, d=22mm | | | | 22,00 |
| 30905 | Geberit Mapress Stainless Steel bend with plain ends: 15°, d=28mm | | | | 28,00 |
| 30906 | Geberit Mapress Stainless Steel bend with plain ends: 15°, d=35mm | | | | 38,00 |
| 30907 | Geberit Mapress Stainless Steel bend with plain ends: 15°, d=42mm | | | | 59,00 |
| 30908 | Geberit Mapress Stainless Steel bend with plain ends: 15°, d=54mm | | | | 79,00 |
| 30009 | Geberit Mapress Stainless Steel bend with plain ends: 15°, d=76.1mm | | | | 224,00 |
| 30010 | Geberit Mapress Stainless Steel bend with plain ends: 15°, d=88.9mm | | | | 268,00 |
| 30011 | Geberit Mapress Stainless Steel bend with plain ends: 15°, d=108mm | | | | 368,00 |
| 30932 | Geberit Mapress Stainless Steel bend with plain ends: 30°, d=15mm | | | | 17,00 |
| 30933 | Geberit Mapress Stainless Steel bend with plain ends: 30°, d=18mm | | | | 19,00 |
| 30934 | Geberit Mapress Stainless Steel bend with plain ends: 30°, d=22mm | | | | 22,00 |
| 30935 | Geberit Mapress Stainless Steel bend with plain ends: 30°, d=28mm | | | | 28,00 |
| 30936 | Geberit Mapress Stainless Steel bend with plain ends: 30°, d=35mm | | | | 38,00 |
| 30937 | Geberit Mapress Stainless Steel bend with plain ends: 30°, d=42mm | | | | 59,00 |
| 30938 | Geberit Mapress Stainless Steel bend with plain ends: 30°, d=54mm | | | | 79,00 |
| 30029 | Geberit Mapress Stainless Steel bend with plain ends: 30°, d=76.1mm | | | | 224,00 |
| 30030 | Geberit Mapress Stainless Steel bend with plain ends: 30°, d=88.9mm | | | | 268,00 |
| 30031 | Geberit Mapress Stainless Steel bend with plain ends: 30°, d=108mm | | | | 368,00 |
| 30872 | Geberit Mapress Stainless Steel bend with plain ends: 45°, d=15mm | | | | 17,00 |
| 30873 | Geberit Mapress Stainless Steel bend with plain ends: 45°, d=18mm | | | | 19,00 |
| 30874 | Geberit Mapress Stainless Steel bend with plain ends: 45°, d=22mm | | | | 22,00 |
| 30875 | Geberit Mapress Stainless Steel bend with plain ends: 45°, d=28mm | | | | 28,00 |
| 30876 | Geberit Mapress Stainless Steel bend with plain ends: 45°, d=35mm | | | | 38,00 |
| 30877 | Geberit Mapress Stainless Steel bend with plain ends: 45°, d=42mm | | | | 59,00 |
| 30878 | Geberit Mapress Stainless Steel bend with plain ends: 45°, d=54mm | | | | 79,00 |
| 30049 | Geberit Mapress Stainless Steel bend with plain ends: 45°, d=76.1mm | | | | 224,00 |
| 30050 | Geberit Mapress Stainless Steel bend with plain ends: 45°, d=88.9mm | | | | 268,00 |
| 30051 | Geberit Mapress Stainless Steel bend with plain ends: 45°, d=108mm | | | | 368,00 |
| 30942 | Geberit Mapress Stainless Steel bend with plain ends: 60°, d=15mm | | | | 17,00 |
| 30943 | Geberit Mapress Stainless Steel bend with plain ends: 60°, d=18mm | | | | 19,00 |
| 30944 | Geberit Mapress Stainless Steel bend with plain ends: 60°, d=22mm | | | | 22,00 |
| 30955 | Geberit Mapress Stainless Steel bend with plain ends: 60°, d=28mm | | | | 28,00 |
| 30956 | Geberit Mapress Stainless Steel bend with plain ends: 60°, d=35mm | | | | 38,00 |
| 30957 | Geberit Mapress Stainless Steel bend with plain ends: 60°, d=42mm | | | | 59,00 |
| 30958 | Geberit Mapress Stainless Steel bend with plain ends: 60°, d=54mm | | | | 79,00 |
| 30069 | Geberit Mapress Stainless Steel bend with plain ends: 60°, d=76.1mm | | | | 224,00 |
| 30070 | Geberit Mapress Stainless Steel bend with plain ends: 60°, d=88.9mm | | | | 268,00 |
| 30071 | Geberit Mapress Stainless Steel bend with plain ends: 60°, d=108mm | | | | 368,00 |
| 30402 | Geberit Mapress Stainless Steel bend with plain ends: 90°, d=15mm | | | | 17,00 |
| 30403 | Geberit Mapress Stainless Steel bend with plain ends: 90°, d=18mm | | | | 19,00 |
| 30404 | Geberit Mapress Stainless Steel bend with plain ends: 90°, d=22mm | | | | 22,00 |
| 30405 | Geberit Mapress Stainless Steel bend with plain ends: 90°, d=28mm | | | | 28,00 |
| 30406 | Geberit Mapress Stainless Steel bend with plain ends: 90°, d=35mm | | | | 38,00 |
| 30407 | Geberit Mapress Stainless Steel bend with plain ends: 90°, d=42mm | | | | 59,00 |
| 30408 | Geberit Mapress Stainless Steel bend with plain ends: 90°, d=54mm | | | | 79,00 |
| 30089 | Geberit Mapress Stainless Steel bend with plain ends: 90°, d=76.1mm | | | | 224,00 |
| 30090 | Geberit Mapress Stainless Steel bend with plain ends: 90°, d=88.9mm | | | | 268,00 |
| 30091 | Geberit Mapress Stainless Steel bend with plain ends: 90°, d=108mm | | | | 368,00 |
| 30802 | Geberit Mapress Stainless Steel pipe bridge: d=15mm | | | | 16,00 |
| 30803 | Geberit Mapress Stainless Steel pipe bridge: d=18mm | | | | 17,00 |
| 30804 | Geberit Mapress Stainless Steel pipe bridge: d=22mm | | | | 19,00 |
| 30805 | Geberit Mapress Stainless Steel pipe bridge: d=28mm | | | | 23,00 |
| 23799 | Geberit Mepla loose flange PN 6: 1.0034, DN=65 | | | | 80,00 |
| 63789 | Geberit Mepla loose flange PN 10/16: CW617N, DN=65 | | | | 124,00 |
| 91164 | Geberit bolt set for flange connection, made of CrNi steel: M=10mm, L=4.5cm | | | | 7,00 |
| 91165 | Geberit bolt set for flange connection, made of CrNi steel: M=10mm, L=5cm | | | | 7,00 |
| 91166 | Geberit bolt set for flange connection, made of CrNi steel: M=12mm, L=5cm | | | | 9,00 |
| 91167 | Geberit bolt set for flange connection, made of CrNi steel: M=12mm, L=5.5cm | | | | 9,00 |
| 91168 | Geberit bolt set for flange connection, made of CrNi steel: M=12mm, L=6cm | | | | 9,00 |
| 91169 | Geberit bolt set for flange connection, made of CrNi steel: M=16mm, L=5.5cm | | | | 13,00 |
| 91170 | Geberit bolt set for flange connection, made of CrNi steel: M=16mm, L=6cm | | | | 13,00 |
| 91171 | Geberit bolt set for flange connection, made of CrNi steel: M=16mm, L=6.5cm | | | | 13,00 |
| 91172 | Geberit bolt set for flange connection, made of CrNi steel: M=16mm, L=7cm | | | | 13,00 |
| 91173 | Geberit bolt set for flange connection, made of CrNi steel: M=16mm, L=8cm | | | | 13,00 |
| 90881 | Geberit Mapress seal ring, FKM, blue: d=12mm | | | | 4,00 |
| 90882 | Geberit Mapress seal ring, FKM, blue: d=15mm | | | | 2,00 |
| 90883 | Geberit Mapress seal ring, FKM, blue: d=18mm | | | | 2,00 |
| 90884 | Geberit Mapress seal ring, FKM, blue: d=22mm | | | | 3,00 |
| 90885 | Geberit Mapress seal ring, FKM, blue: d=28mm | | | | 3,00 |
| 90886 | Geberit Mapress seal ring, FKM, blue: d=35mm | | | | 4,00 |
| 90887 | Geberit Mapress seal ring, FKM, blue: d=42mm | | | | 6,00 |
| 90888 | Geberit Mapress seal ring, FKM, blue: d=54mm | | | | 9,00 |
| 90891 | Geberit Mapress seal ring, FKM, blue: d=76.1mm | | | | 24,00 |
| 90892 | Geberit Mapress seal ring, FKM, blue: d=88.9mm | | | | 30,00 |
| 90893 | Geberit Mapress seal ring, FKM, blue: d=108mm | | | | 67,00 |
| 91152 | Geberit Mapress seal ring FKM, white: d=15mm | | | | 3,00 |

| | | | | |
|--------------|---|--|--|--------|
| 91153 | Geberit Mapress seal ring FKM, white; d=18mm | | | 3,00 |
| 91154 | Geberit Mapress seal ring FKM, white; d=22mm | | | 3,00 |
| 91155 | Geberit Mapress seal ring FKM, white; d=28mm | | | 4,00 |
| 91156 | Geberit Mapress seal ring FKM, white; d=35mm | | | 5,00 |
| 91157 | Geberit Mapress seal ring FKM, white; d=42mm | | | 8,00 |
| 91158 | Geberit Mapress seal ring FKM, white; d=54mm | | | 11,00 |
| 90092 | Geberit Mapress flat gasket, FPM, green; da=24mm, di=13mm, s=2mm, G=3/4" | | | 3,00 |
| 90094 | Geberit Mapress flat gasket, FPM, green; da=30mm, di=19.6mm, s=2mm, G=1" | | | 5,00 |
| 90095 | Geberit Mapress flat gasket, FPM, green; da=39mm, di=25.6mm, s=2mm, G=1 1/4" | | | 5,00 |
| 90096 | Geberit Mapress flat gasket, FPM, green; da=45mm, di=32mm, s=2mm, G=1 1/2" | | | 6,00 |
| 90097 | Geberit Mapress flat gasket, FPM, green; da=50mm, di=39mm, s=2mm, G=1 3/4" | | | 6,00 |
| 90098 | Geberit Mapress flat gasket, FPM, green; da=66mm, di=51mm, s=2mm, G=2 3/8" | | | 15,00 |
| 91041 | Geberit flange gasket PN 6: Centellen® HD WS 3822, DN=15, s=2mm | | | 2,00 |
| 91042 | Geberit flange gasket PN 6: Centellen® HD WS 3822, DN=20, s=2mm | | | 3,00 |
| 91043 | Geberit flange gasket PN 6: Centellen® HD WS 3822, DN=25, s=2mm | | | 3,00 |
| 91044 | Geberit flange gasket PN 6: Centellen® HD WS 3822, DN=32, s=2mm | | | 4,00 |
| 91045 | Geberit flange gasket PN 6: Centellen® HD WS 3822, DN=40, s=2mm | | | 5,00 |
| 91046 | Geberit flange gasket PN 6: Centellen® HD WS 3822, DN=50, s=2mm | | | 6,00 |
| 91047 | Geberit flange gasket PN 6: Centellen® HD WS 3822, DN=65, s=2mm | | | 6,00 |
| 91048 | Geberit flange gasket PN 6: Centellen® HD WS 3822, DN=80, s=2mm | | | 8,00 |
| 91049 | Geberit flange gasket PN 6: Centellen® HD WS 3822, DN=100, s=2mm | | | 9,00 |
| 91031 | Geberit flange gasket PN 10/16: Centellen® HD WS 3822, DN=15, s=2mm | | | 3,00 |
| 91032 | Geberit flange gasket PN 10/16: Centellen® HD WS 3822, DN=20, s=2mm | | | 3,00 |
| 91033 | Geberit flange gasket PN 10/16: Centellen® HD WS 3822, DN=25, s=2mm | | | 4,00 |
| 91034 | Geberit flange gasket PN 10/16: Centellen® HD WS 3822, DN=32, s=2mm | | | 5,00 |
| 91035 | Geberit flange gasket PN 10/16: Centellen® HD WS 3822, DN=40, s=2mm | | | 6,00 |
| 91036 | Geberit flange gasket PN 10/16: Centellen® HD WS 3822, DN=50, s=2mm | | | 6,00 |
| 91037 | Geberit flange gasket PN 10/16: Centellen® HD WS 3822, DN=65, s=2mm | | | 7,00 |
| 91038 | Geberit flange gasket PN 10/16: Centellen® HD WS 3822, DN=80, s=2mm | | | 9,00 |
| 91039 | Geberit flange gasket PN 10/16: Centellen® HD WS 3822, DN=100, s=2mm | | | 11,00 |
| 91064 | Geberit bolt set for flange connection, made of zinc-plated steel; M=10mm, L=4.5cm | | | 3,00 |
| 91065 | Geberit bolt set for flange connection, made of zinc-plated steel; M=10mm, L=5cm | | | 3,00 |
| 91066 | Geberit bolt set for flange connection, made of zinc-plated steel; M=12mm, L=5cm | | | 3,00 |
| 91067 | Geberit bolt set for flange connection, made of zinc-plated steel; M=12mm, L=5.5cm | | | 3,00 |
| 91068 | Geberit bolt set for flange connection, made of zinc-plated steel; M=12mm, L=6cm | | | 3,00 |
| 91069 | Geberit bolt set for flange connection, made of zinc-plated steel; M=16mm, L=5.5cm | | | 6,00 |
| 91070 | Geberit bolt set for flange connection, made of zinc-plated steel; M=16mm, L=6cm | | | 6,00 |
| 91071 | Geberit bolt set for flange connection, made of zinc-plated steel; M=16mm, L=6.5cm | | | 6,00 |
| 91072 | Geberit bolt set for flange connection, made of zinc-plated steel; M=16mm, L=7cm | | | 6,00 |
| 91073 | Geberit bolt set for flange connection, made of zinc-plated steel; M=16mm, L=8cm | | | 6,00 |
| 600.101.00.1 | Geberit pipe for pipe-in-pipe hot water circulation system: PE-Xc, da=14mm, L=50m | | | 5,00 |
| 90401 | Geberit Mapress seal ring, CIIR, black; d=12mm | | | 1,00 |
| 90402 | Geberit Mapress seal ring, CIIR, black; d=15mm | | | 1,00 |
| 90403 | Geberit Mapress seal ring, CIIR, black; d=18mm | | | 1,00 |
| 90404 | Geberit Mapress seal ring, CIIR, black; d=22mm | | | 1,00 |
| 90405 | Geberit Mapress seal ring, CIIR, black; d=28mm | | | 1,00 |
| 90406 | Geberit Mapress seal ring, CIIR, black; d=35mm | | | 1,00 |
| 90407 | Geberit Mapress seal ring, CIIR, black; d=42mm | | | 2,00 |
| 90408 | Geberit Mapress seal ring, CIIR, black; d=54mm | | | 2,00 |
| 90409 | Geberit Mapress seal ring, CIIR, black; d=76.1mm | | | 4,00 |
| 90410 | Geberit Mapress seal ring, CIIR, black; d=88.9mm | | | 5,00 |
| 90411 | Geberit Mapress seal ring, CIIR, black; d=108mm | | | 9,00 |
| 90452 | Geberit Mapress seal ring, HNBR, yellow; d=15mm | | | 2,00 |
| 90453 | Geberit Mapress seal ring, HNBR, yellow; d=18mm | | | 2,00 |
| 90454 | Geberit Mapress seal ring, HNBR, yellow; d=22mm | | | 2,00 |
| 90455 | Geberit Mapress seal ring, HNBR, yellow; d=28mm | | | 3,00 |
| 90456 | Geberit Mapress seal ring, HNBR, yellow; d=35mm | | | 3,00 |
| 90457 | Geberit Mapress seal ring, HNBR, yellow; d=42mm | | | 3,00 |
| 90458 | Geberit Mapress seal ring, HNBR, yellow; d=54mm | | | 4,00 |
| 90080 | Geberit Mapress flat gasket, EPDM, black; da=18mm, di=10mm, s=2mm, G=1/2" | | | 3,00 |
| 90081 | Geberit Mapress flat gasket, EPDM, black; da=24mm, di=13mm, s=2mm, G=3/4" | | | 3,00 |
| 90082 | Geberit Mapress flat gasket, EPDM, black; da=30mm, di=19.6mm, s=2mm, G=1" | | | 3,00 |
| 90083 | Geberit Mapress flat gasket, EPDM, black; da=39mm, di=25.6mm, s=2mm, G=1 1/4" | | | 3,00 |
| 90084 | Geberit Mapress flat gasket, EPDM, black; da=45mm, di=32mm, s=2mm, G=1 1/2" | | | 3,00 |
| 90085 | Geberit Mapress flat gasket, EPDM, black; da=50mm, di=39mm, s=2mm, G=1 3/4" | | | 3,00 |
| 90086 | Geberit Mapress flat gasket, EPDM, black; da=66mm, di=51mm, s=3mm, G=2 3/8" | | | 3,00 |
| 50062 | Geberit Mapress Stainless Steel coupling (FKM, blue); d=15mm | | | 14,00 |
| 50063 | Geberit Mapress Stainless Steel coupling (FKM, blue); d=18mm | | | 15,00 |
| 50064 | Geberit Mapress Stainless Steel coupling (FKM, blue); d=22mm | | | 18,00 |
| 50065 | Geberit Mapress Stainless Steel coupling (FKM, blue); d=28mm | | | 21,00 |
| 50066 | Geberit Mapress Stainless Steel coupling (FKM, blue); d=35mm | | | 26,00 |
| 50067 | Geberit Mapress Stainless Steel coupling (FKM, blue); d=42mm | | | 35,00 |
| 50068 | Geberit Mapress Stainless Steel coupling (FKM, blue); d=54mm | | | 47,00 |
| 50071 | Geberit Mapress Stainless Steel coupling (FKM, blue); d=76.1mm | | | 186,00 |
| 50072 | Geberit Mapress Stainless Steel coupling (FKM, blue); d=88.9mm | | | 217,00 |
| 50073 | Geberit Mapress Stainless Steel coupling (FKM, blue); d=108mm | | | 316,00 |
| 50082 | Geberit Mapress Stainless Steel slip coupling (FKM, blue); d=15mm | | | 21,00 |
| 50083 | Geberit Mapress Stainless Steel slip coupling (FKM, blue); d=18mm | | | 22,00 |
| 50084 | Geberit Mapress Stainless Steel slip coupling (FKM, blue); d=22mm | | | 25,00 |
| 50085 | Geberit Mapress Stainless Steel slip coupling (FKM, blue); d=28mm | | | 29,00 |
| 50086 | Geberit Mapress Stainless Steel slip coupling (FKM, blue); d=35mm | | | 34,00 |
| 50087 | Geberit Mapress Stainless Steel slip coupling (FKM, blue); d=42mm | | | 41,00 |
| 50088 | Geberit Mapress Stainless Steel slip coupling (FKM, blue); d=54mm | | | 57,00 |
| 50091 | Geberit Mapress Stainless Steel slip coupling (FKM, blue); d=76.1mm | | | 258,00 |
| 50092 | Geberit Mapress Stainless Steel slip coupling (FKM, blue); d=88.9mm | | | 294,00 |
| 50093 | Geberit Mapress Stainless Steel slip coupling (FKM, blue); d=108mm | | | 395,00 |
| 50133 | Geberit Mapress Stainless Steel reducer with plain end (FKM, blue); d=18mm, d1=15mm | | | 13,00 |
| 50134 | Geberit Mapress Stainless Steel reducer with plain end (FKM, blue); d=22mm, d1=15mm | | | 14,00 |
| 50135 | Geberit Mapress Stainless Steel reducer with plain end (FKM, blue); d=22mm, d1=18mm | | | 14,00 |
| 50136 | Geberit Mapress Stainless Steel reducer with plain end (FKM, blue); d=28mm, d1=15mm | | | 17,00 |
| 50137 | Geberit Mapress Stainless Steel reducer with plain end (FKM, blue); d=28mm, d1=18mm | | | 17,00 |
| 50138 | Geberit Mapress Stainless Steel reducer with plain end (FKM, blue); d=28mm, d1=22mm | | | 17,00 |
| 50141 | Geberit Mapress Stainless Steel reducer with plain end (FKM, blue); d=35mm, d1=22mm | | | 24,00 |
| 50142 | Geberit Mapress Stainless Steel reducer with plain end (FKM, blue); d=35mm, d1=28mm | | | 24,00 |
| 50145 | Geberit Mapress Stainless Steel reducer with plain end (FKM, blue); d=42mm, d1=22mm | | | 33,00 |
| 50146 | Geberit Mapress Stainless Steel reducer with plain end (FKM, blue); d=42mm, d1=28mm | | | 33,00 |
| 50147 | Geberit Mapress Stainless Steel reducer with plain end (FKM, blue); d=42mm, d1=35mm | | | 33,00 |
| 50150 | Geberit Mapress Stainless Steel reducer with plain end (FKM, blue); d=54mm, d1=22mm | | | 46,00 |
| 50151 | Geberit Mapress Stainless Steel reducer with plain end (FKM, blue); d=54mm, d1=28mm | | | 46,00 |
| 50152 | Geberit Mapress Stainless Steel reducer with plain end (FKM, blue); d=54mm, d1=35mm | | | 46,00 |
| 50153 | Geberit Mapress Stainless Steel reducer with plain end (FKM, blue); d=54mm, d1=42mm | | | 46,00 |
| 50164 | Geberit Mapress Stainless Steel reducer with plain end (FKM, blue); d=76.1mm, d1=54mm | | | 146,00 |
| 50167 | Geberit Mapress Stainless Steel reducer with plain end (FKM, blue); d=88.9mm, d1=54mm | | | 156,00 |
| 50168 | Geberit Mapress Stainless Steel reducer with plain end (FKM, blue); d=88.9mm, d1=76.1mm | | | 156,00 |
| 50169 | Geberit Mapress Stainless Steel reducer with plain end (FKM, blue); d=108mm, d1=54mm | | | 167,00 |
| 50171 | Geberit Mapress Stainless Steel reducer with plain end (FKM, blue); d=108mm, d1=76.1mm | | | 167,00 |
| 50172 | Geberit Mapress Stainless Steel reducer with plain end (FKM, blue); d=108mm, d1=88.9mm | | | 167,00 |
| 50222 | Geberit Mapress Stainless Steel bend (FKM, blue); 45°, d=15mm | | | 18,00 |
| 50223 | Geberit Mapress Stainless Steel bend (FKM, blue); 45°, d=18mm | | | 21,00 |
| 50224 | Geberit Mapress Stainless Steel bend (FKM, blue); 45°, d=22mm | | | 26,00 |
| 50225 | Geberit Mapress Stainless Steel bend (FKM, blue); 45°, d=28mm | | | 32,00 |
| 50226 | Geberit Mapress Stainless Steel bend (FKM, blue); 45°, d=35mm | | | 42,00 |
| 50227 | Geberit Mapress Stainless Steel bend (FKM, blue); 45°, d=42mm | | | 65,00 |

| | | | | |
|-------|---|--|--|--------|
| 34091 | Geberit Mapress Stainless Steel adapter with female thread (gas): d=42mm, Rp=1 1/2" | | | 71,00 |
| 34439 | Geberit Mapress Stainless Steel adapter union with male thread, union nut made of CrNi steel (gas): d=42mm, R=1 1/2" | | | 114,00 |
| 34408 | Geberit Mapress Stainless Steel adapter union with female thread, union nut made of CrNi steel (gas): d=42mm, Rp=1 1/2" | | | 102,00 |
| 34467 | Geberit Mapress Stainless Steel cap (gas): d=42mm | | | 71,00 |
| 34107 | Geberit Mapress Stainless Steel coupling (gas): d=54mm | | | 33,00 |
| 34114 | Geberit Mapress Stainless Steel slip coupling (gas): d=54mm | | | 44,00 |
| 34133 | Geberit Mapress Stainless Steel reducer with plain end (gas): d=54mm, d1=28mm | | | 43,00 |
| 34134 | Geberit Mapress Stainless Steel reducer with plain end (gas): d=54mm, d1=35mm | | | 43,00 |
| 34135 | Geberit Mapress Stainless Steel reducer with plain end (gas): d=54mm, d1=42mm | | | 43,00 |
| 34195 | Geberit Mapress Stainless Steel bend (gas): 45°, d=54mm | | | 80,00 |
| 34189 | Geberit Mapress Stainless Steel bend (gas): 90°, d=54mm | | | 80,00 |
| 34198 | Geberit Mapress Stainless Steel bend with plain end (gas): 45°, d=54mm | | | 80,00 |
| 34192 | Geberit Mapress Stainless Steel bend with plain end (gas): 90°, d=54mm | | | 80,00 |
| 34034 | Geberit Mapress Stainless Steel T-piece, equal (gas): d=54mm | | | 73,00 |
| 34048 | Geberit Mapress Stainless Steel T-piece, reduced (gas): d=54mm, d1=22mm, d2=54mm | | | 73,00 |
| 34049 | Geberit Mapress Stainless Steel T-piece, reduced (gas): d=54mm, d1=28mm, d2=54mm | | | 73,00 |
| 34050 | Geberit Mapress Stainless Steel T-piece, reduced (gas): d=54mm, d1=35mm, d2=54mm | | | 73,00 |
| 34051 | Geberit Mapress Stainless Steel T-piece, reduced (gas): d=54mm, d1=42mm, d2=54mm | | | 73,00 |
| 34098 | Geberit Mapress Stainless Steel T-piece, reduced (gas): d=88.9mm, d1=54mm, d2=88.9mm | | | 390,00 |
| 34063 | Geberit Mapress Stainless Steel T-piece with female thread (gas): d=54mm, Rp=1/2", d1=54mm | | | 63,00 |
| 34264 | Geberit Mapress Stainless Steel T-piece with female thread (gas): d=54mm, Rp=3/4", d1=54mm | | | 100,00 |
| 34265 | Geberit Mapress Stainless Steel T-piece with female thread (gas): d=54mm, Rp=2", d1=54mm | | | 100,00 |
| 34074 | Geberit Mapress Stainless Steel adapter with male thread (gas): d=54mm, R=2" | | | 87,00 |
| 34092 | Geberit Mapress Stainless Steel adapter with female thread (gas): d=54mm, Rp=2" | | | 97,00 |
| 34440 | Geberit Mapress Stainless Steel adapter union with male thread, union nut made of CrNi steel (gas): d=54mm, R=2" | | | 189,00 |
| 34409 | Geberit Mapress Stainless Steel adapter union with female thread, union nut made of CrNi steel (gas): d=54mm, Rp=2" | | | 189,00 |
| 34468 | Geberit Mapress Stainless Steel cap (gas): d=54mm | | | 79,00 |
| 34248 | Geberit Mapress Stainless Steel coupling (gas): d=76.1mm | | | 156,00 |
| 34162 | Geberit Mapress Stainless Steel slip coupling (gas): d=76.1mm | | | 242,00 |
| 34296 | Geberit Mapress Stainless Steel reducer with plain end (gas): d=76.1mm, d1=54mm | | | 137,00 |
| 34447 | Geberit Mapress Stainless Steel bend (gas): 45°, d=76.1mm | | | 234,00 |
| 34441 | Geberit Mapress Stainless Steel bend (gas): 90°, d=76.1mm | | | 234,00 |
| 34450 | Geberit Mapress Stainless Steel bend with plain end (gas): 45°, d=76.1mm | | | 234,00 |
| 34444 | Geberit Mapress Stainless Steel bend with plain end (gas): 90°, d=76.1mm | | | 234,00 |
| 34285 | Geberit Mapress Stainless Steel T-piece, equal (gas): d=76.1mm | | | 375,00 |
| 34062 | Geberit Mapress Stainless Steel T-piece, reduced (gas): d=76.1mm, d1=22mm, d2=76.1mm | | | 375,00 |
| 34065 | Geberit Mapress Stainless Steel T-piece, reduced (gas): d=76.1mm, d1=28mm, d2=76.1mm | | | 375,00 |
| 34079 | Geberit Mapress Stainless Steel T-piece, reduced (gas): d=76.1mm, d1=35mm, d2=76.1mm | | | 375,00 |
| 34080 | Geberit Mapress Stainless Steel T-piece, reduced (gas): d=76.1mm, d1=42mm, d2=76.1mm | | | 375,00 |
| 34097 | Geberit Mapress Stainless Steel T-piece, reduced (gas): d=76.1mm, d1=54mm, d2=76.1mm | | | 375,00 |
| 34266 | Geberit Mapress Stainless Steel T-piece with female thread (gas): d=76.1mm, Rp=3/4", d1=76.1mm | | | 364,00 |
| 34267 | Geberit Mapress Stainless Steel T-piece with female thread (gas): d=76.1mm, Rp=2", d1=76.1mm | | | 364,00 |
| 34077 | Geberit Mapress Stainless Steel adapter with male thread (gas): d=76.1mm, R=2 1/2" | | | 438,00 |
| 34469 | Geberit Mapress Stainless Steel cap (gas): d=76.1mm | | | 97,00 |
| 34249 | Geberit Mapress Stainless Steel coupling (gas): d=88.9mm | | | 182,00 |
| 34121 | Geberit Mapress Stainless Steel slip coupling (gas): d=88.9mm | | | 253,00 |
| 34297 | Geberit Mapress Stainless Steel reducer with plain end (gas): d=88.9mm, d1=54mm | | | 148,00 |
| 34298 | Geberit Mapress Stainless Steel reducer with plain end (gas): d=88.9mm, d1=76.1mm | | | 148,00 |
| 34448 | Geberit Mapress Stainless Steel bend (gas): 45°, d=88.9mm | | | 281,00 |
| 34442 | Geberit Mapress Stainless Steel bend (gas): 90°, d=88.9mm | | | 281,00 |
| 34451 | Geberit Mapress Stainless Steel bend with plain end (gas): 45°, d=88.9mm | | | 281,00 |
| 34445 | Geberit Mapress Stainless Steel bend with plain end (gas): 90°, d=88.9mm | | | 281,00 |
| 34286 | Geberit Mapress Stainless Steel T-piece, equal (gas): d=88.9mm | | | 390,00 |
| 34081 | Geberit Mapress Stainless Steel T-piece, reduced (gas): d=88.9mm, d1=22mm, d2=88.9mm | | | 390,00 |
| 34082 | Geberit Mapress Stainless Steel T-piece, reduced (gas): d=88.9mm, d1=28mm, d2=88.9mm | | | 390,00 |
| 34085 | Geberit Mapress Stainless Steel T-piece, reduced (gas): d=88.9mm, d1=35mm, d2=88.9mm | | | 390,00 |
| 34088 | Geberit Mapress Stainless Steel T-piece, reduced (gas): d=88.9mm, d1=42mm, d2=88.9mm | | | 390,00 |
| 34268 | Geberit Mapress Stainless Steel T-piece with female thread (gas): d=88.9mm, Rp=3/4", d1=88.9mm | | | 395,00 |
| 34269 | Geberit Mapress Stainless Steel T-piece with female thread (gas): d=88.9mm, Rp=2", d1=88.9mm | | | 395,00 |
| 34078 | Geberit Mapress Stainless Steel adapter with male thread (gas): d=88.9mm, R=3" | | | 655,00 |
| 34470 | Geberit Mapress Stainless Steel cap (gas): d=88.9mm | | | 107,00 |
| 34250 | Geberit Mapress Stainless Steel coupling (gas): d=108mm | | | 234,00 |
| 34122 | Geberit Mapress Stainless Steel slip coupling (gas): d=108mm | | | 323,00 |
| 34259 | Geberit Mapress Stainless Steel reducer with plain end (gas): d=108mm, d1=54mm | | | 156,00 |
| 34260 | Geberit Mapress Stainless Steel reducer with plain end (gas): d=108mm, d1=76.1mm | | | 156,00 |
| 34261 | Geberit Mapress Stainless Steel reducer with plain end (gas): d=108mm, d1=88.9mm | | | 156,00 |
| 34449 | Geberit Mapress Stainless Steel bend (gas): 45°, d=108mm | | | 385,00 |
| 34443 | Geberit Mapress Stainless Steel bend (gas): 90°, d=108mm | | | 385,00 |
| 34452 | Geberit Mapress Stainless Steel bend with plain end (gas): 45°, d=108mm | | | 385,00 |
| 34446 | Geberit Mapress Stainless Steel bend with plain end (gas): 90°, d=108mm | | | 385,00 |
| 34287 | Geberit Mapress Stainless Steel T-piece, equal (gas): d=108mm | | | 481,00 |
| 34094 | Geberit Mapress Stainless Steel T-piece, reduced (gas): d=108mm, d1=22mm, d2=108mm | | | 481,00 |
| 34095 | Geberit Mapress Stainless Steel T-piece, reduced (gas): d=108mm, d1=28mm, d2=108mm | | | 481,00 |
| 34096 | Geberit Mapress Stainless Steel T-piece, reduced (gas): d=108mm, d1=35mm, d2=108mm | | | 481,00 |
| 34125 | Geberit Mapress Stainless Steel T-piece, reduced (gas): d=108mm, d1=42mm, d2=108mm | | | 481,00 |
| 34099 | Geberit Mapress Stainless Steel T-piece, reduced (gas): d=108mm, d1=54mm, d2=108mm | | | 481,00 |
| 34270 | Geberit Mapress Stainless Steel T-piece with female thread (gas): d=108mm, Rp=3/4", d1=108mm | | | 476,00 |
| 34471 | Geberit Mapress Stainless Steel cap (gas): d=108mm | | | 119,00 |
| 62001 | Geberit Mapress Copper coupling; d=12mm | | | 5,00 |
| 60601 | Geberit Mapress Copper bend; 45°, d=12mm | | | 5,00 |
| 60101 | Geberit Mapress Copper bend; 90°, d=12mm | | | 5,00 |
| 60701 | Geberit Mapress Copper bend with plain end; 45°, d=12mm | | | 5,00 |
| 60301 | Geberit Mapress Copper bend with plain end; 90°, d=12mm | | | 5,00 |
| 61000 | Geberit Mapress Copper T-piece, equal; d=12mm | | | 7,00 |
| 61352 | Geberit Mapress Copper T-piece with female thread; CC499K, d=12mm, Rp=1/2", d1=12mm | | | 24,00 |
| 61701 | Geberit Mapress Copper adapter with male thread; CC499K, d=12mm, R=3/8" | | | 5,00 |
| 61745 | Geberit Mapress Copper adapter with male thread; CC499K, d=12mm, R=1/2" | | | 5,00 |
| 61845 | Geberit Mapress Copper adapter with female thread; CC499K, d=12mm, Rp=3/8" | | | 5,00 |
| 61801 | Geberit Mapress Copper adapter with female thread; CC499K, d=12mm, Rp=1/2" | | | 6,00 |
| 63892 | Geberit Mapress Copper elbow adapter 90° with male thread; CC499K, d=12mm, R=3/8" | | | 25,00 |
| 63893 | Geberit Mapress Copper elbow adapter 90° with male thread; CC499K, d=12mm, R=1/2" | | | 25,00 |
| 63860 | Geberit Mapress Copper elbow adapter 90° with female thread; CC499K, d=12mm, Rp=3/8" | | | 23,00 |
| 63861 | Geberit Mapress Copper elbow adapter 90° with female thread; CC499K, d=12mm, Rp=1/2" | | | 23,00 |
| 65531 | Geberit Mapress Copper adapter union with male thread; CC499K, d=12mm, R=3/8" | | | 26,00 |
| 65540 | Geberit Mapress Copper adapter union with male thread; CC499K, d=12mm, R=1/2" | | | 26,00 |
| 65481 | Geberit Mapress Copper adapter union with female thread; CC499K, d=12mm, Rp=1/2" | | | 26,00 |
| 65081 | Geberit Mapress Copper adapter with union nut; CC499K, d=12mm, d1=10mm, G=1/2" | | | 10,00 |
| 60231 | Geberit Mapress Copper cap; d=12mm | | | 6,00 |
| 63458 | Geberit Mapress Copper elbow tap connector 90°; CC499K, d=12mm, Rp=1/2", L1=3.6cm | | | 30,00 |
| 63452 | Geberit Mapress Copper elbow tap connector 90°; CC499K, d=12mm, Rp=1/2", L1=5.2cm | | | 30,00 |
| 60018 | Geberit Mapress Copper coupling (chrome-plated); d=12mm | | | 7,00 |
| 60001 | Geberit Mapress Copper bend (chrome-plated); 90°, d=12mm | | | 7,00 |
| 60025 | Geberit Mapress Copper bend with plain end (chrome-plated); 90°, d=12mm | | | 6,00 |
| 60010 | Geberit Mapress Copper T-piece, equal (chrome-plated); d=12mm | | | 10,00 |
| 62002 | Geberit Mapress Copper coupling; d=15mm | | | 5,00 |
| 62050 | Geberit Mapress Copper coupling, reduced; CC499K, d=15mm, d1=12mm | | | 16,00 |
| 62102 | Geberit Mapress Copper slip coupling; d=15mm | | | 19,00 |
| 62301 | Geberit Mapress Copper reducer with plain end; d=15mm, d1=12mm | | | 4,00 |
| 60602 | Geberit Mapress Copper bend; 45°, d=15mm | | | 5,00 |
| 60102 | Geberit Mapress Copper bend; 90°, d=15mm | | | 5,00 |
| 60702 | Geberit Mapress Copper bend with plain end; 45°, d=15mm | | | 5,00 |
| 60302 | Geberit Mapress Copper bend with plain end; 90°, d=15mm | | | 5,00 |
| 61002 | Geberit Mapress Copper T-piece, equal; d=15mm | | | 8,00 |

| | | | | | |
|-------|--|--|--|--|--------|
| 61252 | Geberit Mapress Copper T-piece, reduced: d=15mm, d1=12mm, d2=15mm | | | | 8,00 |
| 61354 | Geberit Mapress Copper T-piece with female thread: CC499K, d=15mm, Rp=1/2", d1=15mm | | | | 25,00 |
| 61504 | Geberit Mapress Copper pipe cross, reduced, offset: d=15mm, d1=15mm | | | | 37,00 |
| 62020 | Geberit Mapress Copper adapter socket: d=15mm, d1=14mm | | | | 26,00 |
| 62022 | Geberit Mapress Copper adapter socket: d=15mm, d1=16mm | | | | 26,00 |
| 61702 | Geberit Mapress Copper adapter with male thread: CC499K, d=15mm, R=3/8" | | | | 7,00 |
| 61703 | Geberit Mapress Copper adapter with male thread: CC499K, d=15mm, R=1/2" | | | | 7,00 |
| 61714 | Geberit Mapress Copper adapter with male thread: CC499K, d=15mm, R=3/4" | | | | 7,00 |
| 61932 | Geberit Mapress Copper adapter with male thread and plain end: CC499K, d=15mm, R=1/2" | | | | 10,00 |
| 61846 | Geberit Mapress Copper adapter with female thread: CC499K, d=15mm, Rp=3/8" | | | | 7,00 |
| 61802 | Geberit Mapress Copper adapter with female thread: CC499K, d=15mm, Rp=1/2" | | | | 7,00 |
| 61823 | Geberit Mapress Copper adapter with female thread: CC499K, d=15mm, Rp=3/4" | | | | 7,00 |
| 63894 | Geberit Mapress Copper elbow adapter 90° with male thread: CC499K, d=15mm, R=3/8" | | | | 29,00 |
| 63873 | Geberit Mapress Copper elbow adapter 90° with male thread: CC499K, d=15mm, R=1/2" | | | | 18,00 |
| 63862 | Geberit Mapress Copper elbow adapter 90° with female thread: CC499K, d=15mm, Rp=3/8" | | | | 18,00 |
| 63853 | Geberit Mapress Copper elbow adapter 90° with female thread: CC499K, d=15mm, Rp=1/2" | | | | 18,00 |
| 65532 | Geberit Mapress Copper adapter union with male thread: CC499K, d=15mm, R=1/2" | | | | 26,00 |
| 65541 | Geberit Mapress Copper adapter union with male thread: CC499K, d=15mm, R=3/4" | | | | 26,00 |
| 65482 | Geberit Mapress Copper adapter union with female thread: CC499K, d=15mm, Rp=1/2" | | | | 26,00 |
| 65490 | Geberit Mapress Copper adapter union with female thread: CC499K, d=15mm, Rp=3/4" | | | | 26,00 |
| 65382 | Geberit Mapress Copper elbow adapter union 90° with female thread: CC499K, d=15mm, Rp=1/2" | | | | 37,00 |
| 65082 | Geberit Mapress Copper adapter with union nut: CC499K, d=15mm, di=13mm, G=3/4" | | | | 10,00 |
| 65182 | Geberit Mapress Copper adapter with union nut: CC499K, d=15mm, di=10mm, G=1/2" | | | | 12,00 |
| 60232 | Geberit Mapress Copper cap: d=15mm | | | | 7,00 |
| 63459 | Geberit Mapress Copper elbow tap connector 90°: CC499K, d=15mm, Rp=1/2", L1=3.6cm | | | | 20,00 |
| 63453 | Geberit Mapress Copper elbow tap connector 90°: CC499K, d=15mm, Rp=1/2", L1=5.2cm | | | | 20,00 |
| 63113 | Geberit Mapress T-piece crossing with insulation box: CC7525, d=15mm, d1=15mm, d2=15mm | | | | 97,00 |
| 62003 | Geberit Mapress Copper coupling: d=18mm | | | | 6,00 |
| 62103 | Geberit Mapress Copper slip coupling: d=18mm | | | | 21,00 |
| 62302 | Geberit Mapress Copper reducer with plain end: d=18mm, d1=12mm | | | | 4,00 |
| 62303 | Geberit Mapress Copper reducer with plain end: d=18mm, d1=15mm | | | | 4,00 |
| 60603 | Geberit Mapress Copper bend: 45°, d=18mm | | | | 5,00 |
| 60103 | Geberit Mapress Copper bend: 90°, d=18mm | | | | 5,00 |
| 60703 | Geberit Mapress Copper bend with plain end: 45°, d=18mm | | | | 5,00 |
| 60303 | Geberit Mapress Copper bend with plain end: 90°, d=18mm | | | | 5,00 |
| 61003 | Geberit Mapress Copper T-piece, equal: d=18mm | | | | 8,00 |
| 61253 | Geberit Mapress Copper T-piece, reduced: d=18mm, d1=12mm, d2=18mm | | | | 8,00 |
| 61235 | Geberit Mapress Copper T-piece, reduced: d=18mm, d1=15mm, d2=15mm | | | | 8,00 |
| 61254 | Geberit Mapress Copper T-piece, reduced: d=18mm, d1=15mm, d2=18mm | | | | 8,00 |
| 61236 | Geberit Mapress Copper T-piece, reduced: d=18mm, d1=18mm, d2=15mm | | | | 8,00 |
| 61192 | Geberit Mapress T-piece, reduced: CW617N, d=18mm, d1=15mm, d2=15mm | | | | 12,00 |
| 61193 | Geberit Mapress T-piece, reduced: CW617N, d=18mm, d1=18mm, d2=15mm | | | | 12,00 |
| 61355 | Geberit Mapress Copper T-piece with female thread: CC499K, d=18mm, Rp=1/2", d1=18mm | | | | 25,00 |
| 61404 | Geberit Mapress Copper pipe cross 30°, reduced: d=18mm, d1=15mm | | | | 37,00 |
| 62024 | Geberit Mapress Copper adapter socket: d=18mm, d1=16mm | | | | 26,00 |
| 61704 | Geberit Mapress Copper adapter with male thread: CC499K, d=18mm, R=1/2" | | | | 9,00 |
| 61705 | Geberit Mapress Copper adapter with male thread: CC499K, d=18mm, R=3/4" | | | | 9,00 |
| 61933 | Geberit Mapress Copper adapter with male thread and plain end: CC499K, d=18mm, R=1/2" | | | | 11,00 |
| 61803 | Geberit Mapress Copper adapter with female thread: CC499K, d=18mm, Rp=1/2" | | | | 9,00 |
| 61804 | Geberit Mapress Copper adapter with female thread: CC499K, d=18mm, Rp=3/4" | | | | 9,00 |
| 63884 | Geberit Mapress Copper elbow adapter 90° with male thread: CC499K, d=18mm, R=1/2" | | | | 23,00 |
| 63895 | Geberit Mapress Copper elbow adapter 90° with male thread: CC499K, d=18mm, R=3/4" | | | | 31,00 |
| 63854 | Geberit Mapress Copper elbow adapter 90° with female thread: CC499K, d=18mm, Rp=1/2" | | | | 23,00 |
| 63863 | Geberit Mapress Copper elbow adapter 90° with female thread: CC499K, d=18mm, Rp=3/4" | | | | 23,00 |
| 65533 | Geberit Mapress Copper adapter union with male thread: CC499K, d=18mm, R=1/2" | | | | 29,00 |
| 65542 | Geberit Mapress Copper adapter union with male thread: CC499K, d=18mm, R=3/4" | | | | 29,00 |
| 65483 | Geberit Mapress Copper adapter union with female thread: CC499K, d=18mm, Rp=1/2" | | | | 29,00 |
| 65491 | Geberit Mapress Copper adapter union with female thread: CC499K, d=18mm, Rp=3/4" | | | | 29,00 |
| 65392 | Geberit Mapress Copper elbow adapter union 90° with female thread: CC499K, d=18mm, Rp=1/2" | | | | 39,00 |
| 65040 | Geberit Mapress Copper adapter with union nut: CC499K, d=18mm, di=20mm, G=1" | | | | 15,00 |
| 65083 | Geberit Mapress Copper adapter with union nut: CC499K, d=18mm, di=13mm, G=3/4" | | | | 10,00 |
| 60233 | Geberit Mapress Copper cap: d=18mm | | | | 9,00 |
| 63460 | Geberit Mapress Copper elbow tap connector 90°: CC499K, d=18mm, Rp=1/2", L1=3.6cm | | | | 30,00 |
| 63455 | Geberit Mapress Copper elbow tap connector 90°: CC499K, d=18mm, Rp=1/2", L1=5.2cm | | | | 30,00 |
| 63115 | Geberit Mapress T-piece crossing with insulation box: CC7525, d=18mm, d1=15mm, d2=18mm | | | | 107,00 |
| 63125 | Geberit Mapress T-piece crossing with insulation box: CC7525, d=18mm, d1=18mm, d2=18mm | | | | 107,00 |
| 62004 | Geberit Mapress Copper coupling: d=22mm | | | | 6,00 |
| 62055 | Geberit Mapress Copper coupling, reduced: CC499K, d=22mm, d1=15mm | | | | 17,00 |
| 62104 | Geberit Mapress Copper slip coupling: d=22mm | | | | 21,00 |
| 62305 | Geberit Mapress Copper reducer with plain end: d=22mm, d1=15mm | | | | 4,00 |
| 62306 | Geberit Mapress Copper reducer with plain end: d=22mm, d1=18mm | | | | 4,00 |
| 60604 | Geberit Mapress Copper bend: 45°, d=22mm | | | | 7,00 |
| 60104 | Geberit Mapress Copper bend: 90°, d=22mm | | | | 7,00 |
| 60704 | Geberit Mapress Copper bend with plain end: 45°, d=22mm | | | | 7,00 |
| 60304 | Geberit Mapress Copper bend with plain end: 90°, d=22mm | | | | 7,00 |
| 61004 | Geberit Mapress Copper T-piece, equal: d=22mm | | | | 10,00 |
| 61104 | Geberit Mapress Copper T-piece, reduced: d=15mm, d1=22mm, d2=15mm | | | | 10,00 |
| 61240 | Geberit Mapress Copper T-piece, reduced: d=22mm, d1=15mm, d2=15mm | | | | 10,00 |
| 61256 | Geberit Mapress Copper T-piece, reduced: d=22mm, d1=15mm, d2=22mm | | | | 10,00 |
| 61257 | Geberit Mapress Copper T-piece, reduced: d=22mm, d1=18mm, d2=22mm | | | | 10,00 |
| 61242 | Geberit Mapress Copper T-piece, reduced: d=22mm, d1=22mm, d2=15mm | | | | 10,00 |
| 61194 | Geberit Mapress T-piece, reduced: CW617N, d=22mm, d1=15mm, d2=15mm | | | | 14,00 |
| 61195 | Geberit Mapress T-piece, reduced: CW617N, d=22mm, d1=18mm, d2=18mm | | | | 14,00 |
| 61196 | Geberit Mapress T-piece, reduced: CW617N, d=22mm, d1=22mm, d2=15mm | | | | 14,00 |
| 61357 | Geberit Mapress Copper T-piece with female thread: CC499K, d=22mm, Rp=1/2", d1=22mm | | | | 26,00 |
| 61395 | Geberit Mapress Copper T-piece with female thread: CC499K, d=22mm, Rp=3/4", d1=22mm | | | | 25,00 |
| 61406 | Geberit Mapress Copper pipe cross 30°, reduced: d=22mm, d1=15mm | | | | 39,00 |
| 61715 | Geberit Mapress Copper adapter with male thread: CC499K, d=22mm, R=1/2" | | | | 9,00 |
| 61707 | Geberit Mapress Copper adapter with male thread: CC499K, d=22mm, R=3/4" | | | | 9,00 |
| 61716 | Geberit Mapress Copper adapter with male thread: CC499K, d=22mm, R=1" | | | | 9,00 |
| 61935 | Geberit Mapress Copper adapter with male thread and plain end: CC499K, d=22mm, R=1/2" | | | | 12,00 |
| 61936 | Geberit Mapress Copper adapter with male thread and plain end: CC499K, d=22mm, R=3/4" | | | | 12,00 |
| 61805 | Geberit Mapress Copper adapter with female thread: CC499K, d=22mm, Rp=1/2" | | | | 9,00 |
| 61806 | Geberit Mapress Copper adapter with female thread: CC499K, d=22mm, Rp=3/4" | | | | 9,00 |
| 61824 | Geberit Mapress Copper adapter with female thread: CC499K, d=22mm, Rp=1" | | | | 9,00 |
| 63885 | Geberit Mapress Copper elbow adapter 90° with male thread: CC499K, d=22mm, R=3/4" | | | | 29,00 |
| 63864 | Geberit Mapress Copper elbow adapter 90° with female thread: CC499K, d=22mm, Rp=1/2" | | | | 29,00 |
| 63855 | Geberit Mapress Copper elbow adapter 90° with female thread: CC499K, d=22mm, Rp=3/4" | | | | 29,00 |
| 65534 | Geberit Mapress Copper adapter union with male thread: CC499K, d=22mm, R=1/2" | | | | 31,00 |
| 65543 | Geberit Mapress Copper adapter union with male thread: CC499K, d=22mm, R=3/4" | | | | 31,00 |
| 65544 | Geberit Mapress Copper adapter union with male thread: CC499K, d=22mm, R=1" | | | | 31,00 |
| 65484 | Geberit Mapress Copper adapter union with female thread: CC499K, d=22mm, Rp=3/4" | | | | 31,00 |
| 65492 | Geberit Mapress Copper adapter union with female thread: CC499K, d=22mm, Rp=1" | | | | 31,00 |
| 65384 | Geberit Mapress Copper elbow adapter union 90° with female thread: CC499K, d=22mm, Rp=3/4" | | | | 52,00 |
| 65044 | Geberit Mapress Copper adapter with union nut: CC499K, d=22mm, di=26mm, G=1 1/4" | | | | 16,00 |
| 65045 | Geberit Mapress Copper adapter with union nut: CC499K, d=22mm, di=32mm, G=1 1/2" | | | | 16,00 |
| 65084 | Geberit Mapress Copper adapter with union nut: CC499K, d=22mm, di=20mm, G=1" | | | | 16,00 |
| 60234 | Geberit Mapress Copper cap: d=22mm | | | | 11,00 |
| 63457 | Geberit Mapress Copper elbow tap connector 90°: CC499K, d=22mm, Rp=3/4", L1=5.2cm | | | | 33,00 |
| 63117 | Geberit Mapress T-piece crossing with insulation box: CC7525, d=22mm, d1=15mm, d2=22mm | | | | 112,00 |
| 63118 | Geberit Mapress T-piece crossing with insulation box: CC7525, d=22mm, d1=18mm, d2=22mm | | | | 112,00 |
| 62005 | Geberit Mapress Copper coupling: d=28mm | | | | 10,00 |
| 62105 | Geberit Mapress Copper slip coupling: d=28mm | | | | 27,00 |

| | | | | | |
|-------|---|--|--|--|--------|
| 62307 | Geberit Mapress Copper reducer with plain end: d=28mm, d1=15mm | | | | 10,00 |
| 62308 | Geberit Mapress Copper reducer with plain end: d=28mm, d1=18mm | | | | 10,00 |
| 62309 | Geberit Mapress Copper reducer with plain end: d=28mm, d1=22mm | | | | 10,00 |
| 60605 | Geberit Mapress Copper bend: 45°, d=28mm | | | | 12,00 |
| 60105 | Geberit Mapress Copper bend: 90°, d=28mm | | | | 12,00 |
| 60705 | Geberit Mapress Copper bend with plain end: 45°, d=28mm | | | | 12,00 |
| 60305 | Geberit Mapress Copper bend with plain end: 90°, d=28mm | | | | 12,00 |
| 61005 | Geberit Mapress Copper T-piece, equal: d=28mm | | | | 18,00 |
| 61259 | Geberit Mapress Copper T-piece, reduced: d=28mm, d1=15mm, d2=28mm | | | | 18,00 |
| 61260 | Geberit Mapress Copper T-piece, reduced: d=28mm, d1=18mm, d2=28mm | | | | 18,00 |
| 61261 | Geberit Mapress Copper T-piece, reduced: d=28mm, d1=22mm, d2=28mm | | | | 18,00 |
| 61197 | Geberit Mapress T-piece, reduced: CW617N, d=28mm, d1=22mm, d2=22mm | | | | 16,00 |
| 61359 | Geberit Mapress Copper T-piece with female thread: CC499K, d=28mm, Rp=1/2", d1=28mm | | | | 29,00 |
| 61360 | Geberit Mapress Copper T-piece with female thread: CC499K, d=28mm, Rp=3/4", d1=28mm | | | | 29,00 |
| 61409 | Geberit Mapress Copper pipe cross 30°, reduced: d=28mm, d1=15mm | | | | 50,00 |
| 61717 | Geberit Mapress Copper adapter with male thread: CC499K, d=28mm, R=3/4" | | | | 13,00 |
| 61708 | Geberit Mapress Copper adapter with male thread: CC499K, d=28mm, R=1" | | | | 13,00 |
| 61718 | Geberit Mapress Copper adapter with male thread: CC499K, d=28mm, R=1 1/4" | | | | 13,00 |
| 61819 | Geberit Mapress Copper adapter with female thread: CC499K, d=28mm, Rp=3/4" | | | | 13,00 |
| 61809 | Geberit Mapress Copper adapter with female thread: CC499K, d=28mm, Rp=1" | | | | 13,00 |
| 61825 | Geberit Mapress Copper adapter with female thread: CC499K, d=28mm, Rp=1 1/4" | | | | 14,00 |
| 63886 | Geberit Mapress Copper elbow adapter 90° with male thread: CC499K, d=28mm, R=1" | | | | 40,00 |
| 63856 | Geberit Mapress Copper elbow adapter 90° with female thread: CC499K, d=28mm, Rp=1" | | | | 40,00 |
| 65535 | Geberit Mapress Copper adapter union with male thread: CC499K, d=28mm, R=1" | | | | 45,00 |
| 65485 | Geberit Mapress Copper adapter union with female thread: CC499K, d=28mm, Rp=1" | | | | 45,00 |
| 65385 | Geberit Mapress Copper elbow adapter union 90° with female thread: CC499K, d=28mm, Rp=1" | | | | 59,00 |
| 65046 | Geberit Mapress Copper adapter with union nut: CC499K, d=28mm, di=20mm, G=1" | | | | 20,00 |
| 65050 | Geberit Mapress Copper adapter with union nut: CC499K, d=28mm, di=32mm, G=1 1/2" | | | | 20,00 |
| 65085 | Geberit Mapress Copper adapter with union nut: CC499K, d=28mm, di=26mm, G=1 1/4" | | | | 20,00 |
| 63706 | Geberit Mapress Copper flanged stub with plain end, for loose flange PN 10/16: d=28mm, DN=25 | | | | 118,00 |
| 60235 | Geberit Mapress Copper cap: d=28mm | | | | 17,00 |
| 62006 | Geberit Mapress Copper coupling: d=35mm | | | | 13,00 |
| 62106 | Geberit Mapress Copper slip coupling: d=35mm | | | | 34,00 |
| 62312 | Geberit Mapress Copper reducer with plain end: d=35mm, d1=22mm | | | | 12,00 |
| 62313 | Geberit Mapress Copper reducer with plain end: d=35mm, d1=28mm | | | | 12,00 |
| 60606 | Geberit Mapress Copper bend: 45°, d=35mm | | | | 24,00 |
| 60106 | Geberit Mapress Copper bend: 90°, d=35mm | | | | 24,00 |
| 60706 | Geberit Mapress Copper bend with plain end: 45°, d=35mm | | | | 24,00 |
| 60306 | Geberit Mapress Copper bend with plain end: 90°, d=35mm | | | | 24,00 |
| 61006 | Geberit Mapress Copper T-piece, equal: d=35mm | | | | 28,00 |
| 61212 | Geberit Mapress Copper T-piece, reduced: d=35mm, d1=15mm, d2=35mm | | | | 28,00 |
| 61213 | Geberit Mapress Copper T-piece, reduced: d=35mm, d1=18mm, d2=35mm | | | | 28,00 |
| 61214 | Geberit Mapress Copper T-piece, reduced: d=35mm, d1=22mm, d2=35mm | | | | 28,00 |
| 61215 | Geberit Mapress Copper T-piece, reduced: d=35mm, d1=28mm, d2=35mm | | | | 28,00 |
| 61362 | Geberit Mapress Copper T-piece with female thread: CC499K, d=35mm, Rp=1/2", d1=35mm | | | | 41,00 |
| 61719 | Geberit Mapress Copper adapter with male thread: CC499K, d=35mm, R=1" | | | | 27,00 |
| 61709 | Geberit Mapress Copper adapter with male thread: CC499K, d=35mm, R=1 1/4" | | | | 27,00 |
| 61820 | Geberit Mapress Copper adapter with female thread: CC499K, d=35mm, Rp=1" | | | | 27,00 |
| 61811 | Geberit Mapress Copper adapter with female thread: CC499K, d=35mm, Rp=1 1/4" | | | | 27,00 |
| 63887 | Geberit Mapress Copper elbow adapter 90° with male thread: CC499K, d=35mm, R=1 1/4" | | | | 60,00 |
| 63857 | Geberit Mapress Copper elbow adapter 90° with female thread: CC499K, d=35mm, Rp=1 1/4" | | | | 60,00 |
| 65536 | Geberit Mapress Copper adapter union with male thread: CC499K, d=35mm, R=1 1/4" | | | | 56,00 |
| 65486 | Geberit Mapress Copper adapter union with female thread: CC499K, d=35mm, Rp=1 1/4" | | | | 56,00 |
| 65386 | Geberit Mapress Copper elbow adapter union 90° with female thread: CC499K, d=35mm, Rp=1 1/4" | | | | 75,00 |
| 65051 | Geberit Mapress Copper adapter with union nut: CC499K, d=35mm, di=42mm, G=2" | | | | 29,00 |
| 65086 | Geberit Mapress Copper adapter with union nut: CC499K, d=35mm, di=32mm, G=1 1/2" | | | | 18,00 |
| 63707 | Geberit Mapress Copper flanged stub with plain end, for loose flange PN 10/16: d=35mm, DN=32 | | | | 135,00 |
| 60236 | Geberit Mapress Copper cap: d=35mm | | | | 19,00 |
| 61276 | Geberit Mapress connection set for pipe-in-pipe hot water circulation system: CC499K, d=35mm, d1=15mm | | | | 131,00 |
| 62007 | Geberit Mapress Copper coupling: d=42mm | | | | 23,00 |
| 62107 | Geberit Mapress Copper slip coupling: d=42mm | | | | 46,00 |
| 62316 | Geberit Mapress Copper reducer with plain end: d=42mm, d1=22mm | | | | 20,00 |
| 62317 | Geberit Mapress Copper reducer with plain end: d=42mm, d1=28mm | | | | 20,00 |
| 62318 | Geberit Mapress Copper reducer with plain end: d=42mm, d1=35mm | | | | 20,00 |
| 60607 | Geberit Mapress Copper bend: 45°, d=42mm | | | | 44,00 |
| 60107 | Geberit Mapress Copper bend: 90°, d=42mm | | | | 44,00 |
| 60707 | Geberit Mapress Copper bend with plain end: 45°, d=42mm | | | | 44,00 |
| 60307 | Geberit Mapress Copper bend with plain end: 90°, d=42mm | | | | 44,00 |
| 61007 | Geberit Mapress Copper T-piece, equal: d=42mm | | | | 53,00 |
| 61229 | Geberit Mapress Copper T-piece, reduced: d=42mm, d1=15mm, d2=42mm | | | | 53,00 |
| 61217 | Geberit Mapress Copper T-piece, reduced: d=42mm, d1=18mm, d2=42mm | | | | 53,00 |
| 61218 | Geberit Mapress Copper T-piece, reduced: d=42mm, d1=22mm, d2=42mm | | | | 53,00 |
| 61219 | Geberit Mapress Copper T-piece, reduced: d=42mm, d1=28mm, d2=42mm | | | | 53,00 |
| 61220 | Geberit Mapress Copper T-piece, reduced: d=42mm, d1=35mm, d2=42mm | | | | 53,00 |
| 61366 | Geberit Mapress Copper T-piece with female thread: CC499K, d=42mm, Rp=1/2", d1=42mm | | | | 51,00 |
| 61721 | Geberit Mapress Copper adapter with male thread: CC499K, d=42mm, R=1 1/4" | | | | 39,00 |
| 61710 | Geberit Mapress Copper adapter with male thread: CC499K, d=42mm, R=1 1/2" | | | | 39,00 |
| 61821 | Geberit Mapress Copper adapter with female thread: CC499K, d=42mm, Rp=1 1/4" | | | | 39,00 |
| 61814 | Geberit Mapress Copper adapter with female thread: CC499K, d=42mm, Rp=1 1/2" | | | | 39,00 |
| 63888 | Geberit Mapress Copper elbow adapter 90° with male thread: CC499K, d=42mm, R=1 1/2" | | | | 98,00 |
| 63865 | Geberit Mapress Copper elbow adapter 90° with female thread: CC499K, d=42mm, Rp=1 1/2" | | | | 98,00 |
| 65537 | Geberit Mapress Copper adapter union with male thread: CC499K, d=42mm, R=1 1/2" | | | | 70,00 |
| 65487 | Geberit Mapress Copper adapter union with female thread: CC499K, d=42mm, Rp=1 1/2" | | | | 70,00 |
| 65387 | Geberit Mapress Copper elbow adapter union 90° with female thread: CC499K, d=42mm, Rp=1 1/2" | | | | 106,00 |
| 65052 | Geberit Mapress Copper adapter with union nut: CC499K, d=42mm, di=42mm, G=2" | | | | 35,00 |
| 65053 | Geberit Mapress Copper adapter with union nut: CC499K, d=42mm, di=42mm, G=2 1/4" | | | | 35,00 |
| 65087 | Geberit Mapress Copper adapter with union nut: CC499K, d=42mm, di=39mm, G=1 3/4" | | | | 35,00 |
| 63708 | Geberit Mapress Copper flanged stub with plain end, for loose flange PN 10/16: d=42mm, DN=40 | | | | 152,00 |
| 60237 | Geberit Mapress Copper cap: d=42mm | | | | 29,00 |
| 62008 | Geberit Mapress Copper coupling: d=54mm | | | | 28,00 |
| 62108 | Geberit Mapress Copper slip coupling: d=54mm | | | | 50,00 |
| 62322 | Geberit Mapress Copper reducer with plain end: d=54mm, d1=28mm | | | | 26,00 |
| 62323 | Geberit Mapress Copper reducer with plain end: d=54mm, d1=35mm | | | | 26,00 |
| 62324 | Geberit Mapress Copper reducer with plain end: d=54mm, d1=42mm | | | | 26,00 |
| 60608 | Geberit Mapress Copper bend: 45°, d=54mm | | | | 62,00 |
| 60108 | Geberit Mapress Copper bend: 90°, d=54mm | | | | 62,00 |
| 60708 | Geberit Mapress Copper bend with plain end: 45°, d=54mm | | | | 62,00 |
| 60308 | Geberit Mapress Copper bend with plain end: 90°, d=54mm | | | | 62,00 |
| 61008 | Geberit Mapress Copper T-piece, equal: d=54mm | | | | 72,00 |
| 61227 | Geberit Mapress Copper T-piece, reduced: d=54mm, d1=22mm, d2=54mm | | | | 72,00 |
| 61228 | Geberit Mapress Copper T-piece, reduced: d=54mm, d1=28mm, d2=54mm | | | | 72,00 |
| 61225 | Geberit Mapress Copper T-piece, reduced: d=54mm, d1=35mm, d2=54mm | | | | 72,00 |
| 61226 | Geberit Mapress Copper T-piece, reduced: d=54mm, d1=42mm, d2=54mm | | | | 72,00 |
| 61370 | Geberit Mapress Copper T-piece with female thread: CC499K, d=54mm, Rp=1/2", d1=54mm | | | | 62,00 |
| 61711 | Geberit Mapress Copper adapter with male thread: CC499K, d=54mm, R=2" | | | | 57,00 |
| 61818 | Geberit Mapress Copper adapter with female thread: CC499K, d=54mm, Rp=2" | | | | 57,00 |
| 63889 | Geberit Mapress Copper elbow adapter 90° with male thread: CC499K, d=54mm, R=2" | | | | 125,00 |
| 63866 | Geberit Mapress Copper elbow adapter 90° with female thread: CC499K, d=54mm, Rp=2" | | | | 125,00 |
| 65538 | Geberit Mapress Copper adapter union with male thread: CC499K, d=54mm, R=2" | | | | 130,00 |
| 65488 | Geberit Mapress Copper adapter union with female thread: CC499K, d=54mm, Rp=2" | | | | 130,00 |
| 65388 | Geberit Mapress Copper elbow adapter union 90° with female thread: CC499K, d=54mm, Rp=2" | | | | 145,00 |
| 65054 | Geberit Mapress Copper adapter with union nut: CC499K, d=54mm, di=54mm, G=2 1/2" | | | | 57,00 |
| 65088 | Geberit Mapress Copper adapter with union nut: CC499K, d=54mm, di=51mm, G=2 3/8" | | | | 49,00 |

| | | | | | |
|-------|--|--|--|--|--------|
| 63709 | Geberit Mapress Copper flanged stub with plain end, for loose flange PN 10/16: d=54mm, DN=50 | | | | 189,00 |
| 60238 | Geberit Mapress Copper cap: d=54mm | | | | 38,00 |
| 62011 | Geberit Mapress Copper coupling: d=76.1mm | | | | 72,00 |
| 62111 | Geberit Mapress Copper slip coupling: d=76.1mm | | | | 129,00 |
| 62329 | Geberit Mapress Copper reducer with plain end: d=76.1mm, d1=35mm | | | | 90,00 |
| 61284 | Geberit Mapress Copper T-piece, reduced: d=76.1mm, d1=35mm, d2=76.1mm | | | | 208,00 |
| 61286 | Geberit Mapress Copper T-piece, reduced: d=76.1mm, d1=54mm, d2=76.1mm | | | | 208,00 |
| 62012 | Geberit Mapress Copper coupling: d=88.9mm | | | | 82,00 |
| 62112 | Geberit Mapress Copper slip coupling: d=88.9mm | | | | 153,00 |
| 61289 | Geberit Mapress Copper T-piece, reduced: d=88.9mm, d1=42mm, d2=88.9mm | | | | 242,00 |
| 61290 | Geberit Mapress Copper T-piece, reduced: d=88.9mm, d1=54mm, d2=88.9mm | | | | 242,00 |
| 63713 | Geberit Mapress Copper flanged stub with plain end, for loose flange PN 10/16: d=108mm, DN=100 | | | | 370,00 |
| 60905 | Geberit Mapress Copper bend with plain ends: 15°, d=28mm | | | | 14,00 |
| 60906 | Geberit Mapress Copper bend with plain ends: 15°, d=35mm | | | | 27,00 |
| 60907 | Geberit Mapress Copper bend with plain ends: 15°, d=42mm | | | | 50,00 |
| 60908 | Geberit Mapress Copper bend with plain ends: 15°, d=54mm | | | | 69,00 |
| 60935 | Geberit Mapress Copper bend with plain ends: 30°, d=28mm | | | | 14,00 |
| 60936 | Geberit Mapress Copper bend with plain ends: 30°, d=35mm | | | | 27,00 |
| 60937 | Geberit Mapress Copper bend with plain ends: 30°, d=42mm | | | | 50,00 |
| 60938 | Geberit Mapress Copper bend with plain ends: 30°, d=54mm | | | | 69,00 |
| 60875 | Geberit Mapress Copper bend with plain ends: 45°, d=28mm | | | | 14,00 |
| 60876 | Geberit Mapress Copper bend with plain ends: 45°, d=35mm | | | | 27,00 |
| 60877 | Geberit Mapress Copper bend with plain ends: 45°, d=42mm | | | | 50,00 |
| 60878 | Geberit Mapress Copper bend with plain ends: 45°, d=54mm | | | | 69,00 |
| 60955 | Geberit Mapress Copper bend with plain ends: 60°, d=28mm | | | | 14,00 |
| 60956 | Geberit Mapress Copper bend with plain ends: 60°, d=35mm | | | | 27,00 |
| 60082 | Geberit Mapress Copper bend with plain ends: 90°, d=15mm | | | | 6,00 |
| 60802 | Geberit Mapress Copper pipe bridge: d=15mm | | | | 9,00 |
| 60803 | Geberit Mapress Copper pipe bridge: d=18mm | | | | 13,00 |
| 60804 | Geberit Mapress Copper pipe bridge: d=22mm | | | | 17,00 |
| 29101 | Geberit Mapress Carbon Steel system pipe, outside zinc-plated, large bundle: d=12mm, L=6m | | | | 3,00 |
| 29251 | Geberit Mapress Carbon Steel system pipe, outside zinc-plated, small bundle: d=12mm, L=6m | | | | 4,00 |
| 29102 | Geberit Mapress Carbon Steel system pipe, outside zinc-plated, large bundle: d=15mm, L=6m | | | | 3,00 |
| 29252 | Geberit Mapress Carbon Steel system pipe, outside zinc-plated, small bundle: d=15mm, L=6m | | | | 4,00 |
| 29103 | Geberit Mapress Carbon Steel system pipe, outside zinc-plated, large bundle: d=18mm, L=6m | | | | 4,00 |
| 29253 | Geberit Mapress Carbon Steel system pipe, outside zinc-plated, small bundle: d=18mm, L=6m | | | | 4,00 |
| 29104 | Geberit Mapress Carbon Steel system pipe, outside zinc-plated, large bundle: d=22mm, L=6m | | | | 5,00 |
| 29254 | Geberit Mapress Carbon Steel system pipe, outside zinc-plated, small bundle: d=22mm, L=6m | | | | 6,00 |
| 29105 | Geberit Mapress Carbon Steel system pipe, outside zinc-plated, large bundle: d=28mm, L=6m | | | | 7,00 |
| 29255 | Geberit Mapress Carbon Steel system pipe, outside zinc-plated, small bundle: d=28mm, L=6m | | | | 7,00 |
| 29106 | Geberit Mapress Carbon Steel system pipe, outside zinc-plated, large bundle: d=35mm, L=6m | | | | 9,00 |
| 29256 | Geberit Mapress Carbon Steel system pipe, outside zinc-plated, small bundle: d=35mm, L=6m | | | | 10,00 |
| 29107 | Geberit Mapress Carbon Steel system pipe, outside zinc-plated, large bundle: d=42mm, L=6m | | | | 12,00 |
| 29257 | Geberit Mapress Carbon Steel system pipe, outside zinc-plated, small bundle: d=42mm, L=6m | | | | 13,00 |
| 29108 | Geberit Mapress Carbon Steel system pipe, outside zinc-plated, large bundle: d=54mm, L=6m | | | | 15,00 |
| 29258 | Geberit Mapress Carbon Steel system pipe, outside zinc-plated, small bundle: d=54mm, L=6m | | | | 17,00 |
| 29159 | Geberit Mapress Carbon Steel system pipe, outside zinc-plated, large bundle: d=76.1mm, L=6m | | | | 39,00 |
| 29209 | Geberit Mapress Carbon Steel system pipe, outside zinc-plated, small bundle: d=76.1mm, L=6m | | | | 39,00 |
| 29160 | Geberit Mapress Carbon Steel system pipe, outside zinc-plated, large bundle: d=88.9mm, L=6m | | | | 46,00 |
| 29210 | Geberit Mapress Carbon Steel system pipe, outside zinc-plated, small bundle: d=88.9mm, L=6m | | | | 46,00 |
| 29161 | Geberit Mapress Carbon Steel system pipe, outside zinc-plated, large bundle: d=108mm, L=6m | | | | 53,00 |
| 29211 | Geberit Mapress Carbon Steel system pipe, outside zinc-plated, small bundle: d=108mm, L=6m | | | | 53,00 |
| 19402 | Geberit Mapress Carbon Steel system pipe, inside and outside zinc-plated, large bundle: d=15mm, L=6m | | | | 4,00 |
| 19452 | Geberit Mapress Carbon Steel system pipe, inside and outside zinc-plated, small bundle: d=15mm, L=6m | | | | 4,00 |
| 19403 | Geberit Mapress Carbon Steel system pipe, inside and outside zinc-plated, large bundle: d=18mm, L=6m | | | | 5,00 |
| 19453 | Geberit Mapress Carbon Steel system pipe, inside and outside zinc-plated, small bundle: d=18mm, L=6m | | | | 5,00 |
| 19404 | Geberit Mapress Carbon Steel system pipe, inside and outside zinc-plated, large bundle: d=22mm, L=6m | | | | 6,00 |
| 19454 | Geberit Mapress Carbon Steel system pipe, inside and outside zinc-plated, small bundle: d=22mm, L=6m | | | | 7,00 |
| 19405 | Geberit Mapress Carbon Steel system pipe, inside and outside zinc-plated, large bundle: d=28mm, L=6m | | | | 7,00 |
| 19455 | Geberit Mapress Carbon Steel system pipe, inside and outside zinc-plated, small bundle: d=28mm, L=6m | | | | 9,00 |
| 19406 | Geberit Mapress Carbon Steel system pipe, inside and outside zinc-plated, large bundle: d=35mm, L=6m | | | | 9,00 |
| 19456 | Geberit Mapress Carbon Steel system pipe, inside and outside zinc-plated, small bundle: d=35mm, L=6m | | | | 12,00 |
| 19407 | Geberit Mapress Carbon Steel system pipe, inside and outside zinc-plated, large bundle: d=42mm, L=6m | | | | 11,00 |
| 19457 | Geberit Mapress Carbon Steel system pipe, inside and outside zinc-plated, small bundle: d=42mm, L=6m | | | | 14,00 |
| 19408 | Geberit Mapress Carbon Steel system pipe, inside and outside zinc-plated, large bundle: d=54mm, L=6m | | | | 13,00 |
| 19458 | Geberit Mapress Carbon Steel system pipe, inside and outside zinc-plated, small bundle: d=54mm, L=6m | | | | 18,00 |
| 19409 | Geberit Mapress Carbon Steel system pipe, inside and outside zinc-plated, large bundle: d=76.1mm, L=6m | | | | 26,00 |
| 19459 | Geberit Mapress Carbon Steel system pipe, inside and outside zinc-plated, small bundle: d=76.1mm, L=6m | | | | 40,00 |
| 19410 | Geberit Mapress Carbon Steel system pipe, inside and outside zinc-plated, large bundle: d=88.9mm, L=6m | | | | 31,00 |
| 19460 | Geberit Mapress Carbon Steel system pipe, inside and outside zinc-plated, small bundle: d=88.9mm, L=6m | | | | 40,00 |
| 19411 | Geberit Mapress Carbon Steel system pipe, inside and outside zinc-plated, large bundle: d=108mm, L=6m | | | | 41,00 |
| 19461 | Geberit Mapress Carbon Steel system pipe, inside and outside zinc-plated, small bundle: d=108mm, L=6m | | | | 52,00 |
| 19201 | Geberit Mapress Carbon Steel system pipe, plastic-jacketed, small bundle: d=12mm, D=1.4cm, L=6m | | | | 5,00 |
| 19202 | Geberit Mapress Carbon Steel system pipe, plastic-jacketed, small bundle: d=15mm, D=1.7cm, L=6m | | | | 5,00 |
| 19203 | Geberit Mapress Carbon Steel system pipe, plastic-jacketed, small bundle: d=18mm, D=2cm, L=6m | | | | 6,00 |
| 19204 | Geberit Mapress Carbon Steel system pipe, plastic-jacketed, small bundle: d=22mm, D=2.4cm, L=6m | | | | 8,00 |
| 19205 | Geberit Mapress Carbon Steel system pipe, plastic-jacketed, small bundle: d=28mm, D=3cm, L=6m | | | | 10,00 |
| 19206 | Geberit Mapress Carbon Steel system pipe, plastic-jacketed, small bundle: d=35mm, D=3.7cm, L=6m | | | | 13,00 |
| 19207 | Geberit Mapress Carbon Steel system pipe, plastic-jacketed, small bundle: d=42mm, D=4.4cm, L=6m | | | | 17,00 |
| 19208 | Geberit Mapress Carbon Steel system pipe, plastic-jacketed, small bundle: d=54mm, D=5.6cm, L=6m | | | | 22,00 |
| 39602 | Geberit Mapress Stainless Steel system pipe, CrNi, small bundle: d=15mm, L=6m | | | | 9,00 |
| 39603 | Geberit Mapress Stainless Steel system pipe, CrNi, small bundle: d=18mm, L=6m | | | | 10,00 |
| 39604 | Geberit Mapress Stainless Steel system pipe, CrNi, small bundle: d=22mm, L=6m | | | | 14,00 |
| 39605 | Geberit Mapress Stainless Steel system pipe, CrNi, small bundle: d=28mm, L=6m | | | | 17,00 |
| 39606 | Geberit Mapress Stainless Steel system pipe, CrNi, small bundle: d=35mm, L=6m | | | | 25,00 |
| 39607 | Geberit Mapress Stainless Steel system pipe, CrNi, small bundle: d=42mm, L=6m | | | | 31,00 |
| 39608 | Geberit Mapress Stainless Steel system pipe, CrNi, small bundle: d=54mm, L=6m | | | | 39,00 |
| 39109 | Geberit Mapress Stainless Steel system pipe, CrNi, small bundle: d=76.1mm, L=6m | | | | 70,00 |
| 39110 | Geberit Mapress Stainless Steel system pipe, CrNi, small bundle: d=88.9mm, L=6m | | | | 80,00 |
| 39111 | Geberit Mapress Stainless Steel system pipe, CrNi, small bundle: d=108mm, L=6m | | | | 130,00 |
| 56319 | Geberit Mapress CuNiFe system pipe: d=15mm, L=6m | | | | 34,00 |
| 56340 | Geberit Mapress CuNiFe system pipe, container length: d=15mm, L=5.7m | | | | 34,00 |
| 56321 | Geberit Mapress CuNiFe system pipe: d=22mm, L=6m | | | | 43,00 |
| 56326 | Geberit Mapress CuNiFe system pipe: d=22mm, L=6m | | | | 69,00 |
| 56341 | Geberit Mapress CuNiFe system pipe, container length: d=22mm, L=5.7m | | | | 43,00 |
| 56346 | Geberit Mapress CuNiFe system pipe, container length: d=22mm, L=5.7m | | | | 69,00 |
| 56322 | Geberit Mapress CuNiFe system pipe: d=28mm, L=6m | | | | 84,00 |
| 56342 | Geberit Mapress CuNiFe system pipe, container length: d=28mm, L=5.7m | | | | 84,00 |
| 56323 | Geberit Mapress CuNiFe system pipe: d=35mm, L=6m | | | | 123,00 |
| 56343 | Geberit Mapress CuNiFe system pipe, container length: d=35mm, L=5.7m | | | | 123,00 |
| 56324 | Geberit Mapress CuNiFe system pipe: d=42mm, L=6m | | | | 152,00 |
| 56344 | Geberit Mapress CuNiFe system pipe, container length: d=42mm, L=5.7m | | | | 152,00 |
| 56325 | Geberit Mapress CuNiFe system pipe: d=54mm, L=6m | | | | 183,00 |
| 56345 | Geberit Mapress CuNiFe system pipe, container length: d=54mm, L=5.7m | | | | 183,00 |
| 56327 | Geberit Mapress CuNiFe system pipe: d=76.1mm, L=6m | | | | 372,00 |
| 56347 | Geberit Mapress CuNiFe system pipe, container length: d=76.1mm, L=5.7m | | | | 372,00 |
| 56328 | Geberit Mapress CuNiFe system pipe: d=88.9mm, L=6m | | | | 436,00 |
| 56348 | Geberit Mapress CuNiFe system pipe, container length: d=88.9mm, L=5.7m | | | | 436,00 |
| 56329 | Geberit Mapress CuNiFe system pipe: d=108mm, L=6m | | | | 551,00 |
| 56349 | Geberit Mapress CuNiFe system pipe, container length: d=108mm, L=5.7m | | | | 551,00 |
| 22001 | Geberit Mapress Carbon Steel coupling: d=12mm | | | | 4,00 |
| 22101 | Geberit Mapress Carbon Steel slip coupling: d=12mm | | | | 4,00 |
| 20601 | Geberit Mapress Carbon Steel bend: 45°, d=12mm | | | | 6,00 |

| | | | | | |
|-------|---|--|--|--|--------|
| 20101 | Geberit Mapress Carbon Steel bend: 90°, d=12mm | | | | 6,00 |
| 20701 | Geberit Mapress Carbon Steel bend with plain end: 45°, d=12mm | | | | 6,00 |
| 20301 | Geberit Mapress Carbon Steel bend with plain end: 90°, d=12mm | | | | 6,00 |
| 21001 | Geberit Mapress Carbon Steel T-piece, equal: d=12mm | | | | 9,00 |
| 21301 | Geberit Mapress Carbon Steel T-piece with female thread: d=12mm, Rp=3/8", d1=12mm | | | | 21,00 |
| 21302 | Geberit Mapress Carbon Steel T-piece with female thread: d=12mm, Rp=1/2", d1=12mm | | | | 21,00 |
| 21701 | Geberit Mapress Carbon Steel adapter with male thread: d=12mm, R=3/8" | | | | 10,00 |
| 21700 | Geberit Mapress Carbon Steel adapter with male thread: d=12mm, R=1/2" | | | | 9,00 |
| 21930 | Geberit Mapress Carbon Steel adapter with male thread and plain end: d=12mm, R=3/8" | | | | 10,00 |
| 21931 | Geberit Mapress Carbon Steel adapter with male thread and plain end: d=12mm, R=1/2" | | | | 10,00 |
| 21800 | Geberit Mapress Carbon Steel adapter with female thread: d=12mm, Rp=3/8" | | | | 9,00 |
| 21801 | Geberit Mapress Carbon Steel adapter with female thread: d=12mm, Rp=1/2" | | | | 10,00 |
| 21907 | Geberit Mapress Carbon Steel adapter with female thread and plain end: d=12mm, Rp=3/8" | | | | 10,00 |
| 21901 | Geberit Mapress Carbon Steel adapter with female thread and plain end: d=12mm, Rp=1/2" | | | | 10,00 |
| 21611 | Geberit Mapress Carbon Steel elbow adapter 90° with male thread: d=12mm, R=3/8" | | | | 10,00 |
| 20501 | Geberit Mapress Carbon Steel bend adapter 90° with male thread: d=12mm, R=3/8" | | | | 11,00 |
| 20551 | Geberit Mapress Carbon Steel bend adapter 90° with female thread: d=12mm, Rp=3/8" | | | | 11,00 |
| 25319 | Geberit Mapress Carbon Steel union: d=12mm | | | | 25,00 |
| 20211 | Geberit Mapress Carbon Steel cap: d=12mm | | | | 6,00 |
| 22964 | Geberit Mapress Carbon Steel connector pipe cross for inlet and return flow, long: d=12mm, d1=12mm | | | | 80,00 |
| 22002 | Geberit Mapress Carbon Steel coupling: d=15mm | | | | 4,00 |
| 22102 | Geberit Mapress Carbon Steel slip coupling: d=15mm | | | | 4,00 |
| 22301 | Geberit Mapress Carbon Steel reducer with plain end: d=15mm, d1=12mm | | | | 3,00 |
| 20602 | Geberit Mapress Carbon Steel bend: 45°, d=15mm | | | | 6,00 |
| 20102 | Geberit Mapress Carbon Steel bend: 90°, d=15mm | | | | 6,00 |
| 20702 | Geberit Mapress Carbon Steel bend with plain end: 45°, d=15mm | | | | 6,00 |
| 20302 | Geberit Mapress Carbon Steel bend with plain end: 90°, d=15mm | | | | 6,00 |
| 21002 | Geberit Mapress Carbon Steel T-piece, equal: d=15mm | | | | 9,00 |
| 21101 | Geberit Mapress Carbon Steel T-piece, reduced: d=12mm, d1=15mm, d2=12mm | | | | 9,00 |
| 21202 | Geberit Mapress Carbon Steel T-piece, reduced: d=15mm, d1=12mm, d2=15mm | | | | 9,00 |
| 21304 | Geberit Mapress Carbon Steel T-piece with female thread: d=15mm, Rp=1/2", d1=15mm | | | | 13,00 |
| 21504 | Geberit Mapress Carbon Steel pipe cross, reduced, offset: d=15mm, d1=15mm | | | | 25,00 |
| 12412 | Geberit Mapress Carbon Steel adapter with weld-on and plain end: d=15mm, d1=17.2mm | | | | 8,00 |
| 21702 | Geberit Mapress Carbon Steel adapter with male thread: d=15mm, R=3/8" | | | | 10,00 |
| 21703 | Geberit Mapress Carbon Steel adapter with male thread: d=15mm, R=1/2" | | | | 10,00 |
| 21714 | Geberit Mapress Carbon Steel adapter with male thread: d=15mm, R=3/4" | | | | 9,00 |
| 21932 | Geberit Mapress Carbon Steel adapter with male thread and plain end: d=15mm, R=1/2" | | | | 10,00 |
| 21827 | Geberit Mapress Carbon Steel adapter with female thread: d=15mm, Rp=3/8" | | | | 10,00 |
| 21802 | Geberit Mapress Carbon Steel adapter with female thread: d=15mm, Rp=1/2" | | | | 10,00 |
| 21823 | Geberit Mapress Carbon Steel adapter with female thread: d=15mm, Rp=3/4" | | | | 9,00 |
| 21908 | Geberit Mapress Carbon Steel adapter with female thread and plain end: d=15mm, Rp=3/8" | | | | 9,00 |
| 21902 | Geberit Mapress Carbon Steel adapter with female thread and plain end: d=15mm, Rp=1/2" | | | | 10,00 |
| 21612 | Geberit Mapress Carbon Steel elbow adapter 90° with male thread: d=15mm, R=3/8" | | | | 11,00 |
| 21613 | Geberit Mapress Carbon Steel elbow adapter 90° with male thread: d=15mm, R=1/2" | | | | 11,00 |
| 20502 | Geberit Mapress Carbon Steel bend adapter 90° with male thread: d=15mm, R=3/8" | | | | 12,00 |
| 20503 | Geberit Mapress Carbon Steel bend adapter 90° with male thread: d=15mm, R=1/2" | | | | 12,00 |
| 20552 | Geberit Mapress Carbon Steel bend adapter 90° with female thread: d=15mm, Rp=3/8" | | | | 12,00 |
| 20553 | Geberit Mapress Carbon Steel bend adapter 90° with female thread: d=15mm, Rp=1/2" | | | | 12,00 |
| 25320 | Geberit Mapress Carbon Steel union: d=15mm | | | | 25,00 |
| 25330 | Geberit Mapress Carbon Steel adapter union with male thread: d=15mm, R=1/2" | | | | 13,00 |
| 25300 | Geberit Mapress Carbon Steel adapter union with female thread: d=15mm, Rp=1/2" | | | | 13,00 |
| 25032 | Geberit Mapress Carbon Steel adapter with union nut: d=15mm, di=13mm, di=13mm, G=3/4" | | | | 8,00 |
| 23932 | Geberit Mapress Carbon Steel axial expansion fitting with pressing sockets: d=15mm | | | | 152,00 |
| 20212 | Geberit Mapress Carbon Steel cap: d=15mm | | | | 6,00 |
| 22965 | Geberit Mapress Carbon Steel connector pipe cross for inlet and return flow, long: d=15mm, d1=12mm | | | | 80,00 |
| 22966 | Geberit Mapress Carbon Steel connector pipe cross for inlet and return flow, long: d=15mm, d1=15mm | | | | 80,00 |
| 23602 | Geberit Mapress Carbon Steel connector T-piece set for return flow: d=15mm, d1=15mm | | | | 39,00 |
| 24002 | Geberit Mapress Carbon Steel set of connector T-pieces for inlet and return flow: d=15mm, d1=15mm, AD=4-6cm | | | | 63,00 |
| 24005 | Geberit Mapress Copper set of connector T-pieces for inlet and return flow: d=15mm, d1=15mm, AD=4-6cm | | | | 76,00 |
| 25042 | Geberit Mapress Carbon Steel connector with union nut: d=15mm, di=10mm, G=1/2" | | | | 12,00 |
| 22003 | Geberit Mapress Carbon Steel coupling: d=18mm | | | | 4,00 |
| 22103 | Geberit Mapress Carbon Steel slip coupling: d=18mm | | | | 5,00 |
| 22302 | Geberit Mapress Carbon Steel reducer with plain end: d=18mm, d1=12mm | | | | 5,00 |
| 22303 | Geberit Mapress Carbon Steel reducer with plain end: d=18mm, d1=15mm | | | | 5,00 |
| 20603 | Geberit Mapress Carbon Steel bend: 45°, d=18mm | | | | 6,00 |
| 20103 | Geberit Mapress Carbon Steel bend: 90°, d=18mm | | | | 6,00 |
| 20703 | Geberit Mapress Carbon Steel bend with plain end: 45°, d=18mm | | | | 6,00 |
| 20303 | Geberit Mapress Carbon Steel bend with plain end: 90°, d=18mm | | | | 6,00 |
| 21003 | Geberit Mapress Carbon Steel T-piece, equal: d=18mm | | | | 10,00 |
| 21103 | Geberit Mapress Carbon Steel T-piece, reduced: d=15mm, d1=18mm, d2=15mm | | | | 10,00 |
| 21203 | Geberit Mapress Carbon Steel T-piece, reduced: d=18mm, d1=12mm, d2=18mm | | | | 10,00 |
| 21204 | Geberit Mapress Carbon Steel T-piece, reduced: d=18mm, d1=15mm, d2=18mm | | | | 10,00 |
| 21305 | Geberit Mapress Carbon Steel T-piece with female thread: d=18mm, Rp=1/2", d1=18mm | | | | 13,00 |
| 21404 | Geberit Mapress Carbon Steel pipe cross 30°, reduced: d=18mm, d1=15mm | | | | 25,00 |
| 21505 | Geberit Mapress Carbon Steel pipe cross, reduced, offset: d=18mm, d1=15mm | | | | 25,00 |
| 12413 | Geberit Mapress Carbon Steel adapter with weld-on and plain end: d=18mm, d1=21.3mm | | | | 8,00 |
| 21704 | Geberit Mapress Carbon Steel adapter with male thread: d=18mm, R=1/2" | | | | 10,00 |
| 21705 | Geberit Mapress Carbon Steel adapter with male thread: d=18mm, R=3/4" | | | | 10,00 |
| 21933 | Geberit Mapress Carbon Steel adapter with male thread and plain end: d=18mm, R=1/2" | | | | 10,00 |
| 21934 | Geberit Mapress Carbon Steel adapter with male thread and plain end: d=18mm, R=3/4" | | | | 10,00 |
| 21803 | Geberit Mapress Carbon Steel adapter with female thread: d=18mm, Rp=1/2" | | | | 10,00 |
| 21804 | Geberit Mapress Carbon Steel adapter with female thread: d=18mm, Rp=3/4" | | | | 10,00 |
| 21903 | Geberit Mapress Carbon Steel adapter with female thread and plain end: d=18mm, Rp=1/2" | | | | 10,00 |
| 21904 | Geberit Mapress Carbon Steel adapter with female thread and plain end: d=18mm, Rp=3/4" | | | | 10,00 |
| 21615 | Geberit Mapress Carbon Steel elbow adapter 90° with male thread: d=18mm, R=1/2" | | | | 12,00 |
| 20505 | Geberit Mapress Carbon Steel bend adapter 90° with male thread: d=18mm, R=1/2" | | | | 12,00 |
| 20555 | Geberit Mapress Carbon Steel bend adapter 90° with female thread: d=18mm, Rp=1/2" | | | | 12,00 |
| 25321 | Geberit Mapress Carbon Steel union: d=18mm | | | | 29,00 |
| 25332 | Geberit Mapress Carbon Steel adapter union with male thread: d=18mm, R=1/2" | | | | 15,00 |
| 25302 | Geberit Mapress Carbon Steel adapter union with female thread: d=18mm, Rp=1/2" | | | | 14,00 |
| 25033 | Geberit Mapress Carbon Steel adapter with union nut: d=18mm, di=13mm, di=13mm, G=3/4" | | | | 8,00 |
| 23933 | Geberit Mapress Carbon Steel axial expansion fitting with pressing sockets: d=18mm | | | | 155,00 |
| 20213 | Geberit Mapress Carbon Steel cap: d=18mm | | | | 8,00 |
| 22967 | Geberit Mapress Carbon Steel connector pipe cross for inlet and return flow, long: d=18mm, d1=12mm | | | | 80,00 |
| 22968 | Geberit Mapress Carbon Steel connector pipe cross for inlet and return flow, long: d=18mm, d1=15mm | | | | 80,00 |
| 23603 | Geberit Mapress Carbon Steel connector T-piece set for return flow: d=18mm, d1=15mm | | | | 40,00 |
| 23616 | Geberit Mapress Copper connector T-piece set for return flow: d=18mm, d1=15mm | | | | 48,00 |
| 24003 | Geberit Mapress Carbon Steel set of connector T-pieces for inlet and return flow: d=18mm, d1=15mm, AD=4-6cm | | | | 66,00 |
| 24006 | Geberit Mapress Copper set of connector T-pieces for inlet and return flow: d=18mm, d1=15mm, AD=4-6cm | | | | 79,00 |
| 25048 | Geberit Mapress Carbon Steel connector with union nut: d=18mm, di=10mm, G=1/2" | | | | 13,00 |
| 22004 | Geberit Mapress Carbon Steel coupling: d=22mm | | | | 5,00 |
| 22104 | Geberit Mapress Carbon Steel slip coupling: d=22mm | | | | 5,00 |
| 22304 | Geberit Mapress Carbon Steel reducer with plain end: d=22mm, d1=12mm | | | | 6,00 |
| 22305 | Geberit Mapress Carbon Steel reducer with plain end: d=22mm, d1=15mm | | | | 6,00 |
| 22306 | Geberit Mapress Carbon Steel reducer with plain end: d=22mm, d1=18mm | | | | 6,00 |
| 20604 | Geberit Mapress Carbon Steel bend: 45°, d=22mm | | | | 7,00 |
| 20104 | Geberit Mapress Carbon Steel bend: 90°, d=22mm | | | | 7,00 |
| 20704 | Geberit Mapress Carbon Steel bend with plain end: 45°, d=22mm | | | | 7,00 |
| 20304 | Geberit Mapress Carbon Steel bend with plain end: 90°, d=22mm | | | | 7,00 |
| 21004 | Geberit Mapress Carbon Steel T-piece, equal: d=22mm | | | | 10,00 |
| 21104 | Geberit Mapress Carbon Steel T-piece, reduced: d=15mm, d1=22mm, d2=15mm | | | | 10,00 |
| 21105 | Geberit Mapress Carbon Steel T-piece, reduced: d=18mm, d1=22mm, d2=18mm | | | | 10,00 |
| 21205 | Geberit Mapress Carbon Steel T-piece, reduced: d=22mm, d1=12mm, d2=22mm | | | | 10,00 |

| | | | | | |
|-------|---|--|--|--|--------|
| 21206 | Geberit Mapress Carbon Steel T-piece, reduced: d=22mm, d1=15mm, d2=22mm | | | | 10,00 |
| 21207 | Geberit Mapress Carbon Steel T-piece, reduced: d=22mm, d1=18mm, d2=22mm | | | | 10,00 |
| 21307 | Geberit Mapress Carbon Steel T-piece with female thread: d=22mm, Rp=1/2", d1=22mm | | | | 14,00 |
| 21308 | Geberit Mapress Carbon Steel T-piece with female thread: d=22mm, Rp=3/4", d1=22mm | | | | 14,00 |
| 21406 | Geberit Mapress Carbon Steel pipe cross 30°, reduced: d=22mm, d1=15mm | | | | 26,00 |
| 21506 | Geberit Mapress Carbon Steel pipe cross, reduced, offset: d=22mm, d1=15mm | | | | 26,00 |
| 21509 | Geberit Mapress Carbon Steel pipe cross, reduced, offset: d=22mm, d1=18mm | | | | 26,00 |
| 12414 | Geberit Mapress Carbon Steel adapter with weld-on and plain end: d=22mm, d1=26.9mm | | | | 9,00 |
| 21715 | Geberit Mapress Carbon Steel adapter with male thread: d=22mm, R=1/2" | | | | 11,00 |
| 21707 | Geberit Mapress Carbon Steel adapter with male thread: d=22mm, R=3/4" | | | | 11,00 |
| 21716 | Geberit Mapress Carbon Steel adapter with male thread: d=22mm, R=1" | | | | 11,00 |
| 21935 | Geberit Mapress Carbon Steel adapter with male thread and plain end: d=22mm, R=1/2" | | | | 11,00 |
| 21936 | Geberit Mapress Carbon Steel adapter with male thread and plain end: d=22mm, R=3/4" | | | | 11,00 |
| 21805 | Geberit Mapress Carbon Steel adapter with female thread: d=22mm, Rp=1/2" | | | | 11,00 |
| 21806 | Geberit Mapress Carbon Steel adapter with female thread: d=22mm, Rp=3/4" | | | | 11,00 |
| 21824 | Geberit Mapress Carbon Steel adapter with female thread: d=22mm, Rp=1" | | | | 11,00 |
| 21905 | Geberit Mapress Carbon Steel adapter with female thread and plain end: d=22mm, Rp=1/2" | | | | 11,00 |
| 21906 | Geberit Mapress Carbon Steel adapter with female thread and plain end: d=22mm, Rp=3/4" | | | | 11,00 |
| 21618 | Geberit Mapress Carbon Steel elbow adapter 90° with male thread: d=22mm, R=3/4" | | | | 16,00 |
| 21659 | Geberit Mapress Carbon Steel elbow adapter 90° with female thread: d=22mm, Rp=1/2" | | | | 17,00 |
| 20507 | Geberit Mapress Carbon Steel bend adapter 90° with male thread: d=22mm, R=3/4" | | | | 17,00 |
| 20557 | Geberit Mapress Carbon Steel bend adapter 90° with female thread: d=22mm, Rp=3/4" | | | | 17,00 |
| 25322 | Geberit Mapress Carbon Steel union: d=22mm | | | | 36,00 |
| 25335 | Geberit Mapress Carbon Steel adapter union with male thread: d=22mm, R=3/4" | | | | 19,00 |
| 25329 | Geberit Mapress Carbon Steel adapter union with male thread: d=22mm, R=1" | | | | 19,00 |
| 25304 | Geberit Mapress Carbon Steel adapter union with female thread: d=22mm, Rp=3/4" | | | | 19,00 |
| 25305 | Geberit Mapress Carbon Steel adapter union with female thread: d=22mm, Rp=1" | | | | 19,00 |
| 25034 | Geberit Mapress Carbon Steel adapter with union nut: d=22mm, di=20mm, di=20mm, G=1" | | | | 11,00 |
| 23754 | Geberit Mapress Carbon Steel flange PN 10/16, with pressing socket: d=22mm, DN=20 | | | | 54,00 |
| 23764 | Geberit Mapress Carbon Steel flange PN 6, with plain end: d=22mm, DN=20 | | | | 47,00 |
| 23934 | Geberit Mapress Carbon Steel axial expansion fitting with pressing sockets: d=22mm | | | | 167,00 |
| 20214 | Geberit Mapress Carbon Steel cap: d=22mm | | | | 8,00 |
| 22969 | Geberit Mapress Carbon Steel connector pipe cross for inlet and return flow, long: d=22mm, d1=12mm | | | | 88,00 |
| 22970 | Geberit Mapress Carbon Steel connector pipe cross for inlet and return flow, long: d=22mm, d1=15mm | | | | 88,00 |
| 23604 | Geberit Mapress Carbon Steel connector T-piece set for return flow: d=22mm, d1=15mm | | | | 41,00 |
| 23617 | Geberit Mapress Copper connector T-piece set for return flow: d=22mm, d1=15mm | | | | 49,00 |
| 24004 | Geberit Mapress Carbon Steel set of connector T-pieces for inlet and return flow: d=22mm, d1=15mm, AD=4-6cm | | | | 69,00 |
| 24007 | Geberit Mapress Copper set of connector T-pieces for inlet and return flow: d=22mm, d1=15mm, AD=4-6cm | | | | 82,00 |
| 25049 | Geberit Mapress Carbon Steel connector with union nut: d=22mm, di=13mm, G=3/4" | | | | 14,00 |
| 22005 | Geberit Mapress Carbon Steel coupling: d=28mm | | | | 5,00 |
| 22105 | Geberit Mapress Carbon Steel slip coupling: d=28mm | | | | 7,00 |
| 22349 | Geberit Mapress Carbon Steel reducer with plain end: d=28mm, d1=12mm | | | | 5,00 |
| 22307 | Geberit Mapress Carbon Steel reducer with plain end: d=28mm, d1=15mm | | | | 8,00 |
| 22308 | Geberit Mapress Carbon Steel reducer with plain end: d=28mm, d1=18mm | | | | 8,00 |
| 22309 | Geberit Mapress Carbon Steel reducer with plain end: d=28mm, d1=22mm | | | | 8,00 |
| 20605 | Geberit Mapress Carbon Steel bend: 45°, d=28mm | | | | 9,00 |
| 20105 | Geberit Mapress Carbon Steel bend: 90°, d=28mm | | | | 9,00 |
| 20705 | Geberit Mapress Carbon Steel bend with plain end: 45°, d=28mm | | | | 9,00 |
| 20305 | Geberit Mapress Carbon Steel bend with plain end: 90°, d=28mm | | | | 9,00 |
| 21005 | Geberit Mapress Carbon Steel T-piece, equal: d=28mm | | | | 14,00 |
| 21107 | Geberit Mapress Carbon Steel T-piece, reduced: d=22mm, d1=28mm, d2=22mm | | | | 14,00 |
| 21209 | Geberit Mapress Carbon Steel T-piece, reduced: d=28mm, d1=15mm, d2=28mm | | | | 14,00 |
| 21210 | Geberit Mapress Carbon Steel T-piece, reduced: d=28mm, d1=18mm, d2=28mm | | | | 14,00 |
| 21211 | Geberit Mapress Carbon Steel T-piece, reduced: d=28mm, d1=22mm, d2=28mm | | | | 14,00 |
| 21309 | Geberit Mapress Carbon Steel T-piece with female thread: d=28mm, Rp=1/2", d1=28mm | | | | 17,00 |
| 21310 | Geberit Mapress Carbon Steel T-piece with female thread: d=28mm, Rp=3/4", d1=28mm | | | | 17,00 |
| 21311 | Geberit Mapress Carbon Steel T-piece with female thread: d=28mm, Rp=1", d1=28mm | | | | 16,00 |
| 21409 | Geberit Mapress Carbon Steel pipe cross 30°, reduced: d=28mm, d1=15mm | | | | 29,00 |
| 21507 | Geberit Mapress Carbon Steel pipe cross, reduced, offset: d=28mm, d1=15mm | | | | 29,00 |
| 21510 | Geberit Mapress Carbon Steel pipe cross, reduced, offset: d=28mm, d1=18mm | | | | 29,00 |
| 21512 | Geberit Mapress Carbon Steel pipe cross, reduced, offset: d=28mm, d1=22mm | | | | 29,00 |
| 12415 | Geberit Mapress Carbon Steel adapter with weld-on and plain end: d=28mm, d1=33.7mm | | | | 11,00 |
| 21717 | Geberit Mapress Carbon Steel adapter with male thread: d=28mm, R=3/4" | | | | 14,00 |
| 21708 | Geberit Mapress Carbon Steel adapter with male thread: d=28mm, R=1" | | | | 15,00 |
| 21727 | Geberit Mapress Carbon Steel adapter with male thread: d=28mm, R=1 1/4" | | | | 14,00 |
| 21937 | Geberit Mapress Carbon Steel adapter with male thread and plain end: d=28mm, R=1" | | | | 14,00 |
| 21807 | Geberit Mapress Carbon Steel adapter with female thread: d=28mm, Rp=1/2" | | | | 15,00 |
| 21808 | Geberit Mapress Carbon Steel adapter with female thread: d=28mm, Rp=3/4" | | | | 14,00 |
| 21809 | Geberit Mapress Carbon Steel adapter with female thread: d=28mm, Rp=1" | | | | 15,00 |
| 21910 | Geberit Mapress Carbon Steel adapter with female thread and plain end: d=28mm, Rp=1/2" | | | | 13,00 |
| 21609 | Geberit Mapress Carbon Steel elbow adapter 90° with male thread: d=28mm, R=3/4" | | | | 23,00 |
| 21610 | Geberit Mapress Carbon Steel elbow adapter 90° with male thread: d=28mm, R=1" | | | | 23,00 |
| 21660 | Geberit Mapress Carbon Steel elbow adapter 90° with female thread: d=28mm, Rp=1/2" | | | | 23,00 |
| 21661 | Geberit Mapress Carbon Steel elbow adapter 90° with female thread: d=28mm, Rp=3/4" | | | | 23,00 |
| 21662 | Geberit Mapress Carbon Steel elbow adapter 90° with female thread: d=28mm, Rp=1" | | | | 23,00 |
| 20508 | Geberit Mapress Carbon Steel bend adapter 90° with male thread: d=28mm, R=1" | | | | 23,00 |
| 20558 | Geberit Mapress Carbon Steel bend adapter 90° with female thread: d=28mm, Rp=1/2" | | | | 23,00 |
| 20559 | Geberit Mapress Carbon Steel bend adapter 90° with female thread: d=28mm, Rp=1" | | | | 23,00 |
| 25323 | Geberit Mapress Carbon Steel union: d=28mm | | | | 59,00 |
| 25337 | Geberit Mapress Carbon Steel adapter union with male thread: d=28mm, R=1" | | | | 28,00 |
| 25306 | Geberit Mapress Carbon Steel adapter union with female thread: d=28mm, Rp=1" | | | | 27,00 |
| 25035 | Geberit Mapress Carbon Steel adapter with union nut: d=28mm, di=26mm, di=26mm, G=1 1/4" | | | | 15,00 |
| 25050 | Geberit Mapress Carbon Steel adapter with union nut: d=28mm, di=32mm, di=32mm, G=1 1/2" | | | | 15,00 |
| 23755 | Geberit Mapress Carbon Steel flange PN 10/16, with pressing socket: d=28mm, DN=25 | | | | 64,00 |
| 23765 | Geberit Mapress Carbon Steel flange PN 6, with plain end: d=28mm, DN=25 | | | | 69,00 |
| 23935 | Geberit Mapress Carbon Steel axial expansion fitting with pressing sockets: d=28mm | | | | 180,00 |
| 20215 | Geberit Mapress Carbon Steel cap: d=28mm | | | | 10,00 |
| 22971 | Geberit Mapress Carbon Steel connector pipe cross for inlet and return flow, long: d=28mm, d1=12mm | | | | 92,00 |
| 22972 | Geberit Mapress Carbon Steel connector pipe cross for inlet and return flow, long: d=28mm, d1=15mm | | | | 92,00 |
| 22006 | Geberit Mapress Carbon Steel coupling: d=35mm | | | | 9,00 |
| 22106 | Geberit Mapress Carbon Steel slip coupling: d=35mm | | | | 13,00 |
| 22310 | Geberit Mapress Carbon Steel reducer with plain end: d=35mm, d1=15mm | | | | 15,00 |
| 22311 | Geberit Mapress Carbon Steel reducer with plain end: d=35mm, d1=18mm | | | | 15,00 |
| 22312 | Geberit Mapress Carbon Steel reducer with plain end: d=35mm, d1=22mm | | | | 15,00 |
| 22313 | Geberit Mapress Carbon Steel reducer with plain end: d=35mm, d1=28mm | | | | 15,00 |
| 23606 | Geberit Mapress Carbon Steel bend: 45°, d=35mm | | | | 17,00 |
| 23106 | Geberit Mapress Carbon Steel bend: 90°, d=35mm | | | | 17,00 |
| 23706 | Geberit Mapress Carbon Steel bend with plain end: 45°, d=35mm | | | | 17,00 |
| 23306 | Geberit Mapress Carbon Steel bend with plain end: 90°, d=35mm | | | | 17,00 |
| 21006 | Geberit Mapress Carbon Steel T-piece, equal: d=35mm | | | | 21,00 |
| 21212 | Geberit Mapress Carbon Steel T-piece, reduced: d=35mm, d1=15mm, d2=35mm | | | | 21,00 |
| 21213 | Geberit Mapress Carbon Steel T-piece, reduced: d=35mm, d1=18mm, d2=35mm | | | | 21,00 |
| 21214 | Geberit Mapress Carbon Steel T-piece, reduced: d=35mm, d1=22mm, d2=35mm | | | | 21,00 |
| 21215 | Geberit Mapress Carbon Steel T-piece, reduced: d=35mm, d1=28mm, d2=35mm | | | | 21,00 |
| 21312 | Geberit Mapress Carbon Steel T-piece with female thread: d=35mm, Rp=1/2", d1=35mm | | | | 23,00 |
| 21313 | Geberit Mapress Carbon Steel T-piece with female thread: d=35mm, Rp=3/4", d1=35mm | | | | 23,00 |
| 21314 | Geberit Mapress Carbon Steel T-piece with female thread: d=35mm, Rp=1", d1=35mm | | | | 23,00 |
| 12416 | Geberit Mapress Carbon Steel adapter with weld-on and plain end: d=35mm, d1=42.4mm | | | | 13,00 |
| 21719 | Geberit Mapress Carbon Steel adapter with male thread: d=35mm, R=1" | | | | 19,00 |
| 21709 | Geberit Mapress Carbon Steel adapter with male thread: d=35mm, R=1 1/4" | | | | 19,00 |
| 21720 | Geberit Mapress Carbon Steel adapter with male thread: d=35mm, R=1 1/2" | | | | 19,00 |
| 21938 | Geberit Mapress Carbon Steel adapter with male thread and plain end: d=35mm, R=1 1/4" | | | | 19,00 |
| 21810 | Geberit Mapress Carbon Steel adapter with female thread: d=35mm, Rp=3/4" | | | | 19,00 |

| | | | | | |
|-------|--|--|--|--|--------|
| 21820 | Geberit Mapress Carbon Steel adapter with female thread: d=35mm, Rp=1" | | | | 19,00 |
| 21811 | Geberit Mapress Carbon Steel adapter with female thread: d=35mm, Rp=1 1/4" | | | | 19,00 |
| 23509 | Geberit Mapress Carbon Steel bend adapter 90° with male thread: d=35mm, R=1 1/4" | | | | 31,00 |
| 20560 | Geberit Mapress Carbon Steel bend adapter 90° with female thread: d=35mm, Rp=1 1/4" | | | | 30,00 |
| 25324 | Geberit Mapress Carbon Steel union: d=35mm | | | | 81,00 |
| 25338 | Geberit Mapress Carbon Steel adapter union with male thread: d=35mm, R=1 1/4" | | | | 40,00 |
| 25307 | Geberit Mapress Carbon Steel adapter union with female thread: d=35mm, Rp=1 1/4" | | | | 39,00 |
| 25036 | Geberit Mapress Carbon Steel adapter with union nut: d=35mm, di=32mm, di=32mm, G=1 1/2" | | | | 24,00 |
| 25051 | Geberit Mapress Carbon Steel adapter with union nut: d=35mm, di=42mm, di=42mm, G=2" | | | | 24,00 |
| 23756 | Geberit Mapress Carbon Steel flange PN 10/16, with pressing socket: d=35mm, DN=32 | | | | 96,00 |
| 23766 | Geberit Mapress Carbon Steel flange PN 6, with plain end: d=35mm, DN=32 | | | | 76,00 |
| 23936 | Geberit Mapress Carbon Steel axial expansion fitting with pressing sockets: d=35mm | | | | 193,00 |
| 20216 | Geberit Mapress Carbon Steel cap: d=35mm | | | | 13,00 |
| 22974 | Geberit Mapress Carbon Steel connector pipe cross for inlet and return flow, long: d=35mm, d1=15mm | | | | 146,00 |
| 22007 | Geberit Mapress Carbon Steel coupling: d=42mm | | | | 12,00 |
| 22107 | Geberit Mapress Carbon Steel slip coupling: d=42mm | | | | 15,00 |
| 22315 | Geberit Mapress Carbon Steel reducer with plain end: d=42mm, d1=18mm | | | | 16,00 |
| 22316 | Geberit Mapress Carbon Steel reducer with plain end: d=42mm, d1=22mm | | | | 16,00 |
| 22317 | Geberit Mapress Carbon Steel reducer with plain end: d=42mm, d1=28mm | | | | 16,00 |
| 22318 | Geberit Mapress Carbon Steel reducer with plain end: d=42mm, d1=35mm | | | | 16,00 |
| 23607 | Geberit Mapress Carbon Steel bend: 45°, d=42mm | | | | 26,00 |
| 23107 | Geberit Mapress Carbon Steel bend: 90°, d=42mm | | | | 26,00 |
| 23707 | Geberit Mapress Carbon Steel bend with plain end: 45°, d=42mm | | | | 26,00 |
| 23307 | Geberit Mapress Carbon Steel bend with plain end: 90°, d=42mm | | | | 26,00 |
| 21007 | Geberit Mapress Carbon Steel T-piece, equal: d=42mm | | | | 29,00 |
| 21216 | Geberit Mapress Carbon Steel T-piece, reduced: d=42mm, d1=15mm, d2=42mm | | | | 29,00 |
| 21217 | Geberit Mapress Carbon Steel T-piece, reduced: d=42mm, d1=18mm, d2=42mm | | | | 29,00 |
| 21218 | Geberit Mapress Carbon Steel T-piece, reduced: d=42mm, d1=22mm, d2=42mm | | | | 29,00 |
| 21219 | Geberit Mapress Carbon Steel T-piece, reduced: d=42mm, d1=28mm, d2=42mm | | | | 29,00 |
| 21220 | Geberit Mapress Carbon Steel T-piece, reduced: d=42mm, d1=35mm, d2=42mm | | | | 29,00 |
| 21316 | Geberit Mapress Carbon Steel T-piece with female thread: d=42mm, Rp=1/2", d1=42mm | | | | 35,00 |
| 21317 | Geberit Mapress Carbon Steel T-piece with female thread: d=42mm, Rp=3/4", d1=42mm | | | | 35,00 |
| 21318 | Geberit Mapress Carbon Steel T-piece with female thread: d=42mm, Rp=1", d1=42mm | | | | 34,00 |
| 12417 | Geberit Mapress Carbon Steel adapter with weld-on and plain end: d=42mm, d1=48.3mm | | | | 15,00 |
| 21710 | Geberit Mapress Carbon Steel adapter with male thread: d=42mm, R=1 1/2" | | | | 23,00 |
| 21939 | Geberit Mapress Carbon Steel adapter with male thread and plain end: d=42mm, R=1 1/2" | | | | 22,00 |
| 21814 | Geberit Mapress Carbon Steel adapter with female thread: d=42mm, Rp=1 1/2" | | | | 22,00 |
| 23510 | Geberit Mapress Carbon Steel bend adapter 90° with male thread: d=42mm, R=1 1/2" | | | | 54,00 |
| 20561 | Geberit Mapress Carbon Steel bend adapter 90° with female thread: d=42mm, Rp=1 1/2" | | | | 53,00 |
| 25325 | Geberit Mapress Carbon Steel union: d=42mm | | | | 117,00 |
| 25339 | Geberit Mapress Carbon Steel adapter union with male thread: d=42mm, R=1 1/2" | | | | 58,00 |
| 25308 | Geberit Mapress Carbon Steel adapter union with female thread: d=42mm, Rp=1 1/2" | | | | 57,00 |
| 25037 | Geberit Mapress Carbon Steel adapter with union nut: d=42mm, di=39mm, di=39mm, G=1 3/4" | | | | 32,00 |
| 25052 | Geberit Mapress Carbon Steel adapter with union nut: d=42mm, di=42mm, di=42mm, G=2" | | | | 32,00 |
| 25053 | Geberit Mapress Carbon Steel adapter with union nut: d=42mm, di=42mm, di=42mm, G=2 1/4" | | | | 32,00 |
| 23757 | Geberit Mapress Carbon Steel flange PN 10/16, with pressing socket: d=42mm, DN=40 | | | | 110,00 |
| 23767 | Geberit Mapress Carbon Steel flange PN 6, with plain end: d=42mm, DN=40 | | | | 94,00 |
| 23937 | Geberit Mapress Carbon Steel axial expansion fitting with pressing sockets: d=42mm | | | | 420,00 |
| 20217 | Geberit Mapress Carbon Steel cap: d=42mm | | | | 28,00 |
| 22008 | Geberit Mapress Carbon Steel coupling: d=54mm | | | | 14,00 |
| 22108 | Geberit Mapress Carbon Steel slip coupling: d=54mm | | | | 19,00 |
| 22320 | Geberit Mapress Carbon Steel reducer with plain end: d=54mm, d1=18mm | | | | 25,00 |
| 22321 | Geberit Mapress Carbon Steel reducer with plain end: d=54mm, d1=22mm | | | | 25,00 |
| 22322 | Geberit Mapress Carbon Steel reducer with plain end: d=54mm, d1=28mm | | | | 25,00 |
| 22323 | Geberit Mapress Carbon Steel reducer with plain end: d=54mm, d1=35mm | | | | 25,00 |
| 22324 | Geberit Mapress Carbon Steel reducer with plain end: d=54mm, d1=42mm | | | | 25,00 |
| 23608 | Geberit Mapress Carbon Steel bend: 45°, d=54mm | | | | 34,00 |
| 23108 | Geberit Mapress Carbon Steel bend: 90°, d=54mm | | | | 34,00 |
| 23708 | Geberit Mapress Carbon Steel bend with plain end: 45°, d=54mm | | | | 34,00 |
| 23308 | Geberit Mapress Carbon Steel bend with plain end: 90°, d=54mm | | | | 34,00 |
| 21008 | Geberit Mapress Carbon Steel T-piece, equal: d=54mm | | | | 36,00 |
| 21221 | Geberit Mapress Carbon Steel T-piece, reduced: d=54mm, d1=15mm, d2=54mm | | | | 35,00 |
| 21222 | Geberit Mapress Carbon Steel T-piece, reduced: d=54mm, d1=18mm, d2=54mm | | | | 35,00 |
| 21223 | Geberit Mapress Carbon Steel T-piece, reduced: d=54mm, d1=22mm, d2=54mm | | | | 36,00 |
| 21224 | Geberit Mapress Carbon Steel T-piece, reduced: d=54mm, d1=28mm, d2=54mm | | | | 36,00 |
| 21225 | Geberit Mapress Carbon Steel T-piece, reduced: d=54mm, d1=35mm, d2=54mm | | | | 36,00 |
| 21226 | Geberit Mapress Carbon Steel T-piece, reduced: d=54mm, d1=42mm, d2=54mm | | | | 36,00 |
| 21320 | Geberit Mapress Carbon Steel T-piece with female thread: d=54mm, Rp=1/2", d1=54mm | | | | 38,00 |
| 21321 | Geberit Mapress Carbon Steel T-piece with female thread: d=54mm, Rp=3/4", d1=54mm | | | | 38,00 |
| 21322 | Geberit Mapress Carbon Steel T-piece with female thread: d=54mm, Rp=1", d1=54mm | | | | 38,00 |
| 21324 | Geberit Mapress Carbon Steel T-piece with female thread: d=54mm, Rp=2", d1=54mm | | | | 38,00 |
| 12418 | Geberit Mapress Carbon Steel adapter with weld-on and plain end: d=54mm, d1=60.3mm | | | | 19,00 |
| 21711 | Geberit Mapress Carbon Steel adapter with male thread: d=54mm, R=2" | | | | 33,00 |
| 21940 | Geberit Mapress Carbon Steel adapter with male thread and plain end: d=54mm, R=2" | | | | 33,00 |
| 21818 | Geberit Mapress Carbon Steel adapter with female thread: d=54mm, Rp=2" | | | | 33,00 |
| 23511 | Geberit Mapress Carbon Steel bend adapter 90° with male thread: d=54mm, R=2" | | | | 69,00 |
| 20562 | Geberit Mapress Carbon Steel bend adapter 90° with female thread: d=54mm, Rp=2" | | | | 67,00 |
| 25326 | Geberit Mapress Carbon Steel union: d=54mm | | | | 193,00 |
| 25340 | Geberit Mapress Carbon Steel adapter union with male thread: d=54mm, R=2" | | | | 128,00 |
| 25309 | Geberit Mapress Carbon Steel adapter union with female thread: d=54mm, Rp=2" | | | | 126,00 |
| 25038 | Geberit Mapress Carbon Steel adapter with union nut: d=54mm, di=51mm, di=51mm, G=2 3/8" | | | | 56,00 |
| 25054 | Geberit Mapress Carbon Steel adapter with union nut: d=54mm, di=54mm, di=54mm, G=2 1/2" | | | | 58,00 |
| 25055 | Geberit Mapress Carbon Steel adapter with union nut: d=54mm, di=57mm, di=57mm, G=2 3/4" | | | | 58,00 |
| 23758 | Geberit Mapress Carbon Steel flange PN 10/16, with pressing socket: d=54mm, DN=50 | | | | 114,00 |
| 23768 | Geberit Mapress Carbon Steel flange PN 6, with plain end: d=54mm, DN=50 | | | | 118,00 |
| 23938 | Geberit Mapress Carbon Steel axial expansion fitting with pressing sockets: d=54mm | | | | 454,00 |
| 20218 | Geberit Mapress Carbon Steel cap: d=54mm | | | | 31,00 |
| 22009 | Geberit Mapress Carbon Steel coupling: d=76.1mm | | | | 76,00 |
| 22109 | Geberit Mapress Carbon Steel slip coupling: d=76.1mm | | | | 115,00 |
| 22330 | Geberit Mapress Carbon Steel reducer with plain end: d=76.1mm, d1=42mm | | | | 66,00 |
| 22331 | Geberit Mapress Carbon Steel reducer with plain end: d=76.1mm, d1=54mm | | | | 67,00 |
| 20609 | Geberit Mapress Carbon Steel bend: 45°, d=76.1mm | | | | 114,00 |
| 20109 | Geberit Mapress Carbon Steel bend: 90°, d=76.1mm | | | | 114,00 |
| 20709 | Geberit Mapress Carbon Steel bend with plain end: 45°, d=76.1mm | | | | 114,00 |
| 20309 | Geberit Mapress Carbon Steel bend with plain end: 90°, d=76.1mm | | | | 114,00 |
| 21009 | Geberit Mapress Carbon Steel T-piece, equal: d=76.1mm | | | | 217,00 |
| 21230 | Geberit Mapress Carbon Steel T-piece, reduced: d=76.1mm, d1=28mm, d2=76.1mm | | | | 216,00 |
| 21231 | Geberit Mapress Carbon Steel T-piece, reduced: d=76.1mm, d1=35mm, d2=76.1mm | | | | 216,00 |
| 21232 | Geberit Mapress Carbon Steel T-piece, reduced: d=76.1mm, d1=42mm, d2=76.1mm | | | | 216,00 |
| 21233 | Geberit Mapress Carbon Steel T-piece, reduced: d=76.1mm, d1=54mm, d2=76.1mm | | | | 216,00 |
| 21326 | Geberit Mapress Carbon Steel T-piece with female thread: d=76.1mm, Rp=3/4", d1=76.1mm | | | | 131,00 |
| 21329 | Geberit Mapress Carbon Steel T-piece with female thread: d=76.1mm, Rp=2", d1=76.1mm | | | | 131,00 |
| 12419 | Geberit Mapress Carbon Steel adapter with weld-on and plain end: d=76.1mm, d1=76.1mm | | | | 33,00 |
| 21713 | Geberit Mapress Carbon Steel adapter with male thread: d=76.1mm, R=2 1/2" | | | | 57,00 |
| 25045 | Geberit Mapress Carbon Steel adapter with union nut: d=76.1mm, di=73mm, di=73mm, G=3" | | | | 113,00 |
| 23759 | Geberit Mapress Carbon Steel flange PN 10/16, with pressing socket: d=76.1mm, DN=65 | | | | 207,00 |
| 23769 | Geberit Mapress Carbon Steel flange PN 6, with plain end: d=76.1mm, DN=65 | | | | 151,00 |
| 23939 | Geberit Mapress Carbon Steel axial expansion fitting with pressing sockets: d=76.1mm | | | | 554,00 |
| 20219 | Geberit Mapress Carbon Steel cap: d=76.1mm | | | | 51,00 |
| 22010 | Geberit Mapress Carbon Steel coupling: d=88.9mm | | | | 89,00 |
| 22110 | Geberit Mapress Carbon Steel slip coupling: d=88.9mm | | | | 130,00 |
| 22338 | Geberit Mapress Carbon Steel reducer with plain end: d=88.9mm, d1=54mm | | | | 82,00 |
| 22339 | Geberit Mapress Carbon Steel reducer with plain end: d=88.9mm, d1=76.1mm | | | | 82,00 |

| | | | | | |
|-------|---|--|--|--|---------|
| 20610 | Geberit Mapress Carbon Steel bend: 45°, d=88.9mm | | | | 136,00 |
| 20110 | Geberit Mapress Carbon Steel bend: 90°, d=88.9mm | | | | 136,00 |
| 20710 | Geberit Mapress Carbon Steel bend with plain end: 45°, d=88.9mm | | | | 136,00 |
| 20310 | Geberit Mapress Carbon Steel bend with plain end: 90°, d=88.9mm | | | | 136,00 |
| 21010 | Geberit Mapress Carbon Steel T-piece, equal: d=88.9mm | | | | 252,00 |
| 21237 | Geberit Mapress Carbon Steel T-piece, reduced: d=88.9mm, d1=28mm, d2=88.9mm | | | | 243,00 |
| 21238 | Geberit Mapress Carbon Steel T-piece, reduced: d=88.9mm, d1=35mm, d2=88.9mm | | | | 243,00 |
| 21239 | Geberit Mapress Carbon Steel T-piece, reduced: d=88.9mm, d1=42mm, d2=88.9mm | | | | 243,00 |
| 21240 | Geberit Mapress Carbon Steel T-piece, reduced: d=88.9mm, d1=54mm, d2=88.9mm | | | | 243,00 |
| 21241 | Geberit Mapress Carbon Steel T-piece, reduced: d=88.9mm, d1=76.1mm, d2=88.9mm | | | | 243,00 |
| 21331 | Geberit Mapress Carbon Steel T-piece with female thread: d=88.9mm, Rp=3/4", d1=88.9mm | | | | 154,00 |
| 21334 | Geberit Mapress Carbon Steel T-piece with female thread: d=88.9mm, Rp=2", d1=88.9mm | | | | 154,00 |
| 12420 | Geberit Mapress Carbon Steel adapter with weld-on and plain end: d=88.9mm, d1=88.9mm | | | | 40,00 |
| 21724 | Geberit Mapress Carbon Steel adapter with male thread: d=88.9mm, R=3" | | | | 89,00 |
| 25046 | Geberit Mapress Carbon Steel adapter with union nut: d=88.9mm, d1=84mm, d2=84mm, G=3 1/2" | | | | 195,00 |
| 23760 | Geberit Mapress Carbon Steel flange PN 10/16, with pressing socket: d=88.9mm, DN=80 | | | | 242,00 |
| 23770 | Geberit Mapress Carbon Steel flange PN 6, with plain end: d=88.9mm, DN=80 | | | | 185,00 |
| 23940 | Geberit Mapress Carbon Steel axial expansion fitting with pressing sockets: d=88.9mm | | | | 576,00 |
| 20220 | Geberit Mapress Carbon Steel cap: d=88.9mm | | | | 57,00 |
| 22011 | Geberit Mapress Carbon Steel coupling: d=108mm | | | | 114,00 |
| 22111 | Geberit Mapress Carbon Steel slip coupling: d=108mm | | | | 157,00 |
| 22345 | Geberit Mapress Carbon Steel reducer with plain end: d=108mm, d1=54mm | | | | 88,00 |
| 22346 | Geberit Mapress Carbon Steel reducer with plain end: d=108mm, d1=76.1mm | | | | 88,00 |
| 22348 | Geberit Mapress Carbon Steel reducer with plain end: d=108mm, d1=88.9mm | | | | 88,00 |
| 20611 | Geberit Mapress Carbon Steel bend: 45°, d=108mm | | | | 187,00 |
| 20111 | Geberit Mapress Carbon Steel bend: 90°, d=108mm | | | | 187,00 |
| 20711 | Geberit Mapress Carbon Steel bend with plain end: 45°, d=108mm | | | | 187,00 |
| 20311 | Geberit Mapress Carbon Steel bend with plain end: 90°, d=108mm | | | | 187,00 |
| 21011 | Geberit Mapress Carbon Steel T-piece, equal: d=108mm | | | | 287,00 |
| 21245 | Geberit Mapress Carbon Steel T-piece, reduced: d=108mm, d1=28mm, d2=108mm | | | | 287,00 |
| 21246 | Geberit Mapress Carbon Steel T-piece, reduced: d=108mm, d1=35mm, d2=108mm | | | | 287,00 |
| 21247 | Geberit Mapress Carbon Steel T-piece, reduced: d=108mm, d1=42mm, d2=108mm | | | | 287,00 |
| 21248 | Geberit Mapress Carbon Steel T-piece, reduced: d=108mm, d1=54mm, d2=108mm | | | | 287,00 |
| 21249 | Geberit Mapress Carbon Steel T-piece, reduced: d=108mm, d1=76.1mm, d2=108mm | | | | 287,00 |
| 21250 | Geberit Mapress Carbon Steel T-piece, reduced: d=108mm, d1=88.9mm, d2=108mm | | | | 287,00 |
| 21336 | Geberit Mapress Carbon Steel T-piece with female thread: d=108mm, Rp=3/4", d1=108mm | | | | 162,00 |
| 12421 | Geberit Mapress Carbon Steel adapter with weld-on and plain end: d=108mm, d1=114.3mm | | | | 55,00 |
| 21725 | Geberit Mapress Carbon Steel adapter with male thread: d=108mm, R=4" | | | | 118,00 |
| 23761 | Geberit Mapress Carbon Steel flange PN 10/16, with pressing socket: d=108mm, DN=100 | | | | 290,00 |
| 23771 | Geberit Mapress Carbon Steel flange PN 6, with plain end: d=108mm, DN=100 | | | | 218,00 |
| 23941 | Geberit Mapress Carbon Steel axial expansion fitting with pressing sockets: d=108mm | | | | 1360,00 |
| 20221 | Geberit Mapress Carbon Steel cap: d=108mm | | | | 74,00 |
| 22050 | Geberit Mapress Carbon Steel pipe nipple, outside zinc-plated: d=15mm | | | | 2,00 |
| 22051 | Geberit Mapress Carbon Steel pipe nipple, outside zinc-plated: d=18mm | | | | 2,00 |
| 22052 | Geberit Mapress Carbon Steel pipe nipple, outside zinc-plated: d=22mm | | | | 3,00 |
| 22053 | Geberit Mapress Carbon Steel pipe nipple, outside zinc-plated: d=28mm | | | | 3,00 |
| 22054 | Geberit Mapress Carbon Steel pipe nipple, outside zinc-plated: d=35mm | | | | 3,00 |
| 22055 | Geberit Mapress Carbon Steel pipe nipple, outside zinc-plated: d=42mm | | | | 4,00 |
| 22056 | Geberit Mapress Carbon Steel pipe nipple, outside zinc-plated: d=54mm | | | | 6,00 |
| 22057 | Geberit Mapress Carbon Steel pipe nipple, outside zinc-plated: d=76.1mm | | | | 18,00 |
| 22058 | Geberit Mapress Carbon Steel pipe nipple, outside zinc-plated: d=88.9mm | | | | 21,00 |
| 22059 | Geberit Mapress Carbon Steel pipe nipple, outside zinc-plated: d=108mm | | | | 27,00 |
| 20401 | Geberit Mapress Carbon Steel bend with plain ends 90°: d=12mm | | | | 6,00 |
| 20402 | Geberit Mapress Carbon Steel bend with plain ends 90°: d=15mm | | | | 7,00 |
| 20403 | Geberit Mapress Carbon Steel bend with plain ends 90°: d=18mm | | | | 7,00 |
| 20404 | Geberit Mapress Carbon Steel bend with plain ends 90°: d=22mm | | | | 8,00 |
| 20405 | Geberit Mapress Carbon Steel bend with plain ends 90°: d=28mm | | | | 10,00 |
| 20406 | Geberit Mapress Carbon Steel bend with plain ends 90°: d=35mm | | | | 16,00 |
| 20407 | Geberit Mapress Carbon Steel bend with plain ends 90°: d=42mm | | | | 29,00 |
| 20408 | Geberit Mapress Carbon Steel bend with plain ends 90°: d=54mm | | | | 38,00 |
| 20801 | Geberit Mapress Carbon Steel pipe bridge: d=12mm | | | | 5,00 |
| 20802 | Geberit Mapress Carbon Steel pipe bridge: d=15mm | | | | 6,00 |
| 20803 | Geberit Mapress Carbon Steel pipe bridge: d=18mm | | | | 6,00 |
| 20804 | Geberit Mapress Carbon Steel pipe bridge: d=22mm | | | | 7,00 |
| 20805 | Geberit Mapress Carbon Steel pipe bridge: d=28mm | | | | 8,00 |
| 67002 | Geberit Mapress CuNiFe coupling: d=15mm | | | | 13,00 |
| 67102 | Geberit Mapress CuNiFe slip coupling: d=15mm | | | | 22,00 |
| 68716 | Geberit Mapress CuNiFe bend: 15°, d=15mm | | | | 21,00 |
| 68736 | Geberit Mapress CuNiFe bend: 30°, d=15mm | | | | 21,00 |
| 67602 | Geberit Mapress CuNiFe bend: 45°, d=15mm | | | | 21,00 |
| 68804 | Geberit Mapress CuNiFe bend: 60°, d=15mm | | | | 21,00 |
| 68102 | Geberit Mapress CuNiFe bend: 90°, d=15mm | | | | 21,00 |
| 68726 | Geberit Mapress CuNiFe bend with plain end: 15°, d=15mm | | | | 21,00 |
| 68746 | Geberit Mapress CuNiFe bend with plain end: 30°, d=15mm | | | | 21,00 |
| 67702 | Geberit Mapress CuNiFe bend with plain end: 45°, d=15mm | | | | 21,00 |
| 68814 | Geberit Mapress CuNiFe bend with plain end: 60°, d=15mm | | | | 21,00 |
| 68302 | Geberit Mapress CuNiFe bend with plain end: 90°, d=15mm | | | | 21,00 |
| 68002 | Geberit Mapress CuNiFe T-piece, equal: d=15mm | | | | 32,00 |
| 67344 | Geberit Mapress CuNiFe T-piece with female thread: d=15mm, Rp=1/2", d1=15mm | | | | 36,00 |
| 68703 | Geberit Mapress CuNiFe adapter with male thread: d=15mm, R=1/2" | | | | 60,00 |
| 68833 | Geberit Mapress CuNiFe adapter with male thread NPT: d=15mm, -1/2" | | | | 48,00 |
| 67802 | Geberit Mapress CuNiFe adapter with female thread: d=15mm, Rp=1/2" | | | | 40,00 |
| 67515 | Geberit Mapress CuNiFe bend adapter 90° with male thread: d=15mm, R=1/2" | | | | 48,00 |
| 67503 | Geberit Mapress CuNiFe bend adapter 90° with female thread: d=15mm, Rp=1/2" | | | | 49,00 |
| 67232 | Geberit Mapress CuNiFe adapter union with male thread: d=15mm, R=1/2" | | | | 66,00 |
| 68682 | Geberit Mapress CuNiFe flange PN 6, with pressing socket: d=15mm, DN=15 / 12 | | | | 138,00 |
| 68692 | Geberit Mapress CuNiFe flange PN 10/16, with pressing socket: d=15mm, DN=15 / 12 | | | | 165,00 |
| 92080 | Geberit Mapress CuNiFe bulkhead and deck passing with two plain ends: d=15mm, D=2.5cm | | | | 114,00 |
| 67004 | Geberit Mapress CuNiFe coupling: d=22mm | | | | 17,00 |
| 67104 | Geberit Mapress CuNiFe slip coupling: d=22mm | | | | 26,00 |
| 67305 | Geberit Mapress CuNiFe reducer with plain end: d=22mm, d1=15mm | | | | 17,00 |
| 68718 | Geberit Mapress CuNiFe bend: 15°, d=22mm | | | | 29,00 |
| 68738 | Geberit Mapress CuNiFe bend: 30°, d=22mm | | | | 29,00 |
| 67604 | Geberit Mapress CuNiFe bend: 45°, d=22mm | | | | 29,00 |
| 68806 | Geberit Mapress CuNiFe bend: 60°, d=22mm | | | | 29,00 |
| 68104 | Geberit Mapress CuNiFe bend: 90°, d=22mm | | | | 29,00 |
| 68728 | Geberit Mapress CuNiFe bend with plain end: 15°, d=22mm | | | | 29,00 |
| 68748 | Geberit Mapress CuNiFe bend with plain end: 30°, d=22mm | | | | 29,00 |
| 67704 | Geberit Mapress CuNiFe bend with plain end: 45°, d=22mm | | | | 29,00 |
| 68816 | Geberit Mapress CuNiFe bend with plain end: 60°, d=22mm | | | | 29,00 |
| 68304 | Geberit Mapress CuNiFe bend with plain end: 90°, d=22mm | | | | 29,00 |
| 68004 | Geberit Mapress CuNiFe T-piece, equal: d=22mm | | | | 36,00 |
| 67206 | Geberit Mapress CuNiFe T-piece, reduced: d=22mm, d1=15mm, d2=22mm | | | | 36,00 |
| 67347 | Geberit Mapress CuNiFe T-piece with female thread: d=22mm, Rp=1/2", d1=22mm | | | | 50,00 |
| 67348 | Geberit Mapress CuNiFe T-piece with female thread: d=22mm, Rp=3/4", d1=22mm | | | | 50,00 |
| 68715 | Geberit Mapress CuNiFe adapter with male thread: d=22mm, R=1/2" | | | | 45,00 |
| 68709 | Geberit Mapress CuNiFe adapter with male thread: d=35mm, R=1 1/4" | | | | 105,00 |
| 68837 | Geberit Mapress CuNiFe adapter with male thread NPT: d=22mm, -3/4" | | | | 64,00 |
| 67805 | Geberit Mapress CuNiFe adapter with female thread: d=22mm, Rp=1/2" | | | | 45,00 |
| 67806 | Geberit Mapress CuNiFe adapter with female thread: d=22mm, Rp=3/4" | | | | 45,00 |
| 67516 | Geberit Mapress CuNiFe bend adapter 90° with male thread: d=22mm, R=1/2" | | | | 63,00 |
| 67517 | Geberit Mapress CuNiFe bend adapter 90° with male thread: d=22mm, R=3/4" | | | | 63,00 |
| 67506 | Geberit Mapress CuNiFe bend adapter 90° with female thread: d=22mm, Rp=1/2" | | | | 61,00 |

| | | | | | |
|-------|---|--|--|--|--------|
| 67507 | Geberit Mapress CuNiFe bend adapter 90° with female thread: d=22mm, Rp=3/4" | | | | 63,00 |
| 67234 | Geberit Mapress CuNiFe adapter union with male thread: d=22mm, R=1/2" | | | | 83,00 |
| 67243 | Geberit Mapress CuNiFe adapter union with male thread: d=22mm, R=3/4" | | | | 83,00 |
| 68684 | Geberit Mapress CuNiFe flange PN 6, with pressing socket: d=22mm, DN=20 | | | | 169,00 |
| 68694 | Geberit Mapress CuNiFe flange PN 10/16, with pressing socket: d=22mm, DN=20 | | | | 206,00 |
| 68756 | Geberit Mapress CuNiFe flanged stub with plain end, for loose flange PN 6: d=22mm, DN=20, da=27mm | | | | 158,00 |
| 68791 | Geberit Mapress CuNiFe flanged stub with plain end, for loose flange PN 10/16: d=22mm, DN=20, da=27mm | | | | 170,00 |
| 92082 | Geberit Mapress CuNiFe bulkhead and deck passing with two plain ends: d=22mm, D=3.4cm | | | | 120,00 |
| 67005 | Geberit Mapress CuNiFe coupling: d=28mm | | | | 19,00 |
| 67105 | Geberit Mapress CuNiFe slip coupling: d=28mm | | | | 30,00 |
| 67307 | Geberit Mapress CuNiFe reducer with plain end: d=28mm, d1=15mm | | | | 19,00 |
| 67309 | Geberit Mapress CuNiFe reducer with plain end: d=28mm, d1=22mm | | | | 19,00 |
| 68719 | Geberit Mapress CuNiFe bend: 15°, d=28mm | | | | 36,00 |
| 68739 | Geberit Mapress CuNiFe bend: 30°, d=28mm | | | | 36,00 |
| 67605 | Geberit Mapress CuNiFe bend: 45°, d=28mm | | | | 36,00 |
| 68807 | Geberit Mapress CuNiFe bend: 60°, d=28mm | | | | 37,00 |
| 68105 | Geberit Mapress CuNiFe bend: 90°, d=28mm | | | | 36,00 |
| 68729 | Geberit Mapress CuNiFe bend with plain end: 15°, d=28mm | | | | 36,00 |
| 68749 | Geberit Mapress CuNiFe bend with plain end: 30°, d=28mm | | | | 36,00 |
| 67705 | Geberit Mapress CuNiFe bend with plain end: 45°, d=28mm | | | | 36,00 |
| 68817 | Geberit Mapress CuNiFe bend with plain end: 60°, d=28mm | | | | 37,00 |
| 68305 | Geberit Mapress CuNiFe bend with plain end: 90°, d=28mm | | | | 36,00 |
| 68005 | Geberit Mapress CuNiFe T-piece, equal: d=28mm | | | | 44,00 |
| 67209 | Geberit Mapress CuNiFe T-piece, reduced: d=28mm, d1=15mm, d2=28mm | | | | 44,00 |
| 67211 | Geberit Mapress CuNiFe T-piece, reduced: d=28mm, d1=22mm, d2=28mm | | | | 44,00 |
| 67349 | Geberit Mapress CuNiFe T-piece with female thread: d=28mm, Rp=1/2", d1=28mm | | | | 56,00 |
| 67350 | Geberit Mapress CuNiFe T-piece with female thread: d=28mm, Rp=3/4", d1=28mm | | | | 56,00 |
| 68708 | Geberit Mapress CuNiFe adapter with male thread: d=28mm, R=1" | | | | 80,00 |
| 68838 | Geberit Mapress CuNiFe adapter with male thread NPT: d=28mm, =1" | | | | 89,00 |
| 67809 | Geberit Mapress CuNiFe adapter with female thread: d=28mm, Rp=1" | | | | 80,00 |
| 67518 | Geberit Mapress CuNiFe bend adapter 90° with male thread: d=28mm, R=1" | | | | 73,00 |
| 67508 | Geberit Mapress CuNiFe bend adapter 90° with female thread: d=28mm, Rp=1" | | | | 73,00 |
| 67235 | Geberit Mapress CuNiFe adapter union with male thread: d=28mm, R=1" | | | | 117,00 |
| 68685 | Geberit Mapress CuNiFe flange PN 6, with pressing socket: d=28mm, DN=25 | | | | 188,00 |
| 68695 | Geberit Mapress CuNiFe flange PN 10/16, with pressing socket: d=28mm, DN=25 | | | | 237,00 |
| 68757 | Geberit Mapress CuNiFe flanged stub with plain end, for loose flange PN 6: d=28mm, DN=25, da=32mm | | | | 199,00 |
| 68793 | Geberit Mapress CuNiFe flanged stub with plain end, for loose flange PN 10/16: d=28mm, DN=25, da=32mm | | | | 210,00 |
| 92083 | Geberit Mapress CuNiFe bulkhead and deck passing with two plain ends: d=28mm, D=3.8cm | | | | 144,00 |
| 67006 | Geberit Mapress CuNiFe coupling: d=35mm | | | | 23,00 |
| 67106 | Geberit Mapress CuNiFe slip coupling: d=35mm | | | | 33,00 |
| 67312 | Geberit Mapress CuNiFe reducer with plain end: d=35mm, d1=22mm | | | | 30,00 |
| 67313 | Geberit Mapress CuNiFe reducer with plain end: d=35mm, d1=28mm | | | | 30,00 |
| 68720 | Geberit Mapress CuNiFe bend: 15°, d=35mm | | | | 48,00 |
| 68740 | Geberit Mapress CuNiFe bend: 30°, d=35mm | | | | 48,00 |
| 67606 | Geberit Mapress CuNiFe bend: 45°, d=35mm | | | | 48,00 |
| 68808 | Geberit Mapress CuNiFe bend: 60°, d=35mm | | | | 48,00 |
| 68106 | Geberit Mapress CuNiFe bend: 90°, d=35mm | | | | 48,00 |
| 68730 | Geberit Mapress CuNiFe bend with plain end: 15°, d=35mm | | | | 49,00 |
| 68750 | Geberit Mapress CuNiFe bend with plain end: 30°, d=35mm | | | | 49,00 |
| 67706 | Geberit Mapress CuNiFe bend with plain end: 45°, d=35mm | | | | 48,00 |
| 68818 | Geberit Mapress CuNiFe bend with plain end: 60°, d=35mm | | | | 49,00 |
| 68306 | Geberit Mapress CuNiFe bend with plain end: 90°, d=35mm | | | | 48,00 |
| 68006 | Geberit Mapress CuNiFe T-piece, equal: d=35mm | | | | 55,00 |
| 67212 | Geberit Mapress CuNiFe T-piece, reduced: d=35mm, d1=15mm, d2=35mm | | | | 56,00 |
| 67214 | Geberit Mapress CuNiFe T-piece, reduced: d=35mm, d1=22mm, d2=35mm | | | | 55,00 |
| 67215 | Geberit Mapress CuNiFe T-piece, reduced: d=35mm, d1=28mm, d2=35mm | | | | 55,00 |
| 67352 | Geberit Mapress CuNiFe T-piece with female thread: d=35mm, Rp=1/2", d1=35mm | | | | 67,00 |
| 67353 | Geberit Mapress CuNiFe T-piece with female thread: d=35mm, Rp=3/4", d1=35mm | | | | 67,00 |
| 68707 | Geberit Mapress CuNiFe adapter with male thread: d=22mm, R=3/4" | | | | 65,00 |
| 68839 | Geberit Mapress CuNiFe adapter with male thread NPT: d=35mm, =1 1/4" | | | | 144,00 |
| 67811 | Geberit Mapress CuNiFe adapter with female thread: d=35mm, Rp=1 1/4" | | | | 104,00 |
| 67519 | Geberit Mapress CuNiFe bend adapter 90° with male thread: d=35mm, R=1 1/4" | | | | 105,00 |
| 67509 | Geberit Mapress CuNiFe bend adapter 90° with female thread: d=35mm, Rp=1 1/4" | | | | 105,00 |
| 67236 | Geberit Mapress CuNiFe adapter union with male thread: d=35mm, R=1 1/4" | | | | 155,00 |
| 68686 | Geberit Mapress CuNiFe flange PN 6, with pressing socket: d=35mm, DN=32 | | | | 233,00 |
| 68696 | Geberit Mapress CuNiFe flange PN 10/16, with pressing socket: d=35mm, DN=32 | | | | 383,00 |
| 68758 | Geberit Mapress CuNiFe flanged stub with plain end, for loose flange PN 6: d=35mm, DN=32, da=40mm | | | | 219,00 |
| 68794 | Geberit Mapress CuNiFe flanged stub with plain end, for loose flange PN 10/16: d=35mm, DN=32, da=40mm | | | | 234,00 |
| 92084 | Geberit Mapress CuNiFe bulkhead and deck passing with two plain ends: d=35mm, D=4.5cm | | | | 165,00 |
| 67007 | Geberit Mapress CuNiFe coupling: d=42mm | | | | 31,00 |
| 67107 | Geberit Mapress CuNiFe slip coupling: d=42mm | | | | 39,00 |
| 67317 | Geberit Mapress CuNiFe reducer with plain end: d=42mm, d1=28mm | | | | 40,00 |
| 67318 | Geberit Mapress CuNiFe reducer with plain end: d=42mm, d1=35mm | | | | 40,00 |
| 68721 | Geberit Mapress CuNiFe bend: 15°, d=42mm | | | | 75,00 |
| 68741 | Geberit Mapress CuNiFe bend: 30°, d=42mm | | | | 75,00 |
| 67607 | Geberit Mapress CuNiFe bend: 45°, d=42mm | | | | 75,00 |
| 68809 | Geberit Mapress CuNiFe bend: 60°, d=42mm | | | | 75,00 |
| 68107 | Geberit Mapress CuNiFe bend: 90°, d=42mm | | | | 75,00 |
| 68731 | Geberit Mapress CuNiFe bend with plain end: 15°, d=42mm | | | | 75,00 |
| 68751 | Geberit Mapress CuNiFe bend with plain end: 30°, d=42mm | | | | 75,00 |
| 67707 | Geberit Mapress CuNiFe bend with plain end: 45°, d=42mm | | | | 75,00 |
| 68819 | Geberit Mapress CuNiFe bend with plain end: 60°, d=42mm | | | | 77,00 |
| 68307 | Geberit Mapress CuNiFe bend with plain end: 90°, d=42mm | | | | 75,00 |
| 68007 | Geberit Mapress CuNiFe T-piece, equal: d=42mm | | | | 79,00 |
| 67218 | Geberit Mapress CuNiFe T-piece, reduced: d=42mm, d1=22mm, d2=42mm | | | | 79,00 |
| 67219 | Geberit Mapress CuNiFe T-piece, reduced: d=42mm, d1=28mm, d2=42mm | | | | 79,00 |
| 67220 | Geberit Mapress CuNiFe T-piece, reduced: d=42mm, d1=35mm, d2=42mm | | | | 79,00 |
| 67356 | Geberit Mapress CuNiFe T-piece with female thread: d=42mm, Rp=1/2", d1=42mm | | | | 82,00 |
| 67357 | Geberit Mapress CuNiFe T-piece with female thread: d=42mm, Rp=3/4", d1=42mm | | | | 82,00 |
| 68710 | Geberit Mapress CuNiFe adapter with male thread: d=42mm, R=1 1/2" | | | | 150,00 |
| 68840 | Geberit Mapress CuNiFe adapter with male thread NPT: d=42mm, =1 1/2" | | | | 194,00 |
| 67814 | Geberit Mapress CuNiFe adapter with female thread: d=42mm, Rp=1 1/2" | | | | 133,00 |
| 67520 | Geberit Mapress CuNiFe bend adapter 90° with male thread: d=42mm, R=1 1/2" | | | | 167,00 |
| 67510 | Geberit Mapress CuNiFe bend adapter 90° with female thread: d=42mm, Rp=1 1/2" | | | | 167,00 |
| 67237 | Geberit Mapress CuNiFe adapter union with male thread: d=42mm, R=1 1/2" | | | | 200,00 |
| 68687 | Geberit Mapress CuNiFe flange PN 6, with pressing socket: d=42mm, DN=40 | | | | 281,00 |
| 68697 | Geberit Mapress CuNiFe flange PN 10/16, with pressing socket: d=42mm, DN=40 | | | | 465,00 |
| 68759 | Geberit Mapress CuNiFe flanged stub with plain end, for loose flange PN 6: d=42mm, DN=40, da=47mm | | | | 265,00 |
| 68795 | Geberit Mapress CuNiFe flanged stub with plain end, for loose flange PN 10/16: d=42mm, DN=40, da=47mm | | | | 304,00 |
| 92085 | Geberit Mapress CuNiFe bulkhead and deck passing with two plain ends: d=42mm, D=5.4cm | | | | 190,00 |
| 67008 | Geberit Mapress CuNiFe coupling: d=54mm | | | | 38,00 |
| 67108 | Geberit Mapress CuNiFe slip coupling: d=54mm | | | | 50,00 |
| 67323 | Geberit Mapress CuNiFe reducer with plain end: d=54mm, d1=35mm | | | | 56,00 |
| 67324 | Geberit Mapress CuNiFe reducer with plain end: d=54mm, d1=42mm | | | | 56,00 |
| 68722 | Geberit Mapress CuNiFe bend: 15°, d=54mm | | | | 100,00 |
| 68742 | Geberit Mapress CuNiFe bend: 30°, d=54mm | | | | 100,00 |
| 67608 | Geberit Mapress CuNiFe bend: 45°, d=54mm | | | | 100,00 |
| 68810 | Geberit Mapress CuNiFe bend: 60°, d=54mm | | | | 100,00 |
| 68108 | Geberit Mapress CuNiFe bend: 90°, d=54mm | | | | 100,00 |
| 68732 | Geberit Mapress CuNiFe bend with plain end: 15°, d=54mm | | | | 100,00 |
| 68752 | Geberit Mapress CuNiFe bend with plain end: 30°, d=54mm | | | | 100,00 |
| 67708 | Geberit Mapress CuNiFe bend with plain end: 45°, d=54mm | | | | 100,00 |
| 68820 | Geberit Mapress CuNiFe bend with plain end: 60°, d=54mm | | | | 100,00 |

| | | | | | | |
|--------------|---|--|--|--|--|--------|
| 68308 | Geberit Mapress CuNiFe bend with plain end: 90°, d=54mm | | | | | 100,00 |
| 68008 | Geberit Mapress CuNiFe T-piece, equal: d=54mm | | | | | 91,00 |
| 67225 | Geberit Mapress CuNiFe T-piece, reduced: d=54mm, d1=35mm, d2=54mm | | | | | 91,00 |
| 67226 | Geberit Mapress CuNiFe T-piece, reduced: d=54mm, d1=42mm, d2=54mm | | | | | 91,00 |
| 67227 | Geberit Mapress CuNiFe T-piece, reduced: d=54mm, d1=22mm, d2=54mm | | | | | 91,00 |
| 67228 | Geberit Mapress CuNiFe T-piece, reduced: d=54mm, d1=28mm, d2=54mm | | | | | 91,00 |
| 67360 | Geberit Mapress CuNiFe T-piece with female thread: d=54mm, Rp=1/2", d1=54mm | | | | | 96,00 |
| 67361 | Geberit Mapress CuNiFe T-piece with female thread: d=54mm, Rp=3/4", d1=54mm | | | | | 96,00 |
| 68711 | Geberit Mapress CuNiFe adapter with male thread: d=54mm, R=2" | | | | | 244,00 |
| 68841 | Geberit Mapress CuNiFe adapter with male thread NPT: d=54mm, =2" | | | | | 288,00 |
| 67818 | Geberit Mapress CuNiFe adapter with female thread: d=54mm, Rp=2" | | | | | 163,00 |
| 67521 | Geberit Mapress CuNiFe bend adapter 90° with male thread: d=54mm, R=2" | | | | | 212,00 |
| 67511 | Geberit Mapress CuNiFe bend adapter 90° with female thread: d=54mm, Rp=2" | | | | | 212,00 |
| 67238 | Geberit Mapress CuNiFe adapter union with male thread: d=54mm, R=2" | | | | | 373,00 |
| 68688 | Geberit Mapress CuNiFe flange PN 6, with pressing socket: d=54mm, DN=50 | | | | | 388,00 |
| 68698 | Geberit Mapress CuNiFe flange PN 10/16, with pressing socket: d=54mm, DN=50 | | | | | 570,00 |
| 68760 | Geberit Mapress CuNiFe flanged stub with plain end, for loose flange PN 6: d=54mm, DN=50, da=59mm | | | | | 279,00 |
| 68796 | Geberit Mapress CuNiFe flanged stub with plain end, for loose flange PN 10/16: d=54mm, DN=50, da=59mm | | | | | 399,00 |
| 92086 | Geberit Mapress CuNiFe bulkhead and deck passing with two plain ends: d=54mm, D=7cm | | | | | 210,00 |
| 67009 | Geberit Mapress CuNiFe coupling: d=76.1mm | | | | | 180,00 |
| 67109 | Geberit Mapress CuNiFe slip coupling: d=76.1mm | | | | | 273,00 |
| 67337 | Geberit Mapress CuNiFe reducer with plain end: d=76.1mm, d1=42mm | | | | | 172,00 |
| 67325 | Geberit Mapress CuNiFe reducer with plain end: d=76.1mm, d1=54mm | | | | | 172,00 |
| 68723 | Geberit Mapress CuNiFe bend: 15°, d=76.1mm | | | | | 294,00 |
| 68743 | Geberit Mapress CuNiFe bend: 30°, d=76.1mm | | | | | 294,00 |
| 67609 | Geberit Mapress CuNiFe bend: 45°, d=76.1mm | | | | | 294,00 |
| 68811 | Geberit Mapress CuNiFe bend: 60°, d=76.1mm | | | | | 294,00 |
| 68109 | Geberit Mapress CuNiFe bend: 90°, d=76.1mm | | | | | 294,00 |
| 68733 | Geberit Mapress CuNiFe bend with plain end: 15°, d=76.1mm | | | | | 294,00 |
| 68753 | Geberit Mapress CuNiFe bend with plain end: 30°, d=76.1mm | | | | | 294,00 |
| 67709 | Geberit Mapress CuNiFe bend with plain end: 45°, d=76.1mm | | | | | 294,00 |
| 68821 | Geberit Mapress CuNiFe bend with plain end: 60°, d=76.1mm | | | | | 294,00 |
| 68309 | Geberit Mapress CuNiFe bend with plain end: 90°, d=76.1mm | | | | | 294,00 |
| 68009 | Geberit Mapress CuNiFe T-piece, equal: d=76.1mm | | | | | 470,00 |
| 67229 | Geberit Mapress CuNiFe T-piece, reduced: d=76.1mm, d1=22mm, d2=76.1mm | | | | | 470,00 |
| 67230 | Geberit Mapress CuNiFe T-piece, reduced: d=76.1mm, d1=28mm, d2=76.1mm | | | | | 470,00 |
| 67231 | Geberit Mapress CuNiFe T-piece, reduced: d=76.1mm, d1=35mm, d2=76.1mm | | | | | 470,00 |
| 67252 | Geberit Mapress CuNiFe T-piece, reduced: d=76.1mm, d1=42mm, d2=76.1mm | | | | | 470,00 |
| 67253 | Geberit Mapress CuNiFe T-piece, reduced: d=76.1mm, d1=54mm, d2=76.1mm | | | | | 470,00 |
| 67366 | Geberit Mapress CuNiFe T-piece with female thread: d=76.1mm, Rp=3/4", d1=76.1mm | | | | | 466,00 |
| 68689 | Geberit Mapress CuNiFe flange PN 6, with pressing socket: d=76.1mm, DN=65 | | | | | 447,00 |
| 68699 | Geberit Mapress CuNiFe flange PN 10/16, with pressing socket: d=76.1mm, DN=65 | | | | | 684,00 |
| 68761 | Geberit Mapress CuNiFe flanged stub with plain end, for loose flange PN 6: d=76.1mm, DN=65, da=78mm | | | | | 508,00 |
| 68797 | Geberit Mapress CuNiFe flanged stub with plain end, for loose flange PN 10/16: d=76.1mm, DN=65, da=78mm | | | | | 523,00 |
| 92087 | Geberit Mapress CuNiFe bulkhead and deck passing with two plain ends: d=76.1mm, D=8.9cm | | | | | 472,00 |
| 67010 | Geberit Mapress CuNiFe coupling: d=88.9mm | | | | | 210,00 |
| 67110 | Geberit Mapress CuNiFe slip coupling: d=88.9mm | | | | | 309,00 |
| 67338 | Geberit Mapress CuNiFe reducer with plain end: d=88.9mm, d1=54mm | | | | | 186,00 |
| 67327 | Geberit Mapress CuNiFe reducer with plain end: d=88.9mm, d1=76.1mm | | | | | 186,00 |
| 68724 | Geberit Mapress CuNiFe bend: 15°, d=88.9mm | | | | | 353,00 |
| 68744 | Geberit Mapress CuNiFe bend: 30°, d=88.9mm | | | | | 353,00 |
| 67610 | Geberit Mapress CuNiFe bend: 45°, d=88.9mm | | | | | 353,00 |
| 68812 | Geberit Mapress CuNiFe bend: 60°, d=88.9mm | | | | | 353,00 |
| 68110 | Geberit Mapress CuNiFe bend: 90°, d=88.9mm | | | | | 353,00 |
| 68734 | Geberit Mapress CuNiFe bend with plain end: 15°, d=88.9mm | | | | | 353,00 |
| 68754 | Geberit Mapress CuNiFe bend with plain end: 30°, d=88.9mm | | | | | 353,00 |
| 67710 | Geberit Mapress CuNiFe bend with plain end: 45°, d=88.9mm | | | | | 353,00 |
| 68822 | Geberit Mapress CuNiFe bend with plain end: 60°, d=88.9mm | | | | | 353,00 |
| 68310 | Geberit Mapress CuNiFe bend with plain end: 90°, d=88.9mm | | | | | 353,00 |
| 68010 | Geberit Mapress CuNiFe T-piece, equal: d=88.9mm | | | | | 490,00 |
| 67233 | Geberit Mapress CuNiFe T-piece, reduced: d=88.9mm, d1=22mm, d2=88.9mm | | | | | 490,00 |
| 67250 | Geberit Mapress CuNiFe T-piece, reduced: d=88.9mm, d1=28mm, d2=88.9mm | | | | | 490,00 |
| 67251 | Geberit Mapress CuNiFe T-piece, reduced: d=88.9mm, d1=35mm, d2=88.9mm | | | | | 490,00 |
| 67239 | Geberit Mapress CuNiFe T-piece, reduced: d=88.9mm, d1=42mm, d2=88.9mm | | | | | 490,00 |
| 67260 | Geberit Mapress CuNiFe T-piece, reduced: d=88.9mm, d1=54mm, d2=88.9mm | | | | | 490,00 |
| 67261 | Geberit Mapress CuNiFe T-piece, reduced: d=88.9mm, d1=76.1mm, d2=88.9mm | | | | | 490,00 |
| 67369 | Geberit Mapress CuNiFe T-piece with female thread: d=88.9mm, Rp=3/4", d1=88.9mm | | | | | 496,00 |
| 68690 | Geberit Mapress CuNiFe flange PN 6, with pressing socket: d=88.9mm, DN=80 | | | | | 720,00 |
| 68700 | Geberit Mapress CuNiFe flange PN 10/16, with pressing socket: d=88.9mm, DN=80 | | | | | 752,00 |
| 68762 | Geberit Mapress CuNiFe flanged stub with plain end, for loose flange PN 6: d=88.9mm, DN=80, da=91mm | | | | | 548,00 |
| 68798 | Geberit Mapress CuNiFe flanged stub with plain end, for loose flange PN 10/16: d=88.9mm, DN=80, da=91mm | | | | | 573,00 |
| 92088 | Geberit Mapress CuNiFe bulkhead and deck passing with two plain ends: d=88.9mm, D=10.8cm | | | | | 528,00 |
| 67011 | Geberit Mapress CuNiFe coupling: d=108mm | | | | | 270,00 |
| 67111 | Geberit Mapress CuNiFe slip coupling: d=108mm | | | | | 371,00 |
| 67346 | Geberit Mapress CuNiFe reducer with plain end: d=108mm, d1=76.1mm | | | | | 225,00 |
| 67330 | Geberit Mapress CuNiFe reducer with plain end: d=108mm, d1=88.9mm | | | | | 196,00 |
| 68725 | Geberit Mapress CuNiFe bend: 15°, d=108mm | | | | | 523,00 |
| 68745 | Geberit Mapress CuNiFe bend: 30°, d=108mm | | | | | 523,00 |
| 67611 | Geberit Mapress CuNiFe bend: 45°, d=108mm | | | | | 523,00 |
| 68813 | Geberit Mapress CuNiFe bend: 60°, d=108mm | | | | | 523,00 |
| 68111 | Geberit Mapress CuNiFe bend: 90°, d=108mm | | | | | 523,00 |
| 68735 | Geberit Mapress CuNiFe bend with plain end: 15°, d=108mm | | | | | 523,00 |
| 68755 | Geberit Mapress CuNiFe bend with plain end: 30°, d=108mm | | | | | 523,00 |
| 67711 | Geberit Mapress CuNiFe bend with plain end: 45°, d=108mm | | | | | 523,00 |
| 68823 | Geberit Mapress CuNiFe bend with plain end: 60°, d=108mm | | | | | 523,00 |
| 68311 | Geberit Mapress CuNiFe bend with plain end: 90°, d=108mm | | | | | 523,00 |
| 68011 | Geberit Mapress CuNiFe T-piece, equal: d=108mm | | | | | 604,00 |
| 67244 | Geberit Mapress CuNiFe T-piece, reduced: d=108mm, d1=22mm, d2=108mm | | | | | 604,00 |
| 67245 | Geberit Mapress CuNiFe T-piece, reduced: d=108mm, d1=28mm, d2=108mm | | | | | 604,00 |
| 67246 | Geberit Mapress CuNiFe T-piece, reduced: d=108mm, d1=35mm, d2=108mm | | | | | 604,00 |
| 67247 | Geberit Mapress CuNiFe T-piece, reduced: d=108mm, d1=42mm, d2=108mm | | | | | 604,00 |
| 67248 | Geberit Mapress CuNiFe T-piece, reduced: d=108mm, d1=54mm, d2=108mm | | | | | 604,00 |
| 67269 | Geberit Mapress CuNiFe T-piece, reduced: d=108mm, d1=76.1mm, d2=108mm | | | | | 604,00 |
| 67270 | Geberit Mapress CuNiFe T-piece, reduced: d=108mm, d1=88.9mm, d2=108mm | | | | | 604,00 |
| 67373 | Geberit Mapress CuNiFe T-piece with female thread: d=108mm, Rp=3/4", d1=108mm | | | | | 609,00 |
| 68691 | Geberit Mapress CuNiFe flange PN 6, with pressing socket: d=108mm, DN=100 | | | | | 846,00 |
| 68701 | Geberit Mapress CuNiFe flange PN 10/16, with pressing socket: d=108mm, DN=100 | | | | | 834,00 |
| 68763 | Geberit Mapress CuNiFe flanged stub with plain end, for loose flange PN 6: d=108mm, DN=100, da=110mm | | | | | 648,00 |
| 68799 | Geberit Mapress CuNiFe flanged stub with plain end, for loose flange PN 10/16: d=108mm, DN=100, da=110mm | | | | | 664,00 |
| 92089 | Geberit Mapress CuNiFe bulkhead and deck passing with two plain ends: d=108mm, D=13.3cm | | | | | 584,00 |
| 67402 | Geberit Mapress CuNiFe bend with plain ends 90°: d=15mm | | | | | 23,00 |
| 67404 | Geberit Mapress CuNiFe bend with plain ends 90°: d=22mm | | | | | 25,00 |
| 67405 | Geberit Mapress CuNiFe bend with plain ends 90°: d=28mm | | | | | 26,00 |
| 67406 | Geberit Mapress CuNiFe bend with plain ends 90°: d=35mm | | | | | 53,00 |
| 67407 | Geberit Mapress CuNiFe bend with plain ends 90°: d=42mm | | | | | 71,00 |
| 67408 | Geberit Mapress CuNiFe bend with plain ends 90°: d=54mm | | | | | 98,00 |
| 601.200.00.1 | Geberit Mepla system pipe, ML, MeplaTherm, in bars: PE-RT II / Al / PE-RT II, d=16mm, L=5m | | | | | 5,00 |
| 601.230.00.1 | Geberit Mepla system pipe, ML, MeplaTherm, in coils: PE-RT II / Al / PE-RT II, d=16mm, L=100m | | | | | 4,00 |
| 601.230.00.2 | Geberit Mepla system pipe, ML, MeplaTherm, in coils: PE-RT II / Al / PE-RT II, d=16mm, L=200m | | | | | 4,00 |
| 601.231.00.2 | Geberit Mepla system pipe, ML, MeplaTherm, in protective tube, in coils: PE-RT II / Al / PE-RT II, d=16mm, D=2.7cm, L=50m | | | | | 5,00 |
| 601.232.00.1 | Geberit Mepla system pipe, ML, MeplaTherm, with circular pre-insulation, in coils: PE-RT II / Al / PE-RT II, d=16mm, insulation=6mm, L=50m | | | | | 5,00 |
| 601.235.00.1 | Geberit Mepla system pipe, ML, MeplaTherm, with circular pre-insulation, in coils: PE-RT II / Al / PE-RT II, d=16mm, insulation=10mm, L=50m | | | | | 6,00 |
| 602.200.00.1 | Geberit Mepla system pipe, ML, MeplaTherm, in bars: PE-RT II / Al / PE-RT II, d=20mm, L=5m | | | | | 6,00 |

| | | | | |
|---------------|---|------------|------------|---------|
| 602.230.00.1 | Geberit Mepla system pipe, ML, MeplaTherm, in coils: PE-RT II / Al / PE-RT II, d=20mm, L=100m | | | 5,00 |
| 602.231.00.2 | Geberit Mepla system pipe, ML, MeplaTherm, in protective tube, in coils: PE-RT II / Al / PE-RT II, d=20mm, D=3.1cm, L=50m | | | 7,00 |
| 602.232.00.1 | Geberit Mepla system pipe, ML, MeplaTherm, with circular pre-insulation, in coils: PE-RT II / Al / PE-RT II, d=20mm, Insulation=6mm, L=50m | | | 7,00 |
| 602.235.00.1 | Geberit Mepla system pipe, ML, MeplaTherm, with circular pre-insulation, in coils: PE-RT II / Al / PE-RT II, d=20mm, Insulation=10mm, L=50m | | | 8,00 |
| 603.200.00.1 | Geberit Mepla system pipe, ML, MeplaTherm, in bars: PE-RT II / Al / PE-RT II, d=26mm, L=5m | | | 11,00 |
| 603.230.00.1 | Geberit Mepla system pipe, ML, MeplaTherm, in coils: PE-RT II / Al / PE-RT II, d=26mm, L=50m | | | 9,00 |
| 603.232.00.1 | Geberit Mepla system pipe, ML, MeplaTherm, with circular pre-insulation, in coils: PE-RT II / Al / PE-RT II, d=26mm, Insulation=6mm, L=25m | | | 12,00 |
| 603.235.00.1 | Geberit Mepla system pipe, ML, MeplaTherm, with circular pre-insulation, in coils: PE-RT II / Al / PE-RT II, d=26mm, Insulation=10mm, L=25m | | | 13,00 |
| 611.319.00.5 | Geberit Mepla T-piece crossing with insulation box: CW617N, d=16mm, d1=16mm, d2=16mm | | | 65,00 |
| 611.582.22.5 | Geberit Mepla connector with union nut: CW617N, d=16mm, G=1/2" | | | 17,00 |
| 612.316.00.5 | Geberit Mepla T-piece crossing with insulation box: CW617N, d=20mm, d1=16mm, d2=16mm | | | 65,00 |
| 612.315.00.5 | Geberit Mepla T-piece crossing with insulation box: CW617N, d=20mm, d1=16mm, d2=20mm | | | 65,00 |
| 612.319.00.5 | Geberit Mepla T-piece crossing with insulation box: CW617N, d=20mm, d1=20mm, d2=20mm | | | 65,00 |
| 612.535.22.5 | Geberit Mepla connector with male thread: CW617N, d=20mm, R=1/2" | | | 8,00 |
| 612.536.22.5 | Geberit Mepla connector with male thread: CW617N, d=20mm, R=3/4" | | | 8,00 |
| 612.582.22.5 | Geberit Mepla connector with union nut: CW617N, d=20mm, G=1/2" | | | 17,00 |
| 613.312.00.5 | Geberit Mepla T-piece crossing with insulation box: CW617N, d=26mm, d1=16mm, d2=20mm | | | 73,00 |
| 613.314.00.5 | Geberit Mepla T-piece crossing with insulation box: CW617N, d=26mm, d1=16mm, d2=26mm | | | 73,00 |
| 613.313.00.5 | Geberit Mepla T-piece crossing with insulation box: CW617N, d=26mm, d1=20mm, d2=26mm | | | 73,00 |
| 613.535.22.5 | Geberit Mepla connector with male thread: CW617N, d=26mm, R=1/2" | | | 12,00 |
| 613.536.22.5 | Geberit Mepla connector with male thread: CW617N, d=26mm, R=3/4" | | | 12,00 |
| 613.583.22.5 | Geberit Mepla connector with union nut: CW617N, d=26mm, G=3/4" | | | 22,00 |
| 611.260.00.1 | Geberit Mepla connector box type C: PE-RT II / Al / PE-RT II, d=16mm, AD=5cm | | | 35,00 |
| 612.260.00.1 | Geberit Mepla connector box type C: PE-RT II / Al / PE-RT II, d=20mm, AD=5cm | | | 37,00 |
| 641.512.00.1 | Geberit adapter Euro cone with male thread: CW617N, G=3/4", G1=1/2" | | | 5,00 |
| 641.533.00.1 | Geberit adapter Euro cone with male thread: CW617N, G=3/4", G1=3/4" | | | 7,00 |
| 641.522.00.1 | Geberit adapter Euro cone with female thread: CW617N, G=3/4", M=22 x 1.5mm | | | 5,00 |
| 641.534.22.2 | Geberit Mepla union connector for Euro cone: CW617N, d=16mm, G=3/4" | | | 6,00 |
| 641.513.00.1 | Geberit Mepla union connector with male thread: CW617N, d=16mm, G=1/2" | | | 6,00 |
| 641.515.00.1 | Geberit Mepla union connector with male thread: CW617N, d=16mm, G=1/2" | | | 6,00 |
| 641.516.22.1 | Geberit Mepla union connector with male thread: CW617N, d=16mm, G=1/2" | | | 6,00 |
| 611.605.BM.1 | Geberit pipe sleeve, slit: PP, di=15-20mm, L=1m | | | 4,00 |
| 611.610.BM.1 | Geberit double collar: PS, di=14 / 15 / 16 / 18 / 20mm | | | 2,00 |
| 241.679.22.1 | Geberit clamping ring union set, nickel-plated (2 pc.): CW617N, d=15mm, G=1/2" | | | 15,00 |
| 242.163.00.1 | Geberit insulation box for T-piece crossing: EPP | | | 9,00 |
| 601.720.00.1 | Geberit insulation box for metal pipe connector bend and connector T-pieces: EPP | | | 10,00 |
| 652.438.22.1 | Geberit quick exhaust valve, NPW: CB753S, G=1/2" | | | 21,00 |
| 652.435.22.1 | Geberit non-return valve, NPW, for quick exhaust valve: CW617N, G=1/2" | | | 11,00 |
| 651.822.00.1 | Geberit moulded panel, insulated: EPS, B=69cm, s=10mm | 2021-12-30 | 2022-12-30 | 33,00 |
| 651.810.00.1 | Geberit edge insulation strip: PE-HD, B=15cm, H=25.8cm, L=25m | | | 3,00 |
| 651.824.00.1 | Geberit expansion joint: PE-HD, B=2.4cm, H=9cm, L=2m | | | 16,00 |
| 651.811.00.1 | Geberit adhesive tape: B=5cm, L=66m | | | 12,00 |
| 651.761.00.1 | Geberit pipe staple: PA 6, di=16 / 20mm | | | 1,00 |
| 651.828.00.1 | Geberit pipe bend support: di=16mm | | | 4,00 |
| 651.829.00.1 | Geberit pipe bend support: di=20mm | | | 4,00 |
| 651.812.00.1 | Geberit screed additive: Content=10l | | | 8,00 |
| 652.476.00.1 | Geberit manifold cabinet: 1.0215, B=50cm, H=63cm, T=8-9cm | | | 173,00 |
| 652.477.00.1 | Geberit manifold cabinet: 1.0215, B=70cm, H=63cm, T=8-9cm | | | 217,00 |
| 652.478.00.1 | Geberit manifold cabinet: 1.0215, B=85cm, H=63cm, T=8-9cm | | | 253,00 |
| 652.479.00.1 | Geberit manifold cabinet: 1.0215, B=100cm, H=63cm, T=8-9cm | | | 276,00 |
| 652.480.00.1 | Geberit manifold cabinet: 1.0215, B=120cm, H=63cm, T=8-9cm | | | 311,00 |
| 652.470.00.1 | Geberit manifold cabinet: 1.0215, B=50cm, H=63cm, T=11-15cm | | | 190,00 |
| 652.471.00.1 | Geberit manifold cabinet: 1.0215, B=70cm, H=63cm, T=11-15cm | | | 235,00 |
| 652.472.00.1 | Geberit manifold cabinet: 1.0215, B=85cm, H=63cm, T=11-15cm | | | 259,00 |
| 652.473.00.1 | Geberit manifold cabinet: 1.0215, B=100cm, H=63cm, T=11-15cm | | | 294,00 |
| 652.474.00.1 | Geberit manifold cabinet: 1.0215, B=120cm, H=63cm, T=11-15cm | | | 328,00 |
| 652.520.00.1 | Geberit manifold for underfloor heating: 1.4301, G=1", G1=3/4", G=1", Number of outlets=2 | | | 173,00 |
| 652.521.00.1 | Geberit manifold for underfloor heating: 1.4301, G=1", G1=3/4", G=1", Number of outlets=3 | | | 216,00 |
| 652.522.00.1 | Geberit manifold for underfloor heating: 1.4301, G=1", G1=3/4", G=1", Number of outlets=4 | | | 259,00 |
| 652.523.00.1 | Geberit manifold for underfloor heating: 1.4301, G=1", G1=3/4", G=1", Number of outlets=5 | | | 302,00 |
| 652.524.00.1 | Geberit manifold for underfloor heating: 1.4301, G=1", G1=3/4", G=1", Number of outlets=6 | | | 346,00 |
| 652.525.00.1 | Geberit manifold for underfloor heating: 1.4301, G=1", G1=3/4", G=1", Number of outlets=7 | | | 389,00 |
| 652.526.00.1 | Geberit manifold for underfloor heating: 1.4301, G=1", G1=3/4", G=1", Number of outlets=8 | | | 432,00 |
| 652.527.00.1 | Geberit manifold for underfloor heating: 1.4301, G=1", G1=3/4", G=1", Number of outlets=9 | | | 475,00 |
| 652.528.00.1 | Geberit manifold for underfloor heating: 1.4301, G=1", G1=3/4", G=1", Number of outlets=10 | | | 518,00 |
| 652.529.00.1 | Geberit manifold for underfloor heating: 1.4301, G=1", G1=3/4", G=1", Number of outlets=11 | | | 561,00 |
| 652.530.00.1 | Geberit manifold for underfloor heating: 1.4301, G=1", G1=3/4", G=1", Number of outlets=12 | | | 604,00 |
| 652.418.22.1 | Geberit set of ball valves (2 pc.): CW617N, G=1", PN=10bar | | | 82,00 |
| 652.417.22.1 | Geberit set of angle ball valves (2 pc.): CW617N, G=1", PN=10bar | | | 120,00 |
| 652.420.00.1 | Geberit thermometer for angle ball valve | | | 15,00 |
| 652.432.22.1 | Geberit threaded nipple with union nut: CW617N, G=1" | | | 17,00 |
| 652.419.22.1 | Geberit threaded nipple with union nut and thermometer: CW617N, G=1 1/4" | | | 42,00 |
| 652.430.22.1 | Geberit union with male thread, rotatable: CW617N, G=1" | | | 22,00 |
| 652.431.22.1 | Geberit plug for manifold: CW617N, G=1" | | | 6,00 |
| 652.433.22.1 | Geberit end piece for manifold with emptying valve: CW617N, G=1" | | | 23,00 |
| 652.436.22.1 | Geberit flow divider with Euro cone: CW617N, G=3/4" | | | 19,00 |
| 652.413.22.1 | Geberit temperature regulator unit for manifolds: CW617N, G=1" | | | 1192,00 |
| 652.414.22.1 | Geberit manifold for radiator circuit: CW617N, G=1", G1=3/4", G=1", Number of outlets=2 | | | 108,00 |
| 652.416.22.1 | Geberit manifold unit for radiator circuit, offset: CW617N, G=1", G1=3/4", G=1", Number of outlets=2 | | | 618,00 |
| 652.415.22.1 | Geberit valve unit for bypass: CW617N, G=1" | | | 144,00 |
| 651.420.00.1 | Geberit valve actuator: M=30 x 1.5mm, Nominal voltage / mains frequency=230 V / 50-60 Hz, Power consumption=1W | | | 88,00 |
| 651.423.00.1 | Geberit valve actuator: M=30 x 1.5mm, Nominal voltage / mains frequency=24 V AC/DC, Power consumption=1W | | | 89,00 |
| 651.422.00.1 | Geberit valve actuator with end switch: M=30 x 1.5mm, Nominal voltage / mains frequency=230 V / 50-60 Hz, Power consumption=2W | | | 106,00 |
| 651.424.00.1 | Geberit valve actuator with end switch: M=30 x 1.5mm, Nominal voltage / mains frequency=24 V AC/DC, Power consumption=2W | | | 89,00 |
| 652.401.00.1 | Geberit digital room thermostat: Nominal voltage / mains frequency=3 V DC | | | 86,00 |
| 651.425.00.1 | Geberit room thermostat RCD1: Connection=wired, Power consumption=0.02W | | | 252,00 |
| 651.426.00.1 | Geberit room thermostat RCD1: Connection=wireless, Power consumption=0.02W | | | 317,00 |
| 651.427.00.1 | Geberit room thermostat RCD2: Connection=wired, Power consumption=0.02W | | | 324,00 |
| 651.428.00.1 | Geberit room thermostat RCD2: Connection=wireless, Power consumption=0.02W | | | 414,00 |
| 651.432.00.1 | Geberit main control unit: Nominal voltage / mains frequency=230 V / 50 Hz | | | 522,00 |
| 651.436.00.1 | Geberit wireless connector | | | 216,00 |
| 651.437.00.1 | Geberit outside temperature sensor | | | 40,00 |
| 651.438.00.1 | Geberit pipe temperature sensor | | | 36,00 |
| 651.439.00.1 | Geberit dew point sensor | | | 216,00 |
| 651.440.00.1 | Geberit transformer: Nominal voltage / mains frequency=230 V / 50 Hz, Power consumption=38W | | | 162,00 |
| 652.531.00.1 | Geberit insulation for manifold for underfloor heating: PE-HD, B=6.9cm, H=6.9cm, L=67cm | | | 55,00 |
| 240.747.00.1 | Geberit power supply adapter for washbasin taps type 81-88, 185 and 186 | | | 59,00 |
| 116.016.H.1.5 | Geberit urinal flush control with pneumatic flush actuation, actuator plate type 50: white alpine | | | 358,00 |
| 116.016.DW.5 | Geberit urinal flush control with pneumatic flush actuation, actuator plate type 50: jet black RAL 9005 | | | 358,00 |
| 116.016.SD.5 | Geberit urinal flush control with pneumatic flush actuation, actuator plate type 50: smoked glass reflective | | | 435,00 |
| 116.016.SQ.5 | Geberit urinal flush control with pneumatic flush actuation, actuator plate type 50: umber | 2021-06-01 | 2021-12-31 | 435,00 |
| 116.016.JK.5 | Geberit urinal flush control with pneumatic flush actuation, actuator plate type 50: lava | | | 435,00 |
| 116.016.JL.5 | Geberit urinal flush control with pneumatic flush actuation, actuator plate type 50: sand grey | | | 435,00 |
| 116.016.GH.5 | Geberit urinal flush control with pneumatic flush actuation, actuator plate type 50: chrome-plated, brushed | | | 517,00 |
| 116.016.OG.5 | Geberit urinal flush control with pneumatic flush actuation, actuator plate type 50: customised | | | 376,00 |
| 116.016.OO.1 | Geberit urinal flush control with pneumatic flush actuation, actuator plate type 50: customer specific: customised | | | 354,00 |
| 116.017.KH.1 | Geberit urinal flush control with pneumatic flush actuation, actuator plate type 30: bright chrome-plated, matt chrome-plated | | | 242,00 |
| 116.017.KI.1 | Geberit urinal flush control with pneumatic flush actuation, actuator plate type 30: white, bright chrome-plated | | | 242,00 |
| 116.017.KK.1 | Geberit urinal flush control with pneumatic flush actuation, actuator plate type 30: white, gold-plated | | | 242,00 |
| 116.017.KL.1 | Geberit urinal flush control with pneumatic flush actuation, actuator plate type 30: white, matt chrome-plated | | | 242,00 |
| 116.017.KM.1 | Geberit urinal flush control with pneumatic flush actuation, actuator plate type 30: black, bright chrome-plated | | | 242,00 |
| 116.017.KN.1 | Geberit urinal flush control with pneumatic flush actuation, actuator plate type 30: matt chrome-plated, bright chrome-plated | | | 242,00 |
| 116.015.KH.1 | Geberit urinal flush control with pneumatic flush actuation, actuator plate type 10: bright chrome-plated, matt chrome-plated | | | 241,00 |

| | | | | | |
|--------------|--|------------|--|------------|---------|
| 116.015.KJ.1 | Geberit urinal flush control with pneumatic flush actuation, actuator plate type 10: white, bright chrome-plated | | | | 241,00 |
| 116.015.KK.1 | Geberit urinal flush control with pneumatic flush actuation, actuator plate type 10: white, gold-plated | | | | 241,00 |
| 116.015.KL.1 | Geberit urinal flush control with pneumatic flush actuation, actuator plate type 10: white, matt chrome-plated | | | | 241,00 |
| 116.015.KM.1 | Geberit urinal flush control with pneumatic flush actuation, actuator plate type 10: black, bright chrome-plated | | | | 241,00 |
| 116.015.KN.1 | Geberit urinal flush control with pneumatic flush actuation, actuator plate type 10: matt chrome-plated, bright chrome-plated | | | | 241,00 |
| 116.015.SN.1 | Geberit urinal flush control with pneumatic flush actuation, actuator plate type 10: brushed, polished | | | | 255,00 |
| 116.011.11.5 | Geberit urinal flush control with pneumatic flush actuation, actuator plate type 01: white alpine | | | | 190,00 |
| 116.011.21.5 | Geberit urinal flush control with pneumatic flush actuation, actuator plate type 01: bright chrome-plated | | | | 190,00 |
| 116.011.46.5 | Geberit urinal flush control with pneumatic flush actuation, actuator plate type 01: matt chrome-plated | | | | 190,00 |
| 116.013.FW.1 | Geberit urinal flush control with pneumatic flush actuation, actuator plate Mambo: brushed | | | | 241,00 |
| 115.558.00.1 | Geberit urinal flush control with pneumatic flush actuation, actuator plate Highline: brushed | | | | 288,00 |
| 115.820.11.5 | Geberit urinal flush control with pneumatic flush actuation, actuator plate made of plastic, Basic: white alpine | | | | 192,00 |
| 115.820.46.5 | Geberit urinal flush control with pneumatic flush actuation, actuator plate made of plastic, Basic: matt chrome-plated | | | | 192,00 |
| 115.805.46.1 | Geberit urinal flush control with electronic flush actuation, battery operation, rear water supply connection: matt chrome-plated | | | | 689,00 |
| 115.806.46.1 | Geberit urinal flush control with electronic flush actuation, battery operation, top water supply connection: matt chrome-plated | | | | 715,00 |
| 116.026.GH.1 | Geberit urinal flush control with electronic flush actuation, mains operation, cover plate type 50: chrome-plated, brushed | | | | 920,00 |
| 116.026.QB.1 | Geberit urinal flush control with electronic flush actuation, mains operation, cover plate type 50: red gold / brushed, easy-to-clean coated | | | | 1174,00 |
| 116.026.QD.1 | Geberit urinal flush control with electronic flush actuation, mains operation, cover plate type 50: black chrome / brushed, easy-to-clean coated | | | | 1174,00 |
| 116.026.QF.1 | Geberit urinal flush control with electronic flush actuation, mains operation, cover plate type 50: brass / brushed, easy-to-clean coated | | | | 1174,00 |
| 116.027.KH.1 | Geberit urinal flush control with electronic flush actuation, mains operation, cover plate type 30: bright chrome-plated | | | | 792,00 |
| 116.027.KJ.1 | Geberit urinal flush control with electronic flush actuation, mains operation, cover plate type 30: white alpine | | | | 792,00 |
| 116.027.KM.1 | Geberit urinal flush control with electronic flush actuation, mains operation, cover plate type 30: jet black RAL 9005 | | | | 792,00 |
| 116.027.KN.1 | Geberit urinal flush control with electronic flush actuation, mains operation, cover plate type 30: matt chrome-plated | | | | 792,00 |
| 116.027.KX.1 | Geberit urinal flush control with electronic flush actuation, mains operation, cover plate type 30: chrome-plated, brushed | | | | 792,00 |
| 116.025.KH.1 | Geberit urinal flush control with electronic flush actuation, mains operation, cover plate type 10: bright chrome-plated, matt chrome-plated | | | | 778,00 |
| 116.025.KJ.1 | Geberit urinal flush control with electronic flush actuation, mains operation, cover plate type 10: white, bright chrome-plated | | | | 778,00 |
| 116.025.KK.1 | Geberit urinal flush control with electronic flush actuation, mains operation, cover plate type 10: white, gold-plated | | | | 778,00 |
| 116.025.KL.1 | Geberit urinal flush control with electronic flush actuation, mains operation, cover plate type 10: white, matt chrome-plated | | | | 778,00 |
| 116.025.KM.1 | Geberit urinal flush control with electronic flush actuation, mains operation, cover plate type 10: black, bright chrome-plated | | | | 778,00 |
| 116.025.KN.1 | Geberit urinal flush control with electronic flush actuation, mains operation, cover plate type 10: matt chrome-plated, bright chrome-plated | | | | 778,00 |
| 116.025.SN.1 | Geberit urinal flush control with electronic flush actuation, mains operation, cover plate type 10: brushed, polished | | | | 770,00 |
| 116.021.11.5 | Geberit urinal flush control with electronic flush actuation, mains operation, cover plate type 01: white alpine | | | | 690,00 |
| 116.021.21.5 | Geberit urinal flush control with electronic flush actuation, mains operation, cover plate type 01: bright chrome-plated | | | | 690,00 |
| 116.021.46.5 | Geberit urinal flush control with electronic flush actuation, mains operation, cover plate type 01: matt chrome-plated | | | | 690,00 |
| 116.023.FW.1 | Geberit urinal flush control with electronic flush actuation, mains operation, cover plate Mambo: brushed | | | | 760,00 |
| 115.848.00.1 | Geberit replacement set for urinal flush control, mains operation | | | | 448,00 |
| 115.802.46.5 | Geberit urinal flush control with electronic flush actuation, mains operation, actuator plate made of die-cast zinc, Basic: matt chrome-plated | | | | 515,00 |
| 115.817.11.5 | Geberit urinal flush control with electronic flush actuation, mains operation, actuator plate made of plastic, Basic: white alpine | | | | 511,00 |
| 115.817.46.5 | Geberit urinal flush control with electronic flush actuation, mains operation, actuator plate made of plastic, Basic: matt chrome-plated | | | | 511,00 |
| 111.695.11.5 | Geberit Duofix element for urinal, 112–130 cm, universal, with urinal flush control Basic | | | | 718,00 |
| 111.695.46.5 | Geberit Duofix element for urinal, 112–130 cm, universal, with urinal flush control Basic | | | | 718,00 |
| 116.036.GH.1 | Geberit urinal flush control with electronic flush actuation, battery operation, cover plate type 50: chrome-plated, brushed | | | | 920,00 |
| 116.036.QB.1 | Geberit urinal flush control with electronic flush actuation, battery operation, cover plate type 50: red gold / brushed, easy-to-clean coated | | | | 1174,00 |
| 116.036.QD.1 | Geberit urinal flush control with electronic flush actuation, battery operation, cover plate type 50: black chrome / brushed, easy-to-clean coated | | | | 1174,00 |
| 116.036.QF.1 | Geberit urinal flush control with electronic flush actuation, battery operation, cover plate type 50: brass / brushed, easy-to-clean coated | | | | 1174,00 |
| 116.037.KH.1 | Geberit urinal flush control with electronic flush actuation, battery operation, cover plate type 30: bright chrome-plated | | | | 792,00 |
| 116.037.KJ.1 | Geberit urinal flush control with electronic flush actuation, battery operation, cover plate type 30: white alpine | | | | 792,00 |
| 116.037.KM.1 | Geberit urinal flush control with electronic flush actuation, battery operation, cover plate type 30: jet black RAL 9005 | | | | 792,00 |
| 116.037.KN.1 | Geberit urinal flush control with electronic flush actuation, battery operation, cover plate type 30: matt chrome-plated | | | | 792,00 |
| 116.037.KX.1 | Geberit urinal flush control with electronic flush actuation, battery operation, cover plate type 30: chrome-plated, brushed | | | | 792,00 |
| 116.035.KH.1 | Geberit urinal flush control with electronic flush actuation, battery operation, cover plate type 10: bright chrome-plated, matt chrome-plated | | | | 778,00 |
| 116.035.KJ.1 | Geberit urinal flush control with electronic flush actuation, battery operation, cover plate type 10: white, bright chrome-plated | | | | 778,00 |
| 116.035.KK.1 | Geberit urinal flush control with electronic flush actuation, battery operation, cover plate type 10: white, gold-plated | | | | 778,00 |
| 116.035.KL.1 | Geberit urinal flush control with electronic flush actuation, battery operation, cover plate type 10: white, matt chrome-plated | | | | 778,00 |
| 116.035.KM.1 | Geberit urinal flush control with electronic flush actuation, battery operation, cover plate type 10: black, bright chrome-plated | | | | 778,00 |
| 116.035.KN.1 | Geberit urinal flush control with electronic flush actuation, battery operation, cover plate type 10: matt chrome-plated, bright chrome-plated | | | | 778,00 |
| 116.035.SN.1 | Geberit urinal flush control with electronic flush actuation, battery operation, cover plate type 10: brushed, polished | | | | 778,00 |
| 116.031.11.5 | Geberit urinal flush control with electronic flush actuation, battery operation, cover plate type 01: white alpine | | | | 690,00 |
| 116.031.21.5 | Geberit urinal flush control with electronic flush actuation, battery operation, cover plate type 01: bright chrome-plated | | | | 690,00 |
| 116.031.46.5 | Geberit urinal flush control with electronic flush actuation, battery operation, cover plate type 01: matt chrome-plated | | | | 690,00 |
| 116.033.FW.1 | Geberit urinal flush control with electronic flush actuation, battery operation, cover plate Mambo: brushed | | | | 760,00 |
| 115.849.00.1 | Geberit replacement set for urinal flush control, battery operation | | | | 452,00 |
| 115.804.46.5 | Geberit urinal flush control with electronic flush actuation, battery operation, actuator plate made of die-cast zinc, Basic: matt chrome-plated | | | | 515,00 |
| 115.818.11.5 | Geberit urinal flush control with electronic flush actuation, battery operation, actuator plate made of plastic, Basic: white alpine | | | | 456,00 |
| 115.818.46.5 | Geberit urinal flush control with electronic flush actuation, battery operation, actuator plate made of plastic, Basic: matt chrome-plated | | | | 456,00 |
| 116.010.00.1 | Geberit urinal flush control with electronic flush actuation, mains operation, hidden, universal | 2022-04-01 | | 2022-06-01 | 904,00 |
| 116.076.00.1 | Geberit urinal flush control with electronic flush actuation, mains operation, exposed, hidden | | | | 701,00 |
| 116.077.00.1 | Geberit urinal flush control with electronic flush actuation, battery operation, surface-mounted, hidden | | | | 701,00 |
| 599552000 | Geberit urinal flush control type 500-1, battery operation | | | | 975,00 |
| 577565000 | Geberit solenoid valve for urinal flush control with time-controlled flush actuation | | | | 638,00 |
| 577555000 | Geberit wall mounting set for solenoid valve for urinal flush control with time-controlled flush actuation | | | | 245,00 |
| 116.001.00.1 | Geberit installation set for urinal flush control, universal | | | | 99,00 |
| 116.004.00.1 | Geberit installation set with nipple made of brass, for urinal flush control, universal | | | | 124,00 |
| 115.801.00.5 | Geberit installation set for urinal flush control Basic | | | | 94,00 |
| 116.005.00.1 | Geberit installation set for urinals Preda, Selva and Tamina, for urinal flush control | | | | 137,00 |
| 115.114.FW.1 | Geberit WC flush control with pneumatic flush actuation, single flush, with locked nuts, concealed actuator: brushed | | | | 160,00 |
| 115.947.00.1 | Geberit WC flush control with pneumatic flush actuation, single flush, with locked nuts, for furniture | | | | 208,00 |
| 115.947.21.1 | Geberit WC flush control with pneumatic flush actuation, single flush, with locked nuts, for furniture: bright chrome-plated, Material designation=Stainless steel | | | | 208,00 |
| 115.939.00.1 | Geberit WC flush control with pneumatic flush actuation, single flush, floor-mounted actuator | | | | 123,00 |
| 115.943.21.1 | Geberit WC flush control with pneumatic flush actuation, single flush, with locked nuts, for institutions: bright chrome-plated | | | | 138,00 |
| 115.918.00.1 | Geberit WC flush control with pneumatic flush actuation, single flush, wall-mounted foot actuator | | | | 123,00 |
| 116.042.11.1 | Geberit remote flush actuation type 01, pneumatic, for dual flush, concealed actuator: white alpine | | | | 145,00 |
| 116.042.21.1 | Geberit remote flush actuation type 01, pneumatic, for dual flush, concealed actuator: bright chrome-plated | | | | 167,00 |
| 116.042.46.1 | Geberit remote flush actuation type 01, pneumatic, for dual flush, concealed actuator: matt chrome-plated | | | | 167,00 |
| 116.044.11.1 | Geberit remote flush actuation type 01, pneumatic, for dual flush, concealed actuator, protruding: white alpine | | | | 145,00 |
| 116.048.11.1 | Geberit remote flush actuation type 01, pneumatic, for dual flush, exposed actuator: white alpine | | | | 156,00 |
| 116.050.11.1 | Geberit remote flush actuation type 01, pneumatic, for dual flush, furniture actuator: white alpine | | | | 145,00 |
| 116.050.21.1 | Geberit remote flush actuation type 01, pneumatic, for dual flush, furniture actuator: bright chrome-plated | | | | 179,00 |
| 116.050.46.1 | Geberit remote flush actuation type 01, pneumatic, for dual flush, furniture actuator: matt chrome-plated | | | | 179,00 |
| 116.055.KH.1 | Geberit remote flush actuation type 10, pneumatic, for dual flush, concealed actuator: bright chrome-plated, matt chrome-plated | | | | 192,00 |
| 116.055.KJ.1 | Geberit remote flush actuation type 10, pneumatic, for dual flush, concealed actuator: white, bright chrome-plated | | | | 192,00 |
| 116.055.KK.1 | Geberit remote flush actuation type 10, pneumatic, for dual flush, concealed actuator: white, gold-plated | | | | 253,00 |
| 116.055.KM.1 | Geberit remote flush actuation type 10, pneumatic, for dual flush, concealed actuator: black, bright chrome-plated | | | | 192,00 |
| 116.055.KN.1 | Geberit remote flush actuation type 10, pneumatic, for dual flush, concealed actuator: matt chrome-plated, bright chrome-plated | | | | 192,00 |
| 116.057.KH.1 | Geberit remote flush actuation type 10, pneumatic, for dual flush, furniture actuator: bright chrome-plated, matt chrome-plated | | | | 192,00 |
| 116.057.KJ.1 | Geberit remote flush actuation type 10, pneumatic, for dual flush, furniture actuator: white, bright chrome-plated | | | | 192,00 |
| 116.057.KK.1 | Geberit remote flush actuation type 10, pneumatic, for dual flush, furniture actuator: white, gold-plated | | | | 253,00 |
| 116.057.KM.1 | Geberit remote flush actuation type 10, pneumatic, for dual flush, furniture actuator: black, bright chrome-plated | | | | 192,00 |
| 116.057.KN.1 | Geberit remote flush actuation type 10, pneumatic, for dual flush, furniture actuator: matt chrome-plated, bright chrome-plated | | | | 192,00 |
| 116.051.GH.1 | Geberit remote flush actuation, square design, pneumatic, for dual flush, concealed actuator: chrome-plated, brushed, easy-to-clean coated | | | | 245,00 |
| 116.051.KA.1 | Geberit remote flush actuation, square design, pneumatic, for dual flush, concealed actuator: bright chrome-plated, matt chrome-plated | | | | 124,00 |
| 116.051.KT.1 | Geberit remote flush actuation, square design, pneumatic, for dual flush, concealed actuator: white, chrome-plated, brushed | | | | 124,00 |
| 116.051.KV.1 | Geberit remote flush actuation, square design, pneumatic, for dual flush, concealed actuator: black, chrome-plated | | | | 124,00 |
| 116.052.21.1 | Geberit remote flush actuation, square design, pneumatic, for dual flush, concealed actuator, protruding: bright chrome-plated | | | | 139,00 |
| 116.040.11.1 | Geberit remote flush actuation type 01, pneumatic, for single flush, concealed actuator: white alpine | | | | 134,00 |
| 116.040.21.1 | Geberit remote flush actuation type 01, pneumatic, for single flush, concealed actuator: bright chrome-plated | | | | 156,00 |
| 116.040.46.1 | Geberit remote flush actuation type 01, pneumatic, for single flush, concealed actuator: matt chrome-plated | | | | 156,00 |
| 116.046.11.1 | Geberit remote flush actuation type 01, pneumatic, for single flush, exposed actuator: white alpine | | | | 145,00 |
| 116.043.11.1 | Geberit remote flush actuation type 01, pneumatic, for dual flush, for Sigma concealed cistern 8 cm, concealed actuator: white alpine | | | | 145,00 |
| 116.043.21.1 | Geberit remote flush actuation type 01, pneumatic, for dual flush, for Sigma concealed cistern 8 cm, concealed actuator: bright chrome-plated | | | | 167,00 |
| 116.043.46.1 | Geberit remote flush actuation type 01, pneumatic, for dual flush, for Sigma concealed cistern 8 cm, concealed actuator: matt chrome-plated | | | | 167,00 |
| 116.045.11.1 | Geberit remote flush actuation type 01, pneumatic, for dual flush, for Sigma concealed cistern 8 cm, concealed actuator, protruding: white alpine | | | | 145,00 |
| 116.049.11.1 | Geberit remote flush actuation type 01, pneumatic, for dual flush, for Sigma concealed cistern 8 cm, exposed actuator: white alpine | | | | 156,00 |

| | | | | |
|--------------|---|--|--|---------|
| 116.056.KH.1 | Geberit remote flush actuation type 10, pneumatic, for dual flush, for Sigma concealed cistern 8 cm, concealed actuator: bright chrome-plated, matt chrome-plated | | | 192,00 |
| 116.056.KJ.1 | Geberit remote flush actuation type 10, pneumatic, for dual flush, for Sigma concealed cistern 8 cm, concealed actuator: white, bright chrome-plated | | | 192,00 |
| 116.056.KK.1 | Geberit remote flush actuation type 10, pneumatic, for dual flush, for Sigma concealed cistern 8 cm, concealed actuator: white, gold-plated | | | 253,00 |
| 116.056.KM.1 | Geberit remote flush actuation type 10, pneumatic, for dual flush, for Sigma concealed cistern 8 cm, concealed actuator: black, bright chrome-plated | | | 192,00 |
| 116.056.KN.1 | Geberit remote flush actuation type 10, pneumatic, for dual flush, for Sigma concealed cistern 8 cm, concealed actuator: matt chrome-plated, bright chrome-plated | | | 192,00 |
| 115.862.00.1 | Geberit WC flush control with electronic flush actuation, mains operation, dual flush, for external push-button | | | 446,00 |
| 115.857.00.1 | Geberit WC flush control with electronic flush actuation, mains operation, single flush, IR button | | | 749,00 |
| 115.857.21.1 | Geberit WC flush control with electronic flush actuation, mains operation, single flush, IR button: bright chrome-plated | | | 839,00 |
| 115.897.00.1 | Geberit WC flush control with electronic flush actuation, mains operation, dual flush, for RF-controlled button | | | 594,00 |
| 115.898.00.1 | Geberit WC flush control with electronic flush actuation, battery operation, dual flush, for RF-controlled button | | | 594,00 |
| 115.720.21.1 | Geberit self-closing tap type 26: bright chrome-plated, Mixer=without mixer | | | 337,00 |
| 115.721.21.1 | Geberit self-closing tap type 26: bright chrome-plated, Mixer=with mixer | | | 416,00 |
| 116.161.21.1 | Geberit washbasin tap Piave, deck-mounted, mains operation, with exposed function box: bright chrome-plated, Mixer=without mixer | | | 715,00 |
| 116.162.21.1 | Geberit washbasin tap Piave, deck-mounted, mains operation, with exposed function box: bright chrome-plated, Mixer=with mixer | | | 749,00 |
| 116.167.21.1 | Geberit washbasin tap Piave, deck-mounted, mains operation, with exposed function box: bright chrome-plated, Mixer=with thermostatic mixer | | | 351,00 |
| 116.181.21.1 | Geberit washbasin tap Piave, deck-mounted, mains operation, for concealed function box: bright chrome-plated, Mixer=without mixer | | | 544,00 |
| 116.182.21.1 | Geberit washbasin tap Piave, deck-mounted, mains operation, for concealed function box: bright chrome-plated, Mixer=with mixer | | | 561,00 |
| 116.187.21.1 | Geberit washbasin tap Piave, deck-mounted, mains operation, for concealed function box: bright chrome-plated, Mixer=with thermostatic mixer | | | 618,00 |
| 116.171.21.1 | Geberit washbasin tap Brenta, deck-mounted, mains operation, with exposed function box: bright chrome-plated, Mixer=without mixer | | | 715,00 |
| 116.172.21.1 | Geberit washbasin tap Brenta, deck-mounted, mains operation, with exposed function box: bright chrome-plated, Mixer=with mixer | | | 749,00 |
| 116.177.21.1 | Geberit washbasin tap Brenta, deck-mounted, mains operation, with exposed function box: bright chrome-plated, Mixer=with thermostatic mixer | | | 789,00 |
| 116.191.21.1 | Geberit washbasin tap Brenta, deck-mounted, mains operation, for concealed function box: bright chrome-plated, Mixer=without mixer | | | 544,00 |
| 116.192.21.1 | Geberit washbasin tap Brenta, deck-mounted, mains operation, for concealed function box: bright chrome-plated, Mixer=with mixer | | | 561,00 |
| 116.197.21.1 | Geberit washbasin tap Brenta, deck-mounted, mains operation, for concealed function box: bright chrome-plated, Mixer=with thermostatic mixer | | | 618,00 |
| 116.155.21.1 | Geberit washbasin tap type 185, mains operation: bright chrome-plated, Mixer=with mixer and handle | | | 836,00 |
| 116.135.21.1 | Geberit washbasin tap type 185, mains operation: bright chrome-plated, Mixer=without mixer | | | 711,00 |
| 116.145.21.1 | Geberit washbasin tap type 185, mains operation: bright chrome-plated, Mixer=with mixer | | | 774,00 |
| 116.136.21.1 | Geberit washbasin tap type 186, mains operation: bright chrome-plated, Mixer=without mixer | | | 815,00 |
| 116.146.21.1 | Geberit washbasin tap type 186, mains operation: bright chrome-plated, Mixer=with mixer | | | 878,00 |
| 116.156.21.1 | Geberit washbasin tap type 186, mains operation: bright chrome-plated, Mixer=with mixer and handle | | | 941,00 |
| 116.163.21.1 | Geberit washbasin tap Piave, deck-mounted, battery operation, with exposed function box: bright chrome-plated, Mixer=without mixer | | | 715,00 |
| 116.164.21.1 | Geberit washbasin tap Piave, deck-mounted, battery operation, with exposed function box: bright chrome-plated, Mixer=with mixer | | | 749,00 |
| 116.168.21.1 | Geberit washbasin tap Piave, deck-mounted, battery operation, with exposed function box: bright chrome-plated, Mixer=with thermostatic mixer | | | 789,00 |
| 116.183.21.1 | Geberit washbasin tap Piave, deck-mounted, battery operation, for concealed function box: bright chrome-plated, Mixer=without mixer | | | 544,00 |
| 116.184.21.1 | Geberit washbasin tap Piave, deck-mounted, battery operation, for concealed function box: bright chrome-plated, Mixer=with mixer | | | 561,00 |
| 116.188.21.1 | Geberit washbasin tap Piave, deck-mounted, battery operation, for concealed function box: bright chrome-plated, Mixer=with thermostatic mixer | | | 618,00 |
| 116.173.21.1 | Geberit washbasin tap Brenta, deck-mounted, battery operation, with exposed function box: bright chrome-plated, Mixer=without mixer | | | 715,00 |
| 116.174.21.1 | Geberit washbasin tap Brenta, deck-mounted, battery operation, with exposed function box: bright chrome-plated, Mixer=with mixer | | | 749,00 |
| 116.178.21.1 | Geberit washbasin tap Brenta, deck-mounted, battery operation, with exposed function box: bright chrome-plated, Mixer=with thermostatic mixer | | | 789,00 |
| 116.193.21.1 | Geberit washbasin tap Brenta, deck-mounted, battery operation, for concealed function box: bright chrome-plated, Mixer=without mixer | | | 544,00 |
| 116.194.21.1 | Geberit washbasin tap Brenta, deck-mounted, battery operation, for concealed function box: bright chrome-plated, Mixer=with mixer | | | 561,00 |
| 116.198.21.1 | Geberit washbasin tap Brenta, deck-mounted, battery operation, for concealed function box: bright chrome-plated, Mixer=with thermostatic mixer | | | 618,00 |
| 116.235.21.1 | Geberit washbasin tap type 185, battery operation: bright chrome-plated, Mixer=without mixer | | | 649,00 |
| 116.245.21.1 | Geberit washbasin tap type 185, battery operation: bright chrome-plated, Mixer=with mixer | | | 711,00 |
| 116.255.21.1 | Geberit washbasin tap type 185, battery operation: bright chrome-plated, Mixer=with mixer and handle | | | 753,00 |
| 116.236.21.1 | Geberit washbasin tap type 186, battery operation: bright chrome-plated, Mixer=without mixer | | | 753,00 |
| 116.246.21.1 | Geberit washbasin tap type 186, battery operation: bright chrome-plated, Mixer=with mixer | | | 815,00 |
| 116.256.21.1 | Geberit washbasin tap type 186, battery operation: bright chrome-plated, Mixer=with mixer and handle | | | 857,00 |
| 116.165.21.1 | Geberit washbasin tap Piave, deck-mounted, generator operation, with exposed function box: bright chrome-plated, Mixer=without mixer | | | 1056,00 |
| 116.166.21.1 | Geberit washbasin tap Piave, deck-mounted, generator operation, with exposed function box: bright chrome-plated, Mixer=with mixer | | | 1090,00 |
| 116.185.21.1 | Geberit washbasin tap Piave, deck-mounted, generator operation, for concealed function box: bright chrome-plated, Mixer=without mixer | | | 884,00 |
| 116.186.21.1 | Geberit washbasin tap Piave, deck-mounted, generator operation, for concealed function box: bright chrome-plated, Mixer=with mixer | | | 901,00 |
| 116.175.21.1 | Geberit washbasin tap Piave, deck-mounted, generator operation, with exposed function box: bright chrome-plated, Mixer=without mixer | | | 1056,00 |
| 116.176.21.1 | Geberit washbasin tap Piave, deck-mounted, generator operation, with exposed function box: bright chrome-plated, Mixer=with mixer | | | 1090,00 |
| 116.195.21.1 | Geberit washbasin tap Brenta, deck-mounted, generator operation, for concealed function box: bright chrome-plated, Mixer=without mixer | | | 884,00 |
| 116.196.21.1 | Geberit washbasin tap Brenta, deck-mounted, generator operation, for concealed function box: bright chrome-plated, Mixer=with mixer | | | 901,00 |
| 116.335.21.1 | Geberit washbasin tap type 185, generator operation: bright chrome-plated, Mixer=without mixer | | | 898,00 |
| 116.365.21.1 | Geberit washbasin tap type 185, generator operation: bright chrome-plated, Mixer=with below-desk mixer | | | 978,00 |
| 116.336.21.1 | Geberit washbasin tap type 186, generator operation: bright chrome-plated, Mixer=without mixer | | | 1032,00 |
| 116.366.21.1 | Geberit washbasin tap type 186, generator operation: bright chrome-plated, Mixer=with below-desk mixer | | | 1109,00 |
| 116.261.21.1 | Geberit washbasin tap Piave, wall-mounted, mains operation, for concealed function box: bright chrome-plated, L=17cm, Mixer=without mixer | | | 612,00 |
| 116.262.21.1 | Geberit washbasin tap Piave, wall-mounted, mains operation, for concealed function box: bright chrome-plated, L=17cm, Mixer=with mixer | | | 629,00 |
| 116.267.21.1 | Geberit washbasin tap Piave, wall-mounted, mains operation, for concealed function box: bright chrome-plated, L=17cm, Mixer=with thermostatic mixer | | | 680,00 |
| 116.281.21.1 | Geberit washbasin tap Piave, wall-mounted, mains operation, for concealed function box: bright chrome-plated, L=22cm, Mixer=without mixer | | | 646,00 |
| 116.282.21.1 | Geberit washbasin tap Piave, wall-mounted, mains operation, for concealed function box: bright chrome-plated, L=22cm, Mixer=with mixer | | | 663,00 |
| 116.287.21.1 | Geberit washbasin tap Piave, wall-mounted, mains operation, for concealed function box: bright chrome-plated, L=22cm, Mixer=with thermostatic mixer | | | 711,00 |
| 116.271.21.1 | Geberit washbasin tap Brenta, wall-mounted, mains operation, for concealed function box: bright chrome-plated, L=17cm, Mixer=without mixer | | | 612,00 |
| 116.272.21.1 | Geberit washbasin tap Brenta, wall-mounted, mains operation, for concealed function box: bright chrome-plated, L=17cm, Mixer=with mixer | | | 629,00 |
| 116.277.21.1 | Geberit washbasin tap Brenta, wall-mounted, mains operation, for concealed function box: bright chrome-plated, L=17cm, Mixer=with thermostatic mixer | | | 680,00 |
| 116.291.21.1 | Geberit washbasin tap Brenta, wall-mounted, mains operation, for concealed function box: bright chrome-plated, L=22cm, Mixer=without mixer | | | 646,00 |
| 116.292.21.1 | Geberit washbasin tap Brenta, wall-mounted, mains operation, for concealed function box: bright chrome-plated, L=22cm, Mixer=with mixer | | | 663,00 |
| 116.297.21.1 | Geberit washbasin tap Brenta, wall-mounted, mains operation, for concealed function box: bright chrome-plated, L=22cm, Mixer=with thermostatic mixer | | | 711,00 |
| 116.263.21.1 | Geberit washbasin tap Piave, wall-mounted, battery operation, for concealed function box: bright chrome-plated, L=17cm, Mixer=without mixer | | | 612,00 |
| 116.264.21.1 | Geberit washbasin tap Piave, wall-mounted, battery operation, for concealed function box: bright chrome-plated, L=17cm, Mixer=with mixer | | | 629,00 |
| 116.268.21.1 | Geberit washbasin tap Piave, wall-mounted, battery operation, for concealed function box: bright chrome-plated, L=17cm, Mixer=with thermostatic mixer | | | 680,00 |
| 116.283.21.1 | Geberit washbasin tap Piave, wall-mounted, battery operation, for concealed function box: bright chrome-plated, L=22cm, Mixer=without mixer | | | 646,00 |
| 116.284.21.1 | Geberit washbasin tap Piave, wall-mounted, battery operation, for concealed function box: bright chrome-plated, L=22cm, Mixer=with mixer | | | 663,00 |
| 116.288.21.1 | Geberit washbasin tap Piave, wall-mounted, battery operation, for concealed function box: bright chrome-plated, L=22cm, Mixer=with thermostatic mixer | | | 711,00 |
| 116.273.21.1 | Geberit washbasin tap Brenta, wall-mounted, battery operation, for concealed function box: bright chrome-plated, L=17cm, Mixer=without mixer | | | 612,00 |
| 116.274.21.1 | Geberit washbasin tap Brenta, wall-mounted, battery operation, for concealed function box: bright chrome-plated, L=17cm, Mixer=with mixer | | | 629,00 |
| 116.278.21.1 | Geberit washbasin tap Brenta, wall-mounted, battery operation, for concealed function box: bright chrome-plated, L=17cm, Mixer=with thermostatic mixer | | | 680,00 |
| 116.293.21.1 | Geberit washbasin tap Brenta, wall-mounted, battery operation, for concealed function box: bright chrome-plated, L=22cm, Mixer=without mixer | | | 646,00 |
| 116.294.21.1 | Geberit washbasin tap Brenta, wall-mounted, battery operation, for concealed function box: bright chrome-plated, L=22cm, Mixer=with mixer | | | 663,00 |
| 116.298.21.1 | Geberit washbasin tap Brenta, wall-mounted, battery operation, for concealed function box: bright chrome-plated, L=22cm, Mixer=with thermostatic mixer | | | 711,00 |
| 116.265.21.1 | Geberit washbasin tap Piave, wall-mounted, generator operation, for concealed function box: bright chrome-plated, L=17cm, Mixer=without mixer | | | 952,00 |
| 116.266.21.1 | Geberit washbasin tap Piave, wall-mounted, generator operation, for concealed function box: bright chrome-plated, L=17cm, Mixer=with mixer | | | 969,00 |
| 116.285.21.1 | Geberit washbasin tap Piave, wall-mounted, generator operation, for concealed function box: bright chrome-plated, L=22cm, Mixer=without mixer | | | 986,00 |
| 116.286.21.1 | Geberit washbasin tap Piave, wall-mounted, generator operation, for concealed function box: bright chrome-plated, L=22cm, Mixer=with mixer | | | 1003,00 |
| 116.275.21.1 | Geberit washbasin tap Brenta, wall-mounted, generator operation, for concealed function box: bright chrome-plated, L=17cm, Mixer=without mixer | | | 952,00 |
| 116.276.21.1 | Geberit washbasin tap Brenta, wall-mounted, generator operation, for concealed function box: bright chrome-plated, L=17cm, Mixer=with mixer | | | 969,00 |
| 116.295.21.1 | Geberit washbasin tap Brenta, wall-mounted, generator operation, for concealed function box: bright chrome-plated, L=22cm, Mixer=without mixer | | | 986,00 |
| 116.296.21.1 | Geberit washbasin tap Brenta, wall-mounted, generator operation, for concealed function box: bright chrome-plated, L=22cm, Mixer=with mixer | | | 1003,00 |
| 116.130.00.1 | Geberit installation set for electronic washbasin taps, deck-mounted, with concealed function box | | | 205,00 |
| 115.831.00.1 | Geberit Clean Handy | | | 80,00 |
| 115.860.00.1 | Geberit Service Handy | | | 223,00 |
| 116.069.FW.1 | Geberit cover plate made of stainless steel, for urinal flush control: brushed | | | 117,00 |
| 243.275.00.1 | Geberit urinal flush control for urinals Preda, Selva and Tamina, mains operation | | | 904,00 |
| 243.276.00.1 | Geberit urinal flush control for urinals Preda, Selva and Tamina, battery operation | | | 904,00 |
| 243.277.00.1 | Geberit urinal flush control for urinals Preda, Selva and Tamina, self-sustaining power supply | | | 1282,00 |
| 116.066.00.1 | Geberit hybrid trap for urinals | | | 26,00 |
| 243.312.00.1 | Geberit urinal trap with suction function, replaceable from the top | | | 40,00 |
| 116.058.00.1 | Geberit trap adapter for urinals Preda, Selva and Tamina | | | 26,00 |
| 116.065.00.1 | Geberit suction nozzle for trap adapter | | | 20,00 |
| 116.060.00.1 | Geberit trap adapter d103, for urinals | | | 49,00 |
| 116.062.00.1 | Geberit trap adapter d125, for urinals | | | 55,00 |
| 243.699.00.1 | Geberit trap adapter for Cero urinal, waterless | | | 87,00 |
| 116.059.00.1 | Geberit drain strainer for urinals Preda, Selva and Tamina: white | | | 26,00 |
| 116.067.00.1 | Geberit drain strainer for trap adapter d103-125: white | | | 26,00 |
| 119.688.21.1 | Geberit flush pipe for urinals: d=19mm, G=1", bright chrome-plated | | | 164,00 |
| 243.579.00.1 | Geberit flow regulator 9 l/min, for urinal flush controls | | | 11,00 |
| 115.861.00.1 | Geberit installation set for WC flush controls with electronic flush actuation | | | 122,00 |
| 241.155.00.1 | Geberit installation set for WC flush control with mechanical flush actuation, push-button | | | 45,00 |
| 241.154.00.1 | Geberit installation set for WC flush control with electronic flush actuation, for pull-down rail | | | 40,00 |

| | | | | | |
|--------------|---|--|--|--|---------|
| 241.568.00.1 | Geberit RF-controlled button for electronic flush actuation | | | | 295,00 |
| 241.692.00.1 | Geberit concealed power supply unit for washbasin tap type 60 | | | | 166,00 |
| 116.452.00.1 | Geberit battery charger | | | | 402,00 |
| 116.451.00.1 | Geberit wall mounting set for generator unit | | | | 88,00 |
| 116.450.00.1 | Geberit conversion set for electrical generator, for washbasin taps | | | | 335,00 |
| 241.631.00.1 | Geberit installation set with concealed power supply unit, for washbasin taps types 8x and 18x | | | | 112,00 |
| 116.425.11.1 | Geberit cover plate for washbasin taps with concealed function box: white alpine | | | | 53,00 |
| 116.426.11.1 | Geberit cover plate for washbasin taps with concealed function box and concealed trap: white alpine | | | | 97,00 |
| 241.925.SN.1 | Geberit cover plate type 10: brushed, polished | | | | 156,00 |
| 119.707.00.1 | Geberit adapter | | | | 31,00 |
| 240.966.11.1 | Geberit cover plate made of plastic: white alpine | | | | 62,00 |
| 240.966.46.1 | Geberit cover plate made of plastic: matt chrome-plated | | | | 80,00 |
| 240.560.21.1 | Geberit cover plate made of die-cast zinc: bright chrome-plated, Material designation=Die-cast zinc | | | | 167,00 |
| 241.921.21.1 | Geberit cover plate Samba: bright chrome-plated | | | | 117,00 |
| 241.930.00.1 | Geberit protection box for service opening, with cover | | | | 8,00 |
| 240.534.00.1 | Geberit protection box cover for urinal flush control | | | | 17,00 |
| 241.942.00.1 | Geberit mounting frame, vertical | | | | 20,00 |
| 240.521.00.1 | Geberit mounting frame for urinal flush control Basic | | | | 26,00 |
| 242.811.11.1 | Geberit actuator plate type O1, for urinal flush control with pneumatic flush actuation: white alpine | | | | 49,00 |
| 242.789.00.1 | Geberit throttle | | | | 81,00 |
| 241.060.00.1 | Geberit filter holder with regulating screw, for urinal flush control with electronic flush actuation | | | | 29,00 |
| 240.522.00.1 | Geberit electronic insulation protection for installation set, for urinal flush control Basic | | | | 19,00 |
| 240.524.00.1 | Geberit IR electronics for urinal flush control with electronic flush actuation | | | | 416,00 |
| 241.905.00.1 | Geberit IR window for urinal flush control with electronic flush actuation, cover plate types O1 and 10 | | | | 20,00 |
| 241.904.00.1 | Geberit IR window for urinal flush control with electronic flush actuation, cover plate Tango | | | | 20,00 |
| 240.525.00.1 | Geberit IR window for urinal flush control with electronic flush actuation, cover plate made of die-cast zinc | | | | 19,00 |
| 240.523.00.1 | Geberit solenoid valve | | | | 150,00 |
| 242.770.00.1 | Geberit solenoid valve | | | | 146,00 |
| 240.531.00.1 | Geberit power supply unit | | | | 86,00 |
| 241.944.00.1 | Geberit power supply unit | | | | 77,00 |
| 242.774.00.1 | Geberit power supply unit with adapter | | | | 107,00 |
| 242.484.00.1 | Geberit flow limiter for urinal flush control with electronic or pneumatic flush actuation | | | | 8,00 |
| 241.945.00.1 | Geberit battery compartment for urinal flush control and washbasin taps with electronic flush actuation | | | | 22,00 |
| 115.832.00.1 | Geberit protection box for service opening, for urinal flush control | | | | 15,00 |
| 241.934.00.1 | Geberit throttle | | | | 77,00 |
| 242.154.00.1 | Geberit electronics module | | | | 641,00 |
| 241.946.00.1 | Geberit solenoid valve | | | | 125,00 |
| 241.935.00.1 | Geberit pneumatic valve for urinal | | | | 152,00 |
| 240.519.00.1 | Geberit pneumatic valve for urinal flush control | | | | 183,00 |
| 240.841.00.1 | Geberit conversion set IR with cover plate, for urinal flush control, electronic, Highline | | | | 812,00 |
| 256.000.00.1 | Geberit pneumatic hose | | | | 10,00 |
| 242.790.00.1 | Geberit pneumatic valve for urinal | | | | 160,00 |
| 242.772.00.1 | Geberit section seal | | | | 19,00 |
| 242.775.00.1 | Geberit sensor electronics with adapter | | | | 321,00 |
| 241.479.00.1 | Geberit system trap, 0-litre | | | | 110,00 |
| 240.035.00.1 | Geberit water part for urinal flush control | | | | 52,00 |
| 240.517.00.1 | Geberit water part for urinal flush control | | | | 75,00 |
| 243.314.00.1 | Geberit cover for urinal trap | | | | 22,00 |
| 243.324.00.1 | Geberit control electronics for integrated urinal flush control | | | | 239,00 |
| 243.328.00.1 | Geberit control for generator unit, for urinals | | | | 239,00 |
| 243.331.00.1 | Geberit quick coupling | | | | 30,00 |
| 243.339.00.1 | Geberit blind plug, for urinals Preda and Selva | | | | 10,00 |
| 243.343.00.1 | Geberit docking station for integrated urinal flush control | | | | 99,00 |
| 243.580.00.1 | Geberit tightening pin for urinals | | | | 23,00 |
| 243.864.00.1 | Geberit replacement set for urinals with integrated flush control | | | | 173,00 |
| 243.578.00.1 | Geberit cover for spray head, screw-locked | | | | 20,00 |
| 243.862.00.1 | Geberit water pressure reducing valve for urinals | | | | 89,00 |
| 241.831.00.1 | Geberit extension for mains cable | | | | 79,00 |
| 242.658.00.1 | Geberit connection cable for actuator plate Sigma80 | | | | 60,00 |
| 240.019.00.1 | Geberit T-piece for pneumatic flush actuation | | | | 78,00 |
| 242.617.00.1 | Geberit mounting frame for actuator plate Sigma80 | | | | 62,00 |
| 888.549.11.1 | Geberit fastening material: white alpine | | | | 5,00 |
| 242.618.SG.1 | Geberit actuator plate Sigma80 for dual flush: black | | | | 1068,00 |
| 242.618.SM.1 | Geberit actuator plate Sigma80 for dual flush: mirrored | | | | 1068,00 |
| 241.161.00.1 | Geberit cover for housing of electric socket | | | | 15,00 |
| 240.575.00.1 | Geberit double pneumatic hose, blue | | | | 39,00 |
| 240.571.KA.1 | Geberit hand-operated actuator for single flush, for WC flush control with pneumatic flush actuation: chrome-plated, matt chrome-plated, Material designation=Plastic | | | | 65,00 |
| 240.572.KA.1 | Geberit hand-operated actuator for dual flush, for WC flush control with pneumatic flush actuation: chrome-plated, matt chrome-plated, Material designation=Plastic | | | | 92,00 |
| 888.544.11.1 | Geberit hand-operated actuator, pneumatic, concealed installation: white alpine | | | | 79,00 |
| 888.544.21.1 | Geberit hand-operated actuator, pneumatic, concealed installation: bright chrome-plated | | | | 96,00 |
| 240.574.00.1 | Geberit flushing device for WC flush control with pneumatic flush actuation, dual flush | | | | 29,00 |
| 240.573.00.1 | Geberit flushing device for WC flush control with pneumatic flush actuation, single flush | | | | 20,00 |
| 215.177.00.1 | Geberit pull chain for exposed cisterns AP122, AP123 and AP127 | | | | 19,00 |
| 241.149.00.1 | Geberit power supply unit | | | | 172,00 |
| 240.004.00.1 | Geberit conversion set for flush valve, pneumatic, single flush | | | | 20,00 |
| 241.150.00.1 | Geberit lifting device with servomotor, for WC flush control with electronic flush actuation | | | | 168,00 |
| 242.380.21.1 | Geberit actuator set for WC flush control with pneumatic flush actuation, dual flush: bright chrome-plated | | | | 108,00 |
| 241.302.00.1 | Geberit housing for electric socket, for power supply unit | | | | 17,00 |
| 242.975.11.1 | Geberit handle crown for flush valve: white alpine | | | | 3,00 |
| 243.356.00.1 | Geberit electronic lifting device for Sigma concealed cistern 8 cm (from year of manufacture 2016) | | | | 168,00 |
| 243.130.00.1 | Geberit concealed housing with protection box, for remote flush actuation types O1 and 10 | | | | 22,00 |
| 242.965.00.1 | Geberit fastening ring for remote flush actuation type O1, exposed actuator | | | | 24,00 |
| 242.349.00.1 | Geberit extension cable for power supply unit, for washbasin taps types 8x and 18x | | | | 36,00 |
| 242.030.21.1 | Geberit tap aerator for washbasin taps types 6x, 8x and 18x: bright chrome-plated, Flow rate=6l/min, Model=rigid | | | | 31,00 |
| 243.625.00.1 | Geberit tap aerator for washbasin taps Piave and Brenta: Flow rate=5.0l/min, Model=rigid | | | | 10,00 |
| 243.635.00.1 | Geberit tap aerator for washbasin taps Piave and Brenta: Flow rate=5.0l/min, Model=swivelling | | | | 10,00 |
| 243.636.00.1 | Geberit tap aerator for washbasin taps Piave and Brenta: Flow rate=3.8l/min, Model=rigid | | | | 10,00 |
| 243.637.00.1 | Geberit tap aerator for washbasin taps Piave and Brenta: Flow rate=1.9l/min, Model=rigid | | | | 10,00 |
| 243.638.00.1 | Geberit tap aerator for washbasin taps Piave and Brenta: Flow rate=1.3l/min, Model=rigid | | | | 10,00 |
| 242.666.00.1 | Geberit lithium battery CR-P2, 6 V | | | | 17,00 |
| 242.240.00.1 | Geberit battery holder for washbasin taps types 185 and 186 | | | | 23,00 |
| 242.036.00.1 | Geberit solenoid valve for washbasin taps types 60 and 80-86 | | | | 204,00 |
| 242.266.00.1 | Geberit solenoid valve for washbasin taps types 185 and 186 | | | | 201,00 |
| 242.035.00.1 | Geberit power supply adapter for washbasin tap type 60 | | | | 76,00 |
| 242.037.00.1 | Geberit electronics module for washbasin tap type 60 | | | | 214,00 |
| 240.281.00.1 | Geberit reinforced braided hose for washbasin tap type 60 | | | | 39,00 |
| 242.247.00.1 | Geberit mixer set for washbasin taps types 185 and 186 | | | | 35,00 |
| 242.248.00.1 | Geberit mixer handle set for washbasin tap type 185 | | | | 40,00 |
| 241.666.00.1 | Geberit set of check valves for washbasin taps types 87 and 88 | | | | 32,00 |
| 242.033.00.1 | Geberit power supply unit plug 230 V, for washbasin tap type 60 | | | | 95,00 |
| 243.670.00.1 | Geberit retainer for tap aerator, for washbasin tap Brenta | | | | 17,00 |
| 243.669.00.1 | Geberit retainer for tap aerator, for washbasin tap Piave | | | | 17,00 |
| 243.687.00.1 | Geberit filter seat set for functional unit, for washbasin taps Piave and Brenta (2 pc.) | | | | 20,00 |
| 243.686.00.1 | Geberit functional unit with generator, for washbasin taps Piave and Brenta: Mixer=without mixer | | | | 365,00 |
| 243.685.00.1 | Geberit functional unit with generator, for washbasin taps Piave and Brenta: Mixer=with mixer | | | | 365,00 |
| 243.684.00.1 | Geberit functional unit without generator, for washbasin taps Piave and Brenta: Mixer=without mixer | | | | 239,00 |
| 243.683.00.1 | Geberit functional unit without generator, for washbasin taps Piave and Brenta: Mixer=with mixer | | | | 239,00 |
| 244.598.00.1 | Geberit functional unit without generator, for washbasin taps Piave and Brenta: Mixer=with thermostatic mixer | | | | 351,00 |
| 243.688.00.1 | Geberit solenoid valve for functional unit, for washbasin taps Piave and Brenta | | | | 146,00 |
| 243.682.00.1 | Geberit hose, complete, for washbasin taps Piave and Brenta, wall-mounted | | | | 43,00 |
| 243.674.00.1 | Geberit set of locking bolts for concealed function box, for washbasin taps (2 pc.) | | | | 15,00 |
| 243.690.00.1 | Geberit control for generator, for washbasin taps Piave and Brenta | | | | 239,00 |
| 243.689.00.1 | Geberit control for washbasin taps Piave and Brenta | | | | 100,00 |

| | | | | |
|--------------|---|---------|--|--------|
| 243.681.00.1 | Geberit wall fixing for washbasin taps Piave and Brenta, wall-mounted | | | 26,00 |
| 243.678.21.1 | Geberit washbasin tap Brenta, wall-mounted: bright chrome-plated, L=17cm | | | 215,00 |
| 243.679.21.1 | Geberit washbasin tap Brenta, wall-mounted: bright chrome-plated, L=22cm | | | 215,00 |
| 243.676.21.1 | Geberit washbasin tap Piave, wall-mounted: bright chrome-plated, L=17cm | | | 215,00 |
| 243.677.21.1 | Geberit washbasin tap Piave, wall-mounted: bright chrome-plated, L=22cm | | | 215,00 |
| 244.618.00.1 | Geberit set control electronics for washbasin taps Piave and Brenta, deck-mounted | | | 157,00 |
| 244.617.00.1 | Geberit set control electronics for washbasin taps Piave and Brenta, wall-mounted | | | 161,00 |
| 242.657.SG.1 | Geberit showroom model WC flush control type Sigma80: black | | | 97,00 |
| 242.657.SM.1 | Geberit showroom model WC flush control type Sigma80: mirrored | | | 97,00 |
| 242.656.SG.1 | Geberit counter display Sigma80: black | | | 305,00 |
| 243.268.KH.1 | Geberit showroom actuator plate type 30, urinal flush control, for pneumatic flush actuation: chrome-plated, matt chrome-plated | | | 13,00 |
| 241.965.KM.1 | Geberit showroom actuator plate type 10, urinal flush control, for electronic flush actuation: black, bright chrome-plated | | | 13,00 |
| 241.965.SN.1 | Geberit showroom actuator plate type 10, urinal flush control, for electronic flush actuation: brushed, polished | | | 133,00 |
| 241.955.KJ.1 | Geberit showroom actuator plate type 10, urinal flush control, for pneumatic flush actuation: white, bright chrome-plated | | | 13,00 |
| 243.388.00.1 | Geberit counter display for urinal Preda | | | 143,00 |
| 152.612.11.1 | Geberit connection bend 22.5°: d=110mm, white alpine | | | 31,00 |
| 152.611.11.1 | Geberit connection bend 45°: d=110mm, white alpine | | | 31,00 |
| 152.610.11.1 | Geberit connection bend 90°: d=110mm, white alpine | | | 31,00 |
| 152.614.11.1 | Geberit connection bend 90°: d=110mm, white alpine | | | 60,00 |
| 152.616.11.1 | Geberit connection bend 90° with supplementary connection, left: d=110mm, d1=50mm, white alpine | | | 54,00 |
| 152.615.11.1 | Geberit connection bend 90° with supplementary connection, right: d=110mm, d1=50mm, white alpine | | | 54,00 |
| 152.400.16.1 | Geberit straight connector with sleeve and lip seals: d=110mm, d1=120-125mm | | | 23,00 |
| 152.402.16.1 | Geberit straight connector with sleeve and round cord ring: d=110mm | | | 25,00 |
| 152.435.16.1 | Geberit straight connector with sleeve: d=110mm | | | 17,00 |
| 152.613.11.1 | Geberit straight connector with sleeve: d=110mm, white alpine | | | 25,00 |
| 554010000 | Geberit Bambini straight connector for WC for children, back-to-wall installation: d=90mm | Bambini | | 61,00 |
| 152.420.46.1 | Geberit straight connector with sleeve and cover caps: d=110mm, matt chrome-plated | | | 24,00 |
| 152.425.46.1 | Geberit straight connector with sleeve and cover caps: d=90mm, matt chrome-plated | | | 24,00 |
| 152.434.16.1 | Geberit flush bend extension with sleeve: d=45mm, L=18.5cm | | | 13,00 |
| 152.434.06.1 | Geberit flush bend extension with sleeve: d=45mm, L=18.5cm | | | 10,00 |
| 152.486.16.1 | Geberit straight connector with sleeve: d=45mm | | | 16,00 |
| 359.144.11.1 | Geberit adapter to PVC: d=90mm, d1=100mm, d2=94mm, white alpine | | | 14,00 |
| 152.465.00.1 | Geberit adapter to PVC: d=110mm, d1=90mm | | | 17,00 |
| 152.647.00.1 | Geberit connection bend 90° set with extension: d=110mm | | | 95,00 |
| 152.422.46.1 | Geberit connection set for wall-hung WC, length 18.5 cm: d=110mm, d1=45mm, matt chrome-plated | | | 24,00 |
| 152.426.46.1 | Geberit connection set for wall-hung WC, length 18.5 cm: d=90mm, d1=45mm, matt chrome-plated | | | 23,00 |
| 152.404.46.1 | Geberit connection set for wall-hung WC, length 18.5 cm, with lip seal: d=90mm, d1=45mm, matt chrome-plated | | | 26,00 |
| 152.404.46.2 | Geberit connection set for wall-hung WC, length 18.5 cm, with lip seal: d=90mm, d1=45mm, matt chrome-plated | | | 26,00 |
| 152.439.46.1 | Geberit connection set for wall-hung WC, length 30 cm: d=110mm, d1=45mm, matt chrome-plated | | | 73,00 |
| 152.441.46.1 | Geberit connection set for wall-hung WC, length 30 cm: d=90mm, d1=45mm, matt chrome-plated | | | 59,00 |
| 405.012.00.1 | Geberit connection set for wall-hung WC, with fastening material, stepped: d=110mm, d1=45mm | | | 188,00 |
| 405.116.00.1 | Geberit connection set for wall-hung WC, with fastening material, stepped: d=90mm, d1=45mm | | | 188,00 |
| 152.438.46.1 | Geberit connection set for wall-hung WC, length 26.5 cm: d=90mm, d1=45mm, matt chrome-plated | | | 46,00 |
| 554000000 | Geberit Bambini connection set for floor-standing WC for children and babies: d=90/45mm | Bambini | | 90,00 |
| 167.733.16.1 | Geberit trap for squat WC, horizontal outlet: d=110mm | | | 145,00 |
| 167.734.16.1 | Geberit trap for squat WC, vertical outlet: d=110mm | | | 167,00 |
| 152.495.00.1 | Geberit sleeve: d=32mm, d1=46mm | | | 3,00 |
| 153.564.16.1 | Geberit sleeve: d=32mm, d1=58mm | | | 6,00 |
| 153.565.16.1 | Geberit sleeve: d=40mm, d1=58mm | | | 4,00 |
| 153.566.16.1 | Geberit sleeve: d=50mm, d1=58mm | | | 4,00 |
| 152.689.00.1 | Geberit sleeve: d=32mm, d1=50mm | | | 4,00 |
| 152.691.00.1 | Geberit sleeve: d=32mm, d1=57mm | | | 8,00 |
| 152.692.00.1 | Geberit sleeve: d=40mm, d1=57mm | | | 7,00 |
| 152.170.16.1 | Geberit flush bend extension: d=45mm, d1=40mm | | | 15,00 |
| 242.026.11.1 | Geberit wall collar for WC outlet bend 90°: d=110mm, white alpine | | | 7,00 |
| 242.716.11.1 | Geberit wall collar for WC outlet bend 90°: d=100mm, white alpine | | | 24,00 |
| 152.496.00.1 | Geberit sleeve: d=40mm, d1=46mm | | | 3,00 |
| 152.796.00.1 | Geberit sleeve: d=40mm, d1=44mm | | | 3,00 |
| 152.682.00.1 | Geberit sleeve: d=32mm, d1=44mm | | | 3,00 |
| 152.690.00.1 | Geberit sleeve: d=40mm, d1=50mm | | | 4,00 |
| 152.693.00.1 | Geberit sleeve: d=50mm, d1=57mm | | | 7,00 |
| 358.826.00.1 | Geberit sleeve: d=45-50mm, d1=62mm | | | 6,00 |
| 217.713.11.1 | Geberit set of cover caps (2 pc.): white alpine | | | 9,00 |
| 217.713.46.1 | Geberit set of cover caps (2 pc.): matt chrome-plated | | | 7,00 |
| 152.497.00.1 | Geberit sleeve: d=105mm | | | 7,00 |
| 152.424.00.1 | Geberit sleeve: d=80-100mm, d1=122mm | | | 7,00 |
| 854.487.00.1 | Geberit sleeve: d=90mm | | | 7,00 |
| 895.589.00.1 | Geberit sleeve: d=55-68mm, d1=88mm | | | 8,00 |
| 119.668.00.1 | Geberit sleeve for flush pipe connection: d=45mm | | | 4,00 |
| 154.152.00.1 | Geberit installation set for shower channels of the CleanLine series, for screed height at inlet 65-90 mm: d=40mm | | | 233,00 |
| 154.150.00.1 | Geberit installation set for shower channels of the CleanLine series, for screed height at inlet 90-220 mm: d=50mm | | | 237,00 |
| 154.151.00.1 | Geberit installation set for shower channels of the CleanLine series, for screed height at inlet 90-220 mm: d=56mm | | | 247,00 |
| 154.153.00.1 | Geberit installation set for shower channels of the CleanLine series, cross-floor installation: d=50mm | | | 100,00 |
| 154.450.00.1 | Geberit shower channel CleanLine20: L=30-90cm, black / stainless steel, coated, brushed stainless steel | | | 333,00 |
| 154.450.KS.1 | Geberit shower channel CleanLine20: L=30-90cm, stainless steel, electropolished, brushed stainless steel | | | 333,00 |
| 154.451.00.1 | Geberit shower channel CleanLine20: L=30-130cm, black / stainless steel, coated, brushed stainless steel | | | 499,00 |
| 154.451.KS.1 | Geberit shower channel CleanLine20: L=30-130cm, stainless steel, electropolished, brushed stainless steel | | | 499,00 |
| 154.453.00.1 | Geberit shower channel CleanLine20: L=30-160cm, black / stainless steel, coated, brushed stainless steel | | | 622,00 |
| 154.453.KS.1 | Geberit shower channel CleanLine20: L=30-160cm, stainless steel, electropolished, brushed stainless steel | | | 622,00 |
| 154.455.00.1 | Geberit shower channel CleanLine, tile-bearing: customised / stainless steel, brushed | | | 308,00 |
| 154.456.00.1 | Geberit shower channel CleanLine60: L=30-90cm, black / stainless steel, coated, brushed stainless steel | | | 416,00 |
| 154.456.KS.1 | Geberit shower channel CleanLine60: L=30-90cm, stainless steel, electropolished, brushed stainless steel | | | 416,00 |
| 154.457.00.1 | Geberit shower channel CleanLine60: L=30-130cm, black / stainless steel, coated, brushed stainless steel | | | 615,00 |
| 154.457.KS.1 | Geberit shower channel CleanLine60: L=30-130cm, stainless steel, electropolished, brushed stainless steel | | | 615,00 |
| 154.458.00.1 | Geberit shower channel CleanLine60 for thin floorings: L=30-90cm | | | 449,00 |
| 154.459.00.1 | Geberit shower channel CleanLine60 for thin floorings: L=30-130cm | | | 649,00 |
| 154.440.KS.1 | Geberit shower channel CleanLine80: L=30-90cm, stainless steel polished, coated, brushed stainless steel, coated | | | 719,00 |
| 154.440.QC.1 | Geberit shower channel CleanLine80: L=30-90cm, black chrome / brushed, coated, black chrome / polished, coated | | | 719,00 |
| 154.440.39.1 | Geberit shower channel CleanLine80: L=30-90cm, champagne / polished, coated, champagne / brushed, coated | | | 719,00 |
| 154.441.KS.1 | Geberit shower channel CleanLine80: L=30-130cm, stainless steel polished, coated, brushed stainless steel, coated | | | 927,00 |
| 154.441.QC.1 | Geberit shower channel CleanLine80: L=30-130cm, black chrome / brushed, coated, black chrome / polished, coated | | | 927,00 |
| 154.441.39.1 | Geberit shower channel CleanLine80: L=30-130cm, champagne / polished, coated, champagne / brushed, coated | | | 927,00 |
| 154.052.00.1 | Geberit shower floor drain for screed height at inlet 65-90 mm: d=40mm | | | 183,00 |
| 154.050.00.1 | Geberit shower floor drain for screed height at inlet 90-220 mm: d=50mm | | | 167,00 |
| 154.053.00.1 | Geberit shower floor drain, cross-floor: d=50mm | | | 101,00 |
| 154.057.00.1 | Geberit shower floor drain for floorings made of vinyl (PVC), for screed height at inlet 94-114 mm: d=40mm | | | 328,00 |
| 154.055.00.1 | Geberit shower floor drain for floorings made of vinyl (PVC), for screed height at inlet 114-215 mm: d=50mm | | | 310,00 |
| 154.056.00.1 | Geberit shower floor drain for floorings made of vinyl (PVC), for screed height at inlet 114-215 mm: d=56mm | | | 328,00 |
| 154.058.00.1 | Geberit shower floor drain for floorings made of vinyl (PVS), cross-floor: d=50mm | | | 310,00 |
| 154.310.00.1 | Geberit grating, screwable, 8 x 8 cm | | | 30,00 |
| 154.311.00.1 | Geberit design grating Circle, 8 x 8 cm | | | 167,00 |
| 154.312.00.1 | Geberit design grating Square, 8 x 8 cm | | | 167,00 |
| 111.580.00.1 | Geberit Duofix element for shower, 130 cm, with wall drain, wall-mounted tap, concealed, for screed height at inlet 90-200 mm | | | 486,00 |
| 111.584.00.1 | Geberit Duofix element for shower, 130 cm, with wall drain, wall-mounted tap, concealed, for screed height at inlet 90-200 mm | | | 525,00 |
| 111.581.00.1 | Geberit Duofix element for shower, 130 cm, with wall drain, wall-mounted tap, concealed, for screed height at inlet 65-90 mm | | | 528,00 |
| 111.591.00.1 | Geberit Duofix element for shower, 50 cm, with wall drain, for screed height at inlet 90-200 mm | | | 420,00 |
| 111.593.00.1 | Geberit Duofix element for shower, 50 cm, with wall drain, for screed height at inlet 65-90 mm | | | 439,00 |
| 461.734.00.1 | Geberit GIS element for shower, with wall drain, for screed height at inlet 90-200 mm | | | 300,00 |
| 457.534.00.1 | Geberit Kombifix element for shower, with wall drain, for screed height at inlet 90-200 mm | | | 458,00 |
| 457.536.00.1 | Geberit Kombifix element for shower, with wall drain, for screed height at inlet 65-90 mm | | | 476,00 |
| 154.336.FW.1 | Geberit ready-to-fit set for wall drain, cover made of brushed stainless steel: stainless steel, brushed | | | 150,00 |
| 154.337.FW.1 | Geberit ready-to-fit set for wall drain, cover made of stainless steel, screwable: stainless steel, brushed | | | 188,00 |
| 154.335.11.1 | Geberit ready-to-fit set for wall drain, cover made of plastic: white alpine | | | 94,00 |

| | | | | | | |
|--------------|---|--|--|--|--|--------|
| 154.335.21.1 | Geberit ready-to-fit set for wall drain, cover made of plastic: bright chrome-plated | | | | | 120,00 |
| 154.338.00.1 | Geberit ready-to-fit set for wall drain, tile-bearing, frameless | | | | | 120,00 |
| 154.339.00.1 | Geberit ready-to-fit set for wall drain, tile-bearing, multi-piece | | | | | 188,00 |
| 154.307.00.1 | Geberit connecting piece CleanLine20 | | | | | 50,00 |
| 154.308.00.1 | Geberit connecting piece CleanLine60 | | | | | 50,00 |
| 154.309.00.1 | Geberit connecting piece CleanLine80 | | | | | 50,00 |
| 154.252.00.1 | Geberit shower board, tile-bearing, with V-slope: B=90cm, L=90cm | | | | | 638,00 |
| 154.253.00.1 | Geberit shower board, tile-bearing, with V-slope: B=100cm, L=100cm | | | | | 675,00 |
| 154.254.00.1 | Geberit shower board, tile-bearing, with V-slope: B=90cm, L=120cm | | | | | 694,00 |
| 154.255.00.1 | Geberit shower board, tile-bearing, with V-slope: B=100cm, L=120cm | | | | | 731,00 |
| 154.265.00.1 | Geberit shower board, tile-bearing, with L-slope: B=100cm, L=120cm | | | | | 731,00 |
| 154.246.00.1 | Geberit bathtub waste coupling for wall drain for shower: d=40mm | | | | | 216,00 |
| 154.340.FW.1 | Geberit collector profile for wall drain for shower: L=115cm | | | | | 150,00 |
| 150.211.00.1 | Geberit funnel extension | | | | | 60,00 |
| 243.172.00.1 | Geberit inlay sheet for wall drain | | | | | 35,00 |
| 243.127.00.1 | Geberit cover for shower channel CleanLine20 | | | | | 160,00 |
| 243.128.00.1 | Geberit cover for shower channel CleanLine60 | | | | | 182,00 |
| 243.362.00.1 | Geberit cover, tile-bearing, for shower channel: L=90cm, tile-bearing | | | | | 214,00 |
| 242.990.11.1 | Geberit cover for shower element: white alpine | | | | | 85,00 |
| 242.990.21.1 | Geberit cover for shower element: bright chrome-plated | | | | | 117,00 |
| 242.993.00.1 | Geberit cover for shower element: tile-bearing | | | | | 126,00 |
| 242.991.FW.1 | Geberit cover for shower element: stainless steel, brushed | | | | | 122,00 |
| 242.940.00.1 | Geberit set of adjusters, left and right, for ready-to-fit set, for wall drain for shower | | | | | 38,00 |
| 242.941.00.1 | Geberit set of holders for ready-to-fit set for wall drain for shower | | | | | 8,00 |
| 243.120.00.1 | Geberit grating for floor drain, slotted grating 8 x 8 cm | | | | | 28,00 |
| 243.121.00.1 | Geberit grating frame for floor drain 8 x 8 cm | | | | | 52,00 |
| 242.942.00.1 | Geberit hair trap for wall drain for shower | | | | | 7,00 |
| 243.316.00.1 | Geberit profile end cover set for shower channel CleanLine20 | | | | | 13,00 |
| 243.317.00.1 | Geberit profile end cover set for shower channel CleanLine60 | | | | | 23,00 |
| 243.125.00.1 | Geberit comb insert for shower channels of the CleanLine series | | | | | 8,00 |
| 243.124.00.1 | Geberit comb insert for floor drain | | | | | 8,00 |
| 243.122.00.1 | Geberit base unit for trap 50 mm | | | | | 69,00 |
| 243.123.00.1 | Geberit base unit for trap 30 mm | | | | | 82,00 |
| 243.131.00.1 | Geberit suction cup for shower channel | | | | | 16,00 |
| 243.553.00.1 | Geberit flange for shower channels of the CleanLine series | | | | | 58,00 |
| 243.833.00.1 | Geberit fixing ring for shower channel of the CleanLine series | | | | | 12,00 |
| 242.374.00.1 | Geberit hair trap | | | | | 16,00 |
| 242.367.00.1 | Geberit sight frame for shower element | | | | | 19,00 |
| 242.370.00.1 | Geberit dip tube for shower element | | | | | 25,00 |
| 150.501.00.1 | Geberit bathtub drain with turn handle, d52: d=40/50mm | | | | | 48,00 |
| 150.520.21.1 | Geberit bathtub drain with turn handle, d52, with ready-to-fit-set: bright chrome-plated | | | | | 61,00 |
| 150.505.00.1 | Geberit bathtub drain with turn handle, d52, special size: d=40/50mm | | | | | 48,00 |
| 150.525.21.1 | Geberit bathtub drain with turn handle, d52, with ready-to-fit-set, special size: bright chrome-plated | | | | | 75,00 |
| 150.750.21.1 | Geberit bathtub drain with push actuation PushControl, d52, with ready-to-fit-set: bright chrome-plated | | | | | 107,00 |
| 150.752.21.1 | Geberit bathtub drain with push actuation PushControl, d52, height 60 cm, with ready-to-fit-set: bright chrome-plated | | | | | 137,00 |
| 150.751.21.1 | Geberit bathtub drain with push actuation PushControl, d52, length 50 cm, with ready-to-fit-set: bright chrome-plated | | | | | 137,00 |
| 150.017.00.1 | Geberit bathtub drain with waste plug, d52, with ready-to-fit-set: d=40/50mm | | | | | 43,00 |
| 150.700.00.1 | Geberit bathtub drain with turn handle and inlet, d52: d=40/50mm | | | | | 157,00 |
| 150.701.00.1 | Geberit bathtub drain with turn handle and inlet, d52, special size: d=40/50mm | | | | | 178,00 |
| 150.710.21.1 | Geberit bathtub drain with turn handle and inlet, d52, with ready-to-fit-set: bright chrome-plated | | | | | 283,00 |
| 150.711.21.1 | Geberit bathtub drain with turn handle and inlet, d52, with ready-to-fit-set, special size: bright chrome-plated | | | | | 303,00 |
| 150.221.11.1 | Geberit ready-to-fit set d52, for bathtub drain with turn handle: white alpine | | | | | 26,00 |
| 150.221.21.1 | Geberit ready-to-fit set d52, for bathtub drain with turn handle: bright chrome-plated | | | | | 21,00 |
| 150.221.45.1 | Geberit ready-to-fit set d52, for bathtub drain with turn handle: gold-plated | | | | | 719,00 |
| 150.221.46.1 | Geberit ready-to-fit set d52, for bathtub drain with turn handle: matt chrome-plated | | | | | 30,00 |
| 150.920.11.1 | Geberit ready-to-fit set d90, for bathtub drain with turn handle: white alpine | | | | | 44,00 |
| 150.920.21.1 | Geberit ready-to-fit set d90, for bathtub drain with turn handle: bright chrome-plated | | | | | 44,00 |
| 150.920.45.1 | Geberit ready-to-fit set d90, for bathtub drain with turn handle: gold-plated | | | | | 649,00 |
| 150.920.46.1 | Geberit ready-to-fit set d90, for bathtub drain with turn handle: matt chrome-plated | | | | | 47,00 |
| 150.425.11.1 | Geberit ready-to-fit set d52, for bathtub drain with turn handle and inlet: white alpine | | | | | 53,00 |
| 150.425.21.1 | Geberit ready-to-fit set d52, for bathtub drain with turn handle and inlet: bright chrome-plated | | | | | 53,00 |
| 150.425.45.1 | Geberit ready-to-fit set d52, for bathtub drain with turn handle and inlet: gold-plated | | | | | 887,00 |
| 150.425.46.1 | Geberit ready-to-fit set d52, for bathtub drain with turn handle and inlet: matt chrome-plated | | | | | 69,00 |
| 150.247.00.1 | Geberit connection set for bathtubs made of acrylic, with overflow | | | | | 74,00 |
| 150.245.06.1 | Geberit overflow pipe with supplementary connection and sleeve: granite grey | | | | | 14,00 |
| 150.809.21.1 | Geberit cover for pipe interruptor for concealed installation: bright chrome-plated | | | | | 18,00 |
| 150.991.00.1 | Geberit reinforced braided hose, white, 3/4" | | | | | 31,00 |
| 241.717.00.1 | Geberit waste outlet | | | | | 19,00 |
| 241.714.21.1 | Geberit rotary button for bathtub drain with push actuation PushControl: bright chrome-plated | | | | | 19,00 |
| 241.713.21.1 | Geberit flange with compression gasket, for bathtub drain with push actuation PushControl: bright chrome-plated | | | | | 26,00 |
| 240.458.00.1 | Geberit catch for turn handle, for bathtub drain with overflow | | | | | 5,00 |
| 240.598.00.1 | Geberit elbow adapter 90° with plug-in connection and Euro cone | | | | | 51,00 |
| 240.463.06.1 | Geberit overflow bend: granite grey | | | | | 14,00 |
| 241.715.21.1 | Geberit waste plug: bright chrome-plated | | | | | 28,00 |
| 240.464.06.1 | Geberit extension to overflow pipe, for bathtub drain: Rg=40 x 1/8", granite grey | | | | | 29,00 |
| 388.023.00.1 | Geberit floor drain Varino, horizontal, d50: d=50mm, d1=50mm | | | | | 231,00 |
| 388.021.00.1 | Geberit floor drain Varino, horizontal, d110: d=110mm, d1=50mm | | | | | 241,00 |
| 388.022.00.1 | Geberit floor drain Varino, vertical, d110: d=110mm, d1=50mm | | | | | 151,00 |
| 388.032.00.1 | Geberit floor drain Varino, horizontal, d50: d=50mm | | | | | 119,00 |
| 388.033.00.1 | Geberit floor drain Varino, vertical, d50: d=50mm | | | | | 79,00 |
| 361.666.16.1 | Geberit PE floor drain, slotted grating 15 x 15 cm: d=50mm | | | | | 50,00 |
| 388.123.24.1 | Geberit contact sheet with protective cap, tin-plated: Sealing of connection=CrNi steel, tin-plated | | | | | 53,00 |
| 388.124.28.1 | Geberit contact sheet with protective cap, coated: Sealing of connection=CrNi steel, PVC-coated | | | | | 71,00 |
| 388.132.00.1 | Geberit installation frame for floor drains | | | | | 66,00 |
| 363.660.00.1 | Geberit funnel extension for floor drain 10 x 10 cm | | | | | 66,00 |
| 388.133.00.1 | Geberit slotted grating, weight-bearing | | | | | 337,00 |
| 388.134.00.1 | Geberit slotted grating, round, not weight-bearing | | | | | 184,00 |
| 388.100.00.1 | Geberit extension piece for floor drains 13 x 13 cm | | | | | 23,00 |
| 388.101.00.1 | Geberit flange for floor drains 13 x 13 cm | | | | | 218,00 |
| 388.102.00.1 | Geberit pressing flange attachment for floor drains 13 x 13 cm | | | | | 215,00 |
| 388.105.00.1 | Geberit hair trap for floor drains Varino 13 x 13 cm and floor drains 13 x 13 cm | | | | | 11,00 |
| 388.129.00.1 | Geberit cover, screwable, with sealing cover | | | | | 13,00 |
| 388.106.00.1 | Geberit insert with odour trap, for floor drain 13 x 13 cm | | | | | 40,00 |
| 388.107.00.1 | Geberit lockable grating for floor drains 13 x 13 cm | | | | | 67,00 |
| 388.108.00.1 | Geberit trap insert with depth of water seal 27 mm, for floor drain Varino 13 x 13 cm | | | | | 29,00 |
| 388.109.00.1 | Geberit pressure test plug for floor drain Varino 13 x 13 cm | | | | | 40,00 |
| 242.204.00.1 | Geberit dismantling tool | | | | | 14,00 |
| 240.061.00.1 | Geberit slotted grating, round | | | | | 57,00 |
| 240.060.00.1 | Geberit insert for floor drain Varino | | | | | 31,00 |
| 240.405.00.1 | Geberit sleeve | | | | | 12,00 |
| 854.694.06.1 | Geberit inlet funnel made of PP can be cut to length: granite grey | | | | | 15,00 |
| 241.640.00.1 | Geberit slotted grating 10 x 10 cm | | | | | 40,00 |
| 152.019.00.1 | Geberit washbasin connector Clou, with cable actuator and turn handle | | | | | 127,00 |
| 152.018.00.1 | Geberit washbasin connector Clou, with lever actuation | | | | | 85,00 |
| 241.504.00.1 | Geberit waste outlet for washbasin: stainless steel, polished | | | | | 59,00 |
| 240.648.00.1 | Geberit waste outlet with overflow pipe, for washbasin: G=1 1/4" | | | | | 46,00 |
| 152.080.21.1 | Geberit waste outlet with free outlet and valve cover: bright chrome-plated, L=8cm | | | | | 114,00 |
| 152.050.21.1 | Geberit waste outlet with free outlet and valve cover: bright chrome-plated, L=5cm | | | | | 101,00 |
| 261.997.21.1 | Geberit waste outlet with free outlet, without cover | | | | | 50,00 |
| 151.020.21.1 | Geberit washbasin drain with trap, valve cover and sleeve, horizontal outlet: d=32mm, G=1 1/4", bright chrome-plated | | | | | 82,00 |
| 151.100.11.1 | Geberit P-trap for washbasin and bidet, horizontal outlet: d=40mm, G=1 1/4", white alpine | | | | | 13,00 |
| 151.108.11.1 | Geberit P-trap for washbasin and bidet, horizontal outlet: d=40mm, G=1 1/4", white alpine | | | | | 16,00 |
| 151.108.21.1 | Geberit P-trap for washbasin and bidet, horizontal outlet: d=40mm, G=1 1/4", bright chrome-plated | | | | | 44,00 |

| | | | | | |
|--------------|---|--|--|--|--------|
| 151.113.11.1 | Geberit P-trap for washbasin and bidet, horizontal outlet: d=32mm, G=1 1/4", white alpine | | | | 16,00 |
| 151.105.21.1 | Geberit P-trap for washbasin, with sleeve, horizontal outlet: d=40mm, G=1 1/4", bright chrome-plated | | | | 42,00 |
| 152.860.11.1 | Geberit P-trap for washbasin, lockable, with backflow prevention, horizontal outlet: d=40mm, G=1 1/2", white alpine | | | | 88,00 |
| 152.861.11.1 | Geberit P-trap for washbasin, lockable, with backflow prevention, horizontal outlet: d=50mm, G=1 1/2", white alpine | | | | 88,00 |
| 151.034.11.1 | Geberit bottle trap with dip tube for washbasin, with valve collar, horizontal outlet: d=32mm, G=1 1/4", white alpine | | | | 31,00 |
| 151.035.11.1 | Geberit bottle trap with dip tube for washbasin, with valve collar, horizontal outlet: d=40mm, G=1 1/4", white alpine | | | | 31,00 |
| 151.029.21.1 | Geberit dip tube trap for washbasin, with valve collar and sleeve, vertical outlet, telescopic pipe: d=40mm, G=1 1/4", bright chrome-plated | | | | 103,00 |
| 151.034.21.1 | Geberit bottle trap with dip tube for washbasin, horizontal outlet: d=32mm, G=1 1/4", bright chrome-plated | | | | 52,00 |
| 151.035.21.1 | Geberit bottle trap with dip tube for washbasin, horizontal outlet: d=40mm, G=1 1/4", bright chrome-plated | | | | 52,00 |
| 152.049.21.1 | Geberit washbasin drain Clou, space-saving model, with level actuation and valve cover: d=32mm, bright chrome-plated | | | | 132,00 |
| 152.084.21.1 | Geberit washbasin drain, space-saving model, with free outlet and valve cover: d=32mm, bright chrome-plated | | | | 86,00 |
| 152.091.21.1 | Geberit washbasin drain, space-saving model, with free outlet and valve cover: d=32mm, bright chrome-plated | | | | 86,00 |
| 152.072.21.1 | Geberit washbasin drain, space-saving model, with external waste plug with lever actuation: d=32mm, bright chrome-plated | | | | 104,00 |
| 152.073.21.1 | Geberit waste outlet with external push-button waste plug: d=32mm, bright chrome-plated | | | | 109,00 |
| 151.107.11.1 | Geberit P-trap for washbasin, space-saving model, horizontal outlet: d=40mm, G=1 1/2 x 1 1/4", white alpine | | | | 22,00 |
| 151.116.11.1 | Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet: d=32mm, G=1 1/4", white alpine | | | | 52,00 |
| 151.117.11.1 | Geberit bottle trap with dip tube for washbasin, space-saving model, horizontal outlet: d=40mm, G=1 1/4", white alpine | | | | 51,00 |
| 151.120.11.1 | Geberit set of bottle trap for washbasin, horizontal outlet: d=50-56mm, G=1 1/4", d1=32mm, white alpine | | | | 83,00 |
| 151.120.21.1 | Geberit set of bottle trap for washbasin, horizontal outlet: d=50-56mm, G=1 1/4", d1=32mm, bright chrome-plated | | | | 105,00 |
| 151.121.00.1 | Geberit set of bottle trap for washbasin, horizontal outlet: d=50-56mm, G=1 1/4", d1=32mm, stainless steel, brushed | | | | 147,00 |
| 241.993.11.1 | Geberit valve cover for waste outlet with free outlet: Material designation=Plastic, white alpine | | | | 26,00 |
| 241.993.21.1 | Geberit valve cover for waste outlet with free outlet: Material designation=Plastic, bright chrome-plated | | | | 34,00 |
| 241.993.46.1 | Geberit valve cover for waste outlet with free outlet: Material designation=Plastic, matt chrome-plated | | | | 34,00 |
| 242.085.20.1 | Geberit turn handle with cable actuator: polished | | | | 71,00 |
| 241.411.11.1 | Geberit valve collar: d=32mm, white alpine | | | | 25,00 |
| 241.411.21.1 | Geberit valve collar: d=32mm, bright chrome-plated | | | | 31,00 |
| 241.507.11.1 | Geberit wall collar, large: d=32mm, D=8.5cm, H=3.7cm, white alpine | | | | 41,00 |
| 241.507.21.1 | Geberit wall collar, large: d=32mm, D=8.5cm, H=3.7cm, bright chrome-plated | | | | 65,00 |
| 241.508.11.1 | Geberit wall collar, large: d=40mm, D=8.5cm, H=3.7cm, white alpine | | | | 22,00 |
| 241.508.21.1 | Geberit wall collar, large: d=40mm, D=8.5cm, H=3.7cm, bright chrome-plated | | | | 18,00 |
| 854.909.11.1 | Geberit wall collar, large: d=50mm, D=8.5cm, H=3.5cm, white alpine | | | | 7,00 |
| 894.094.11.1 | Geberit wall collar, large: d=50mm, D=9cm, H=7cm, white alpine | | | | 7,00 |
| 241.405.21.1 | Geberit wall collar, flat: d=32mm, D=8.5cm, H=1.5cm, bright chrome-plated | | | | 16,00 |
| 854.187.11.1 | Geberit wall collar, flat: d=40mm, D=8.5cm, H=1.5cm, white alpine | | | | 4,00 |
| 854.188.11.1 | Geberit wall collar, flat: d=50mm, D=8.5cm, H=1.5cm, white alpine | | | | 3,00 |
| 242.120.11.1 | Geberit closing collar for washbasin trap: d=40mm, white alpine | | | | 12,00 |
| 242.120.21.1 | Geberit closing collar for washbasin trap: d=40mm, bright chrome-plated | | | | 24,00 |
| 242.437.11.1 | Geberit closing collar for washbasin trap: d=32mm, white alpine | | | | 12,00 |
| 242.437.21.1 | Geberit closing collar for washbasin trap: d=32mm, bright chrome-plated | | | | 24,00 |
| 352.348.00.1 | Geberit overflow pipe made of plastic: transparent | | | | 12,00 |
| 352.348.21.1 | Geberit overflow pipe made of plastic: bright chrome-plated | | | | 18,00 |
| 241.502.11.1 | Geberit extension for dip tube trap: d=40mm, white alpine | | | | 15,00 |
| 241.502.21.1 | Geberit extension for dip tube trap: d=40mm, bright chrome-plated | | | | 31,00 |
| 893.125.00.1 | Geberit flat gasket: di=60mm | | | | 6,00 |
| 213.895.11.1 | Geberit reduction ring: G=1 1/4", G1=1", white alpine | | | | 4,00 |
| 242.692.11.1 | Geberit reduction ring: G=1 1/2", G1=1 1/4", white alpine | | | | 3,00 |
| 242.691.11.1 | Geberit angled hose connector for surface-mounted trap for devices: white alpine | | | | 3,00 |
| 242.117.00.1 | Geberit connector housing with overflow, for wasbasin connector Clou | | | | 16,00 |
| 858.607.21.1 | Geberit straight connector: bright chrome-plated | | | | 30,00 |
| 240.366.00.1 | Geberit set of seals for bottle trap with division, for washbasin: d=32mm | | | | 5,00 |
| 891.339.00.1 | Geberit flat gasket: d=45mm | | | | 3,00 |
| 242.562.00.1 | Geberit O-ring | | | | 9,00 |
| 242.214.00.1 | Geberit set of seals: d=32mm | | | | 7,00 |
| 150.680.00.1 | Geberit shower drain d52: d=50mm | | | | 26,00 |
| 150.058.00.1 | Geberit shower drain d52, connection bend: d=50mm, d1=40mm | | | | 18,00 |
| 150.681.21.1 | Geberit shower drain d52, with drain cover: d=50mm, bright chrome-plated | | | | 36,00 |
| 150.685.00.1 | Geberit shower drain d62, straight connector with ball joint: d=50mm | | | | 26,00 |
| 150.686.21.1 | Geberit shower drain d62, with drain cover: d=50mm, bright chrome-plated | | | | 36,00 |
| 150.550.00.1 | Geberit shower drain d90, depth of water seal 50 mm, outlet made of PE: d=50mm, Straight connector =PE-HD | | | | 52,00 |
| 150.551.21.1 | Geberit shower drain d90, with drain cover, depth of water seal 50 mm, outlet made of PE: d=50mm, bright chrome-plated, Straight connector =PE-HD | | | | 72,00 |
| 150.582.21.1 | Geberit shower drain d90, with drain cover, depth of water seal 30 mm, outlet made of PP: d=40mm, bright chrome-plated, Straight connector =PP | | | | 71,00 |
| 150.242.21.1 | Geberit drain cover d52, for shower drain: bright chrome-plated | | | | 17,00 |
| 150.280.11.1 | Geberit drain cover d52, for shower drain: white alpine | | | | 13,00 |
| 150.280.21.1 | Geberit drain cover d52, for shower drain: bright chrome-plated | | | | 13,00 |
| 150.280.45.1 | Geberit drain cover d52, for shower drain: gold-plated | | | | 294,00 |
| 150.280.46.1 | Geberit drain cover d52, for shower drain: matt chrome-plated | | | | 21,00 |
| 150.285.11.1 | Geberit drain cover d62, for shower drain: white alpine | | | | 19,00 |
| 150.285.21.1 | Geberit drain cover d62, for shower drain: bright chrome-plated | | | | 13,00 |
| 150.285.45.1 | Geberit drain cover d62, for shower drain: gold-plated | | | | 294,00 |
| 150.285.46.1 | Geberit drain cover d62, for shower drain: matt chrome-plated | | | | 21,00 |
| 150.265.11.1 | Geberit drain cover d90, for shower drain, depth of water seal 30 / 50 mm: white alpine | | | | 24,00 |
| 152.145.16.1 | Geberit straight connector with female thread, flat sealing edge: Rg=60 x 1/8", d=48mm | | | | 31,00 |
| 243.562.11.1 | Geberit drain cover for shower surface Setaplano | | | | 62,00 |
| 243.834.00.1 | Geberit valve seal, complete, for shower drain d90 Setaplano | | | | 50,00 |
| 243.563.11.1 | Geberit valve seal cover for shower drain d90 Setaplano | | | | 13,00 |
| 241.403.00.1 | Geberit set of seals, circumferential | | | | 18,00 |
| 241.860.00.1 | Geberit section seal | | | | 9,00 |
| 240.624.00.1 | Geberit dip tube | | | | 15,00 |
| 243.567.00.1 | Geberit clamping flange for shower drain d90 | | | | 28,00 |
| 243.568.00.1 | Geberit comb insert for shower drain d90 | | | | 11,00 |
| 243.775.21.1 | Geberit drain cover d90, for shower drain: bright chrome-plated | | | | 38,00 |
| 152.730.11.1 | Geberit waste coupling for kitchen sink with overflow and waste plug: G=1 1/2", white alpine | | | | 57,00 |
| 152.929.20.1 | Geberit waste coupling for kitchen sink with overflow and turn handle: G=1 1/2", polished | | | | 83,00 |
| 152.931.20.1 | Geberit waste coupling for kitchen sink with turn handle: G=1 1/2", polished | | | | 68,00 |
| 152.741.11.1 | Geberit P-trap for kitchen sink, horizontal outlet: d=50mm, G=1 1/2", white alpine | | | | 19,00 |
| 152.742.11.1 | Geberit P-trap for kitchen sink, horizontal outlet: d=40mm, G=1 1/2", white alpine | | | | 19,00 |
| 152.711.11.1 | Geberit P-trap for kitchen sink, with angled hose connector, horizontal outlet: d=50mm, G=1 1/2", white alpine | | | | 12,00 |
| 152.713.11.1 | Geberit P-trap for kitchen sink, with angled hose connector, horizontal outlet: d=40mm, G=1 1/2", white alpine | | | | 12,00 |
| 152.550.11.1 | Geberit P-trap for kitchen sink, with angled hose connector, vertical outlet: d=50mm, G=1 1/2", white alpine | | | | 12,00 |
| 152.556.11.1 | Geberit P-trap for kitchen sink, with angled hose connector, vertical outlet: d=40mm, G=1 1/2", white alpine | | | | 12,00 |
| 152.837.11.1 | Geberit P-trap for kitchen sink, with angled hose connector, vertical outlet: d=50mm, G=1 1/2", white alpine | | | | 36,00 |
| 152.819.11.1 | Geberit P-trap for kitchen sink, space-saving model, with angled hose connector, horizontal outlet: d=50mm, G=1 1/2", white alpine | | | | 27,00 |
| 152.885.11.1 | Geberit P-trap for kitchen sink, space-saving model, with angled hose connector, horizontal outlet: d=40mm, G=1 1/2", white alpine | | | | 22,00 |
| 152.715.11.1 | Geberit P-trap for two kitchen sinks, with angled hose connector, horizontal outlet: d=50mm, G=1 1/2", white alpine | | | | 19,00 |
| 152.553.11.1 | Geberit P-trap for two kitchen sinks, with angled hose connector, vertical outlet: d=50mm, G=1 1/2", white alpine | | | | 19,00 |
| 152.818.11.1 | Geberit P-trap for two kitchen sinks, with angled hose connector, horizontal outlet: d=50mm, G=1 1/2", white alpine | | | | 45,00 |
| 152.886.11.1 | Geberit P-trap for two kitchen sinks, with angled hose connector, horizontal outlet: d=40mm, G=1 1/2", white alpine | | | | 36,00 |
| 152.821.11.1 | Geberit P-trap for three kitchen sinks, with angled hose connector, horizontal outlet: d=40mm, G=1 1/2", white alpine | | | | 67,00 |
| 152.921.11.1 | Geberit extension 1": G=1", white alpine | | | | 15,00 |
| 152.223.11.1 | Geberit connection bend 90° with compression joint: d=40mm, H=30cm, 90°, K=24cm, white alpine | | | | 15,00 |
| 213.906.11.1 | Geberit reducer: G=2", white alpine | | | | 6,00 |
| 241.983.00.1 | Geberit section seal | | | | 6,00 |
| 152.378.11.1 | Geberit funnel, oval: d=40mm, white alpine | | | | 24,00 |
| 352.372.08.1 | Geberit funnel, square: d=40mm, pebble grey RAL 7032 | | | | 76,00 |
| 352.389.08.1 | Geberit funnel, square: d=50mm, pebble grey RAL 7032 | | | | 117,00 |
| 152.392.11.1 | Geberit P-traps for devices, with oval funnel: d=40mm, white alpine | | | | 33,00 |
| 152.393.11.1 | Geberit P-traps for devices, with oval funnel: d=50mm, white alpine | | | | 33,00 |
| 152.768.11.1 | Geberit surface-mounted trap for devices, with cover: d=40mm, white alpine | | | | 41,00 |
| 152.702.11.1 | Geberit P-trap for devices: d=50mm, white alpine | | | | 20,00 |
| 152.704.11.1 | Geberit P-trap for devices: d=40mm, white alpine | | | | 20,00 |
| 152.234.11.1 | Geberit concealed trap for devices, with one connection: d=40mm, white alpine | | | | 17,00 |
| 152.234.21.1 | Geberit concealed trap for devices, with one connection: d=40mm, bright chrome-plated | | | | 26,00 |
| 152.232.00.1 | Geberit set of concealed trap for devices, with one connection, in-wall cabinet and cover plate: d=50-56mm | | | | 94,00 |

| | | | | | |
|--------------|--|--|--|--|--------|
| 152.233.00.1 | Geberit concealed trap set for devices: d=50-56mm | | | | 94,00 |
| 152.489.16.1 | Geberit flush bend extension with sleeve | | | | 14,00 |
| 152.608.46.1 | Geberit straight connector with sleeve and cover caps: d=50mm, matt chrome-plated | | | | 21,00 |
| 361.887.16.1 | Geberit flush bend extension: d=45mm, d1=45mm | | | | 24,00 |
| 152.231.11.1 | Geberit connection bend 90° for urinal, with wall collar: d=50mm, white alpine | | | | 23,00 |
| 152.665.11.1 | Geberit connection bend 90° with wall collar: d=50mm, white alpine | | | | 16,00 |
| 152.950.11.1 | Geberit urinal trap, horizontal outlet: d=50mm, white alpine | | | | 29,00 |
| 152.951.11.1 | Geberit urinal trap, vertical outlet: d=50mm, white alpine | | | | 31,00 |
| 152.939.11.1 | Geberit suction trap for urinal, with installation accessories, d40, horizontal outlet: d=40mm, white alpine | | | | 67,00 |
| 152.942.11.1 | Geberit suction trap for urinal, with installation accessories, d50, horizontal outlet: d=50mm, white alpine | | | | 61,00 |
| 352.379.16.1 | Geberit funnel, oval: d=50mm | | | | 24,00 |
| 152.113.16.1 | Geberit straight connector with union nut: d=50mm, DN=50, G=1 1/2", H=20cm | | | | 18,00 |
| 152.114.16.1 | Geberit straight connector with union nut: d=50mm, DN=50, G=2", H=20cm | | | | 20,00 |
| 152.115.16.1 | Geberit straight connector with union nut: d=50mm, DN=50, G=1 1/4", H=20cm | | | | 13,00 |
| 152.175.16.1 | Geberit straight connector with union nut: d=40mm, DN=40, G=1 1/4", H=4.5cm | | | | 11,00 |
| 152.176.16.1 | Geberit straight connector with union nut: d=40mm, DN=40, G=1 1/2", H=3.5cm | | | | 11,00 |
| 152.179.16.1 | Geberit straight connector with union nut: d=50mm, DN=50, G=1 1/4", H=3.3cm | | | | 12,00 |
| 152.180.16.1 | Geberit straight connector with union nut: d=50mm, DN=50, G=1 1/2", H=3.3cm | | | | 12,00 |
| 152.181.16.1 | Geberit straight connector with union nut: d=50mm, DN=50, G=2", H=3cm | | | | 12,00 |
| 152.973.00.1 | Geberit straight adapter with male thread and screw connection: d=40mm, G=1/2" | | | | 31,00 |
| 152.974.00.1 | Geberit straight adapter with male thread and screw connection: d=40mm, G=3/4" | | | | 36,00 |
| 152.978.00.1 | Geberit straight adapter with male thread and screw connection: d=50mm, G=1" | | | | 43,00 |
| 152.979.00.1 | Geberit straight adapter with male thread and screw connection: d=50mm, G=1/2" | | | | 30,00 |
| 152.981.00.1 | Geberit straight adapter with male thread and screw connection: d=50mm, G=3/4" | | | | 37,00 |
| 152.116.16.1 | Geberit connection bend 90° with union nut: d=50mm, G=1 1/4" | | | | 19,00 |
| 152.119.16.1 | Geberit connection bend 90° with union nut: d=50mm, G=1 1/2" | | | | 19,00 |
| 152.120.16.1 | Geberit connection bend 90° with union nut: d=50mm, G=2" | | | | 26,00 |
| 152.039.16.1 | Geberit P-trap for sink, with compression joint, vertical inlet and horizontal outlet: d=50mm, d1=50mm | | | | 33,00 |
| 152.043.16.1 | Geberit P-trap for sink, with compression joint, vertical inlet and horizontal outlet: d=50mm, d1=56mm | | | | 37,00 |
| 152.044.16.1 | Geberit P-trap for sink, with compression joint, vertical inlet and horizontal outlet: d=56mm, d1=56mm | | | | 50,00 |
| 152.040.16.1 | Geberit P-trap for sink, with compression joint, horizontal inlet and horizontal outlet: d=50mm, d1=50mm | | | | 45,00 |
| 152.045.16.1 | Geberit P-trap for sink, with compression joint, horizontal inlet and horizontal outlet: d=50mm, d1=56mm | | | | 61,00 |
| 152.046.16.1 | Geberit P-trap for sink, with compression joint, horizontal inlet and horizontal outlet: d=56mm, d1=56mm | | | | 72,00 |
| 152.038.16.1 | Geberit P-trap for sink, with compression joint, vertical inlet and vertical outlet: d=50mm, d1=50mm | | | | 40,00 |
| 152.041.16.1 | Geberit P-trap for sink, with compression joint, vertical inlet and vertical outlet: d=50mm, d1=56mm | | | | 46,00 |
| 152.042.16.1 | Geberit P-trap for sink, with compression joint, vertical inlet and vertical outlet: d=56mm, d1=56mm | | | | 59,00 |
| 152.222.11.1 | Geberit connection bend 45° with compression joint: d=40mm, white alpine | | | | 15,00 |
| 152.225.11.1 | Geberit connection bend 45° with compression joint: d=50mm, white alpine | | | | 15,00 |
| 152.226.11.1 | Geberit connection bend 90° with compression joint: d=50mm, H=25cm, 90°, K=19cm, white alpine | | | | 15,00 |
| 152.164.11.1 | Geberit extension with compression joint: d=40mm, L=25cm, white alpine | | | | 14,00 |
| 152.165.11.1 | Geberit extension with compression joint: d=40mm, L=50cm, white alpine | | | | 21,00 |
| 152.160.11.1 | Geberit extension with compression joint: d=50mm, L=25cm, white alpine | | | | 15,00 |
| 152.161.11.1 | Geberit extension with compression joint: d=50mm, L=50cm, white alpine | | | | 21,00 |
| 152.607.11.1 | Geberit P-trap for sink, with wall collar, horizontal outlet: d=40mm, white alpine | | | | 22,00 |
| 152.701.11.1 | Geberit P-trap for sink, with wall collar, horizontal outlet: d=50mm, white alpine | | | | 29,00 |
| 152.274.11.1 | Geberit straight connector with compression joint and angled hose connector: d=40mm, G=1", white alpine | | | | 15,00 |
| 152.767.11.1 | Geberit double-angled hose connector: G=1", white alpine | | | | 23,00 |
| 352.328.08.1 | Geberit waste outlet with round thread: Rg=60 x 1/8", D=7cm, pebble grey RAL 7032 | | | | 22,00 |
| 352.329.08.1 | Geberit waste outlet with round thread: Rg=60 x 1/8", D=8.8cm, pebble grey RAL 7032 | | | | 22,00 |
| 352.368.00.1 | Geberit fastening material for square funnel (6 pc.) | | | | 66,00 |
| 352.332.08.1 | Geberit valve screen: d=45mm, pebble grey RAL 7032 | | | | 6,00 |
| 352.333.08.1 | Geberit overflow pipe cone with O-ring: d=50mm, d1=46mm, pebble grey RAL 7032 | | | | 22,00 |
| 152.172.08.1 | Geberit extension for overflow pipe cone with O-ring: d=50mm, d1=44mm, pebble grey RAL 7032 | | | | 28,00 |
| 352.331.08.1 | Geberit waste plug without chain: pebble grey RAL 7032 | | | | 13,00 |
| 980.022.00.1 | Showroom model Geberit shower surface Setaplano: L=90cm, B=90cm | | | | 622,00 |
| 980.025.00.1 | Geberit material sample shower surface Setaplano | | | | 21,00 |
| 231.009.11.1 | Geberit showroom model ready-to-fit set for wall drain for shower: white alpine | | | | 14,00 |
| 231.009.21.1 | Geberit showroom model ready-to-fit set for wall drain for shower: bright chrome-plated | | | | 14,00 |
| 231.010.FW.1 | Geberit showroom model ready-to-fit set for wall drain for shower: stainless steel, brushed | | | | 14,00 |
| 980.050.00.1 | Geberit showroom model cover profile, for shower channel CleanLine20, 90 cm: black / stainless steel, coated, brushed stainless steel | | | | 166,00 |
| 980.050.KS.1 | Geberit showroom model cover profile, for shower channel CleanLine20, 90 cm: stainless steel, electropolished, brushed stainless steel | | | | 14,00 |
| 980.051.00.1 | Geberit showroom model cover profile, for shower channel CleanLine60: black / stainless steel, coated, brushed stainless steel | | | | 14,00 |
| 980.051.KS.1 | Geberit showroom model cover profile, for shower channel CleanLine60: stainless steel, electropolished, brushed stainless steel | | | | 166,00 |
| 980.057.00.1 | Geberit showroom model cover profile, for shower channels CleanLine, tile-bearing | | | | 14,00 |
| 980.060.KS.1 | Geberit showroom model cover profile, for shower channel CleanLine80, 90 cm: stainless steel, brushed | | | | 581,00 |
| 980.060.QC.1 | Geberit showroom model cover profile, for shower channel CleanLine80, 90 cm: black chrome / polished | | | | 581,00 |
| 980.098.00.1 | Geberit presentation display with washbasin connector Clou, space-saving model and dip tube traps, space-saving model | | | | 439,00 |